PCT

(30) Priority Data: 08/766,189

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
C12Q 1/68

A2

(11) International Publication Number: WO 98/26091

(43) International Publication Date: 18 June 1998 (18.06.98)

US

(21) International Application Number: PCT/CA97/00955

(22) International Filing Date: 12 December 1997 (12.12.97)

(71) Applicant (for all designated States except US): VISIBLE GENETICS, INC. [CA/CA]; Suite 1000, 700 Bay Street,

12 December 1996 (12.12.96)

Toronto, Ontario M5G 1Z6 (CA).

(71)(72) Applicant and Inventor: BLASCZYK, Rainer, H [DE/DE]; Braschzeile 32, D-14109 Berlin (DE).


(72) Inventor; and
 (75) Inventor/Applicant (for US only): LEUSHNER, James [CA/CA]; 84 Sylvan Valley Way, North York, Ontario M5M 4M3 (CA).

(74) Agents: STRATTON, Robert, P. et al.; Gowling, Strathy & Henderson, Suite 4900, Commerce Court West, Toronto, Ontario M5L 1J3 (CA). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: METHOD AND KIT FOR HLA CLASS I TYPING



GROUP-SPECIFIC NON-CODING REGION PRIMERS

(57) Abstract

The present invention relates to methods and materials for determining the HLA Class I type of a subject, wherein group-specific sequences are used to design primer molecules which may be used in amplification protocols which accurately identify the HLA group(s) and/or allele(s) carried by the subject.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Albania	ES	Spain	LS	Lesotho	SI	Slovenia
Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
Austria	FR	France	LU	Luxembourg	SN	Senegal
Australia	GA	Gabon	LV	Latyia	\mathbf{SZ}	Swaziland
Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
Brazil	IL	Israel	MR	Mauritania	UG	Uganda
Belarus	IS	Iceland	MW	Malawi	US	United States of America
Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
Switzerland	KG	Kyrgyzstan	NO	Norway	$\mathbf{z}\mathbf{w}$	Zimbabwe
Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
Cameroon		Republic of Korea	PL	Poland		
China	KR	Republic of Korea	PT	Portugal		
Cuba	KZ	Kazakstan	RO	Romania		
Czech Republic	LC	Saint Lucia	RU	Russian Federation		
Germany	LI	Liechtenstein	SD	Sudan		
Denmark	LK	Sri Lanka	SE	Sweden		
Estonia	LR	Liberia	SG	Singapore		
	Armenia Austria Austria Austriaia Azerbaijan Bosnia and Herzegovina Barbados Belgium Burkina Faso Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany Denmark	Armenia FI Austria FR Austrialia GA Azerbaijan GB Bosnia and Herzegovina GE Barbados GH Belgium GN Burkina Faso GR Bulgaria HU Benin IE Brazil II. Belarus IS Canada IT Central African Republic JP Congo KE Switzerland KG Côte d'Ivoire KP Cameroon China KR Cuba KZ Czech Republic LC Germany LI Denmark LK	Armenia FI Finland Austria FR France Australia GA Gabon Azerbaijan GB United Kingdom Bosnia and Herzegovina GE Georgia Barbados GH Ghana Belgium GN Guinea Burkina Faso GR Greece Bulgaria HU Hungary Benin IE Ireland Brazil IL Israel Belarus IS Iceland Canada IT Italy Central African Republic JP Japan Congo KE Kenya Switzerland KG Kyrgyzstan Côte d'Ivoire KP Democratic People's Cameroon China KR Republic of Korea Cuba KZ Kazakstan Czech Republic LC Saint Lucia Germany LI Linden GB United Kingdom Georgia Geo	Armenia FI Finland LT Austria FR France LU Australia GA Gabon LV Azerbaijan GB United Kingdom MC Bosnia and Herzegovina GE Georgia MD Barbados GH Ghana MG Belgium GN Guinea MK Burkina Faso GR Greece Bulgaria HU Hungary ML Benin IE Ireland MN Brazil IL Israel MR Belarus IS Iceland MW Canada IT Italy MX Central African Republic JP Japan NE Congo KE Kenya Switzerland KG Kyrgyzstan NO Côte d'Ivoire KP Democratic People's NZ Cameroon Republic OF KOREA China KR Republic of Korea PL China KR Republic OF KOREA CZECH Republic LC Saint Lucia RU Germany LI Liechenstein SD Denmark LK Sri Lanka SE	Armenia FI Finland LT Lithuania Austria FR France LU Luxembourg Australia GA Gabon LV Latvia Azerbaljan GB United Kingdom MC Monaco Bosnia and Herzegovina GE Georgia MD Republic of Moldova Barbados GH Ghana MG Madagascar Belgium GN Guinea MK The former Yugoslav Burkina Faso GR Greece Republic of Macedonia Bulgaria HU Hungary ML Mali Benin IE Ireland MN Mongolia Brazil IL Israel MR Mauritania Belarus IS Iceland MW Malawi Canada IT Italy MX Mexico Central African Republic JP Japan NE Niger Congo KE Kenya NL Netherlands Switzerland KG Kyrgyzstan NO Norway Côte d'Ivoire KP Democratic People's NZ New Zealand China KR Republic of Korea PL Poland China KR Republic of Korea PT Portugal Cuba KZ Kazakstan RO Romania Cermany LI Liechtenstein SD Sudan Denmark LK Sri Lanka SE Sweden	Armenia FI Finland LT Lithuania SK Austria FR France LU Luxembourg SN Australia GA Gabon LV Latvia SZ Azerbaljan GB United Kingdom MC Monaco TD Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Barbados GH Ghana MG Madagascar TJ Belgium GN Guinea MK The former Yugoslav TM Burkina Faso GR Greece Republic of Macedonia TR Bulgaria HU Hungary ML Mali TT Belanin IE Ireland MN Mongolia UA Brazil IL Israel MR Mauritania UG Belarus IS Iceland MW Malawi US Canada IT Italy MX Mexico UZ Central African Republic JP Japan NE Niger VN Congo KE Kenya NL Netherlands YU Switzerland KG Kyrgyzstan NO Norway ZW Côte d'Ivoire KP Democratic People's NZ New Zealand China KR Republic of Korea PL Poland China KR Republic of Korea PL Poland China KR Republic of Korea PL Poland China KZ Kazakstan RO Romania Czech Republic LC Saint Lucia RU Russian Federation Germany LI Liechenstein SD Sudan Denmark LK Sri Lanka SE Sweden

Description

Method And Kit For HLA Class I Typing

1. Introduction

The present invention relates to methods and materials for determining the HLA Class I type of a subject, wherein group-specific sequences are used to design primer molecules which may be used in amplification protocols which accurately identify the HLA group(s) and/or allele(s) carried by the subject.

2. Background Of The Invention

The Histocompatibility Locus Antigen ("HLA") Class I genes comprise three classical genes encoding the major transplantation antigens HLA-A, HLA-B, and HLA-C and seven other Class I genes of which HLA-E, HLA-F and HLA-G are probably functional genes and HLA-H, HLA-I, HLA-K and HLA-L are pseudogenes. The class I genes share a similar structure, which includes, *inter alia*, 5' -> 3', a 5' untranslated flanking region; a first exon ("exon 1") having a length of approximately 73 base pairs ("bp"); a first intron ("intron 1") having a length of approximately 130 bp; a second exon ("exon 2"), having a length of approximately 272 bp; a third exon ("exon 3"), having a length of approximately 276 bp; a third intron ("intron 3"), having a length of approximately 588 bp; and a fourth exon ("exon 4").

The HLA Class I genes are highly polymorphic among individuals. As of 1996, at least 73 alleles of HLA-A, 126 alleles of HLA-B and 35 alleles of HLA-C have been identified. This variability is of particular relevance when tissue transplantation between a donor and a host is contemplated. The histocompatibility antigens of donor and host should be as similar as possible to avoid both immune rejection of the transplanted tissue as well as graft-versus-host disease. It is therefore important to accurately identify the HLA types of donor and host. In view of the exigencies implicit in tissue transplantation, it is desirable that the typing be accomplished as efficiently as possible.

Methods for determining alleles of HLA-A, HLA-B, and HLA-C in a

PCT/CA97/00955

patient sample have been heavily investigated because of the functional importance of these genes in transplant tissue matching and autoimmune diseases. The first tests developed used immunological methods to identify epitopes expressed by various HLA loci. These tests (e.g., the complement-dependent cytotoxicity assay described in Terasaki and McClelland, Nature, 204:998, (1964)) identified broad serological specificities but were not capable of distinguishing between allelic members of a group, and sometimes mis-identified groups altogether. Unfortunately, even the most accurate of such low resolution assays cannot detect and distinguish all functionally significant transplant antigens (Anasetti et al. Hum. Immunol., 29:70 (1990)).

High resolution tests performed at the nucleic acid level which distinguish among alleles of each group have become the focus of recent research.

Current methods of high resolution typing include the following.

The Sequence Specific Oligonucleotide Probes ("SSOP") technique, as described in United States Patent No. 5,451,512 assigned to Hoffman-La Roche, Inc., uses a reverse dot blot format, wherein HLA-A probes are immobilized on a membrane, and the labelled target (patient sample) DNA is hybridized to the membrane-bound probe (as described in Saiki et al., 1989, Proc. Natl. Acad. Sci. 86:6230-6234). The pattern of hybridization to the probes on the dot-blot gives information regarding the HLA type of the individual. However, because hybridization is inherently not sufficiently specific to rule out minor differences in sequence between probe and patient sample, there is a possibility that the patient sample may contain an allelic variant which is not accounted for.

Another nucleic acid-based test is the Amplification Refractory

Mutation System (ARMS) as described in the "HLA Class I SSP ARMS-PCR Typing
Kit" Reference Manual, June 1995 edition, published by the Imperial Cancer
Research Fund. This assay is based on the need for complementarity (matching)
between the 3' end of an amplification primer and a target DNA sequence. Absent
such matching, the primer will not function properly and no fragment will be
amplified. Sequence information is deduced by determining, for various pairs of
primers acting on target DNA from a patient sample, whether or not a fragment is
successfully amplified. The accuracy of the technique is limited by the number of

primer pairs tested and by the possibility that allelic variations exist in regions of DNA which lie between the primers.

In order to overcome the foregoing shortcomings, it has been proposed that typing be accomplished by direct DNA sequencing (Santamaria et al., "HLA Class I Sequence-Based Typing" Hum. Immunol. 37, 39-50 (1993); WO 9219771; US Pat. 5,424,184). However, while direct sequencing of a patient's Class I HLA locus may conceptually be the most accurate, such sequencing may require a time-frame unsuitable for clinical practice. The success of direct sequencing methods may be expected to rely upon the design of efficient protocols and relevant primer sequences.

Prior to the present invention, direct sequencing protocols have exhibited a number of disadvantages. For example, the method of Santamaria et al., *supra*, fails to provide sufficient information because it focuses on cDNA (exon) sequences which, in view of exon sequence diversity, offer a very limited selection of conserved primer hybridization sites. In addition, because the Santamaria sequencing primers hybridize within an exon, they do not provide information for DNA sequence upstream of the primer which is potentially decisive for distinguishing among alleles. Further, the sites disclosed were determined before the recent discovery of dozens of more alleles that now need to be considered in identifying HLA type.

Intron sequences could provide the preferred hybridization sites for amplification and sequencing primers for the HLA-A, HLA-B and HLA-C genes because they may provide the DNA sequence of the full exon. Intron sequences for an HLA Class I gene were disclosed at least as early as 1985 (Weiss et al Immunobiol 170:367-380, (1985)). Due to their substantial diversity, and the difficulties in sequencing, few intron sequences have been published subsequently.

A number of researchers have made limited use of intron based oligonucleotides for limited aspects of HLA Class I typing.

Blasczyk et al. (Tissue Antigens 1996: 47: 102-110) used exon based amplification primers to determine group specificity. After amplification, universal sequencing primers located in intron 2 were used to sequence the amplified fragment. The paper does not disclose any intron sequence motifs from intron 1 or 3 or the 5'

untranslated region.

Cereb et al. (Tissue Antigens 1995: 45:1-11), undertook the identification of intron sequences useful for locus-specific amplification primer sets for all Class I genes. These primer sets were designed to amplify all alleles of the same locus. No group specific amplification primers were sought or reported. Further, amplified fragments were characterized by SSOP and not by direct sequencing.

Johnston-Dow et al (Poster Presentation: 1995 ASHI Meeting, Dallas, TX) presented a system for direct sequence determination of HLA-A wherein degenerate exon based primers were used to amplify exons 1 to 5 of the genomic HLA-A DNA sequence. As in Cereb et al., supra, the degenerate primer pool was designed to amplify all alleles of the HLA-A locus. Group specificity was not sought or reported. Further, sequencing of the amplified fragment was obtained using a degenerate primer mix wherein primers hybridize to intron regions flanking exons 2 and 3.

A rational approach to typing of classical HLA Class I loci would provide a simplified series of steps for high resolution typing of each allele of each loci in a patient sample using intron based oligonucleotides. Further, this method would be able to identify new alleles without ambiguities.

3. Summary Of The Invention

The present invention relates to materials and methods for high-resolution, nucleic acid-based typing of the three classical HLA Class I genes (comprising the loci HLA-A, HLA-B and HLA-C) in a patient sample. It is based, in part, on the discovery of group-specific sequence motifs, derived from the analysis of numerous patient samples, which include sequences of the 5' flanking region, intron 1, intron 2, and intron 3. Such sequence motifs may be used to design amplification primers which may be used to identify the HLA group or type of a subject. The invention is also based, in part, on the determination of numerous allele-specific sequences which may be used to confirm the precise allelic type of a subject.

The present invention provides for substantially purified nucleic acids which are capable of selectively hybridizing with group specific sequence motifs in untranslated regions of the HLA-A, HLA-B or HLA-C gene loci. Such nucleic acids, which may be comprised in a kit, may be used, alone or in conjunction with exonbased primers, to determine the group specificity of HLA-A, HLA-B, or HLA-C alleles contained in a patient sample and to identify the specific alleles present.

In particular embodiments, the present invention provides for methods of ascertaining the HLA Class I type of a subject which comprise performing a first amplification reaction which identifies the group type of the subject, and a second amplification reaction which produces allele-specific nucleic acids for sequencing.

3.1. Definitions

"Allele" means one of the alternative forms of the gene in question;

"Amplification" means the process of increasing the relative abundance of one or more specific genes or gene fragments in a reaction mixture with respect to the other genes. A method of amplification which is well known by those skilled in the art is the polymerase chain reaction (PCR) as described in United States Patents Nos. 4,683,194, 4,683,195 and 4,683,202, which are incorporated herein by reference. The PCR process involves the use of pairs of primers, one for each complementary strand of the duplex DNA (wherein the coding strand is referred to as the "sense strand" and its complementary strand is referred to as the "antisense strand"), that will hybridize at a site located near a region of interest in a gene. Chain

gene;

extension polymerization (without a chain terminating nucleotide) is then carried out in repetitive cycles to increase the number of copies of the region of interest many times. The amplified oligonucleotides are then separated from the reaction mixture and used as the starting sample for the sequencing reaction. Gelfand et al. have described a thermostable enzyme, "Taq polymerase," derived from the organism Thermus aquaticus, which is useful in this amplification process (see United States Patent Nos. 5,352,600 and 5,079,352 which are incorporated herein by reference);

"Group" as used herein, refers to a subset of alleles of one loci, all of which share sequence features which distinguish them from other groups. For example, serological group reactivity (in a lymphocytotoxicity assay) is the conventional basis for nomenclature of HLA alleles. The first two digits of an allele refer to the serological group; for example, the designation A*0201, A*0202, A*0217 all are members of the A2 group. Further, typically the nomenclature refers to the serological split group (e.g., A23 and A24 are serological splits of A9;

"Group-specific sequence motif" means a generally short, 1-25 nucleotide ("nt") sequence of nucleic acid which is found only in one or a few groups. Where a motif is shared by several groups in one region of the HLA locus, group-specific sequence motifs in other regions of the locus may serve as group-distinguishing features. The motif may share one or more nucleotides with the consensus sequence for the region;

"Haplotype" means the allele present on one chromosome;

"Heterozygote" means the presence of at least two different alleles of a

"Homozygote" means the presence of a single species of allele of a gene;

"Locus" means a gene, such as HLA-A, HLA-B or HLA-C;
"Locus specific" means an event or thing associated with only one locus;

"Patient sample" means a sample collected from a patient in need of HLA typing which contains a sufficient amount and quality of nucleic acid (preferably DNA) for the performance of an amplification reaction. A nonlimiting example of a suitable source is peripheral blood lymphocytes, tissue (including cell

cultures derived therefrom, mucosal scrapes, spleen and bone marrow;

"Primer" means a polynucleotide generally of 5-50 nucleotides length which can serve to initiate a chain extension reaction;

"Sequencing" or "DNA sequencing" means the determination of the order of nucleotides in at least a part of a gene. A well known method of sequencing is the "chain termination" method first described by Sanger et al., Proc. Nat'l Acad. Sci. (USA) 74(12): 5463-5467 (1977) (recently elaborated in EP-B1-655506, and Sequenase 2.0 product literature (Amersham Life Sciences, Cleveland) incorporated herein by reference). Basically, in this process, DNA to be sequenced is isolated, rendered single stranded, and placed into four vessels. In each vessel are the necessary components to replicate the DNA strand, which include a templatedependant DNA polymerase, a short primer molecule complementary to a known region of the DNA to be sequenced, and individual nucleotide triphosphates in a buffer conducive to hybridization between the primer and the DNA to be sequenced and chain extension of the hybridized primer. In addition, each vessel contains a small quantity of one type of optionally detectably labeled dideoxynucleotide triphosphate, e.g., dideoxyadenosine triphosphate ("ddA"), dideoxyguanosine triphosphate ("ddG"), dideoxycytosine triphosphate ("ddC"), or dideoxythymidine triphosphate ("ddT"). In each vessel, each piece of the isolated DNA is hybridized with a primer. The primers are then extended, one base at a time to form a new nucleic acid polymer complementary to the isolated pieces of DNA. When a dideoxynucleotide is incorporated into the extending polymer, this terminates the polymer strand and prevents it from being further extended. Accordingly, in each vessel, a set of extended polymers of specific lengths are formed which are indicative of the positions of the nucleotide corresponding to the dideoxynucleic acid in that vessel. These sets of polymers are then evaluated using gel electrophoresis to determine the sequence.

"Specific hybridization" means hybridization of one strand of a nucleic acid to its complement.

"Target sequence" means the preferred site for specific hybridization of a primer; and

"Untranslated region" refers to a portion of an HLA locus which is not transcribed into RNA and eventually translated into protein. Examples of untranslated regions are the 5' and 3' flanking regions and intron sequences. For example, the 5' flanking region is neither transcribed nor translated, and intron sequences are transcribed but not translated.

4. <u>Description Of The Figures</u>

FIGURE 1 is an illustration of the principle for an HLA class I sequencing strategy. Group-specific primers are used for PCR amplification, and universal primers located in the 2nd intron are used for sequencing, regardless of the amplified group. 5'FR= 5' flanking region; 5' UTR= 5' untranslated region (-1 to -23 from the ATG start codon in exon 1).

FIGURE 2A and 2B depict, in schematic form, a method of the invention in which a cocktail of HLA-A group specific primers is used to amplify target DNA contained in a patient sample. The products of amplification are then separated electrophoretically in an agarose gel, allowing the identification, by fragment mobility, of fragments corresponding to groups A2 and A3. Primers specific for groups A2 and A3 are then used to amplify duplicate samples of target DNA in separate reactions, to produce A2 and A3 fragments which may then be sequenced using universal sequencing primers. FIGURE 2C and 2D depict a strategy wherein group type specificity is determined by reaction of aliquots of genomic DNA in separate reactions with a panel of primer pairs.

FIGURE 3 depicts the nucleic acid sequences of the HLA-A 5' flanking region in various alleles, including a consensus sequence (SEQ ID NO:1) as well as the sequences for the following alleles: A*0101 (SEQ ID NO:2); A*0301 (SEQ ID NO:3); A*1101 (SEQ ID NO:4); A*1102 (SEQ ID NO:5); A*3001 (SEQ ID NO:6); A*3002 (SEQ ID NO:7); A*3004 (SEQ ID NO:8); A*0201-11 (SEQ ID NO:9); A*0215 (SEQ ID NO:10); A*0217 (SEQ ID NO:11); A*6801 (SEQ ID NO:12); A*6802 (SEQ ID NO:13); A*6901 (SEQ ID NO:14); A*2301 (SEQ ID NO:15); A*2402 (SEQ ID NO:16); A*2403 (SEQ ID NO:17); A*2404 (SEQ ID NO:18); A*2405 (SEQ ID NO:19); A*2407 (SEQ ID NO:20); A*2501 (SEQ ID NO:21); A*2601 (SEQ ID NO:22); A*3402 (SEQ ID NO:23); A*4301 (SEQ ID NO:21); A*2601 (SEQ ID NO:22); A*3402 (SEQ ID NO:23); A*4301 (SEQ ID

NO:24); A*6601 (SEQ ID NO:25); A*6602 (SEQ ID NO:26); A*6603 (SEQ ID NO:27); A*2901 (SEQ ID NO:28); A*2902 (SEQ ID NO:29); A*31012 (SEQ ID NO:30); A*3201 (SEQ ID NO:31); A*3301 (SEQ ID NO:32); A*3303 (SEQ ID NO:33); A*7401 (SEQ ID NO:34); A*7402 (SEQ ID NO:36); A*7403 (SEQ ID NO:37); and A*8001 (SEQ ID NO:38).

FIGURE 4 depicts the nucleic acid sequences of HLA-A intron 1 in various alleles, including a consensus sequence (SEQ ID NO:39) as well as the sequences for the following alleles: A*0101 (SEQ ID NO:40); A*0301 (SEQ ID NO:41); A*1101 (SEQ ID NO:42); A*1102 (SEQ ID NO:43); A*3001 (SEQ ID NO:44); A*3002 (SEQ ID NO:45); A*3004 (SEQ ID NO:46); A*0201 (SEQ ID NO:47); A*0202 (SEQ ID NO:44); A*0203 (SEQ ID NO:49); A*0204 (SEQ ID NO:50); a*0205 (SEQ ID NO:51); A*0206 (SEQ ID NO:52); A*0207 (SEQ ID NO:53); A*0207 (SEQ ID NO:54); A*0208 (SEQ ID NO:55); A*0209 (SEQ ID NO:56); A*0210 (SEQ ID NO:57); A*0211 (SEQ ID NO:58); A*0215 (SEQ ID NO:59); A*0217 (SEQ ID NO:60); A*6801 (SEQ ID NO:61); A*6802 (SEQ ID NO:62); A*6901 (SEQ ID NO:63); A*2301 (SEQ ID NO:64); A*2402 (SEQ ID NO:65); A*2403 (SEQ ID NO:66); A*2404 (SEQ ID NO:67); A*2405 (SEQ ID NO:68); a*2407 (SEQ ID NO:69); A*2501 (SEQ ID NO:70); A*2601 (SEQ ID NO:71); A*3402 (SEQ ID NO:72); A*6601 (SEQ ID NO:73); A*6602 (SEQ ID NO:74) A*6603 (SEQ ID NO:75); A*4301 (SEQ ID NO:76); A*2901 (SEQ ID NO:77); A*2902 (SEQ ID NO:78); A*3101 (SEQ ID NO:79); A*3201 (SEQ ID NO:80); A*3301 (SEQ ID NO:81); A*3303 (SEQ ID NO:82); A*7401 (SEO ID NO:83); A*7402 (SEQ ID NO:84); A*7403 (SEQ ID NO:85); and A*8001 (SEQ ID NO:86).

FIGURE 5 depicts the nucleic acid sequences of HLA-A intron 2 in various alleles, including a consensus sequence (SEQ ID NO:87) as well as sequences for the following alleles: A*0101 (SEQ ID NO:88); A*0201 (SEQ ID NO:89); A*0202 (SEQ ID NO:90); A*0203 (SEQ ID NO:91); A*0204 (SEQ ID NO:92); A*0205 (SEQ ID NO:93); A*0206 (SEQ ID NO:94); A*0207 (SEQ ID NO:95); A*0208 (SEQ ID NO:96); A*0209 (SEQ ID NO:97); A*0210 (SEQ ID NO:98); A*0211 (SEQ ID NO:99); A*0215 (SEQ ID NO:100); A*0217 (SEQ ID NO:101);

A*6801 (SEQ ID NO:102); A*6802 (SEQ ID NO:103); A*6901 (SEQ ID NO:104); A*2501 (SEQ ID NO:105); A*2601 (SEQ ID NO:106); A*4301 (SEQ ID NO:107); A*6601 (SEQ ID NO:108); A*6602 (SEQ ID NO:109); A*6603 (SEQ ID NO:110); A*3402 (SEQ ID NO:111); A*2901 (SEQ ID NO:112); A*2902 (SEQ ID NO:113); A*3101 (SEQ ID NO:114); A*3201 (SEQ ID NO:115); A*3301 (SEQ ID NO:116); A*3303 (SEQ ID NO:117); A*7401 (SEQ ID NO:118); A*7402 (SEQ ID NO:119); A*7403 (SEQ ID NO:120); A*2301 (SEQ ID NO:121); A*2402 (SEQ ID NO:122); A*2403 (SEQ ID NO:123); A*2404 (SEQ ID NO:124); A*2405 (SEQ ID NO:125); A*2407 (SEQ ID NO:126); A*0301 (SEQ ID NO:127); A*1101 (SEQ ID NO:128); A*1102 (SEQ ID NO:129); A*3001 (SEQ ID NO:130); A*3002 (SEQ ID NO:131); A*3004 (SEQ ID NO:132); and A*8001 (SEQ ID NO:133).

FIGURE 6 depicts the nucleic acid sequences of HLA-A intron 3 in various alleles, including a consensus sequence (SEQ ID NO:134) as well as sequences for the following alleles: A*0101 (SEQ ID NO:135); A*0301 (SEQ ID NO:136); A*1101 (SEQ ID NO:137); A*1102 (SEQ ID NO:138); A*3001 (SEQ ID NO:139); A*3002 (SEQ ID NO:140); A*3004 (SEQ ID NO:141); A*0201 (SEQ ID NO:142); A*0202 (SEQ ID NO:143); A*0203 (SEQ ID NO:144); A*0204 (SEQ ID NO:145); A*0205 (SEQ ID NO:146); A*0206 (SEQ ID NO:147); A*0207 (SEQ ID NO:148); A*0208 (SEQ ID NO:149); A*0209 (SEQ ID NO:150); A*0210 (SEQ ID NO:151); A*0211 (SEQ ID NO:152); A*0215 (SEQ ID NO:153); A*0217 (SEQ ID NO:154); A*6801 (SEQ ID NO:155); A*6802 (SEQ ID NO:156); A*6901 (SEQ ID NO:157); A*2301 (SEQ ID NO:158); A*2402 (SEQ ID NO:159); A*2403 (SEQ ID NO:160); A*2404 (SEQ ID NO:161); A*2405 (SEQ ID NO:162); A*2407 (SEQ ID NO:163); A*2501 (SEQ ID NO:164); A*2601 (SEQ ID NO:165); A*3402 (SEQ ID NO:166); A*4301 (SEQ ID NO:167); A*6601 (SEQ ID NO:168); A*6602 (SEQ ID NO:169); A*6603 (SEQ ID NO:170); A*2901 (SEQ ID NO:171); A*2902 (SEQ ID NO:172); A*3101 (SEQ ID NO:173); A*3201 (SEQ ID NO:174); A*3301 (SEQ ID NO:175); A*3303 (SEQ ID NO:176); A*7401 (SEQ ID NO:177); A*7402 (SEQ ID NO:178); A*7403 (SEQ ID NO:179); and A*8001 (SEQ ID NO:180).

FIGURE 7 depicts a phylogenetic tree of the 5' flanking and 5' untranslated regions of HLA-A.

FIGURE 8 depicts a phylogenetic tree of introns 1-3 of the HLA-A gene.

FIGURE 9 depicts a phylogenetic tree of introns 1-3 of the HLA-B gene.

FIGURE 10 depicts the results of amplification using group-specific exon region primers to determine HLA-A group type, wherein the group specificity is determined to be 6601 and 3201 (see Table 7).

FIGURE 11 depicts the results of amplification using group-specific exon region primers to determine HLA-A group type, wherein the group specificity is determined to be 020x and 680x (see Table 8).

5. Detailed Description Of The Invention

The present invention relates to compositions and methods which may be used to efficiently and accurately determine the HLA Class I type of a patient sample.

The present invention is based, in part, on the determination of group-specific sequence motifs in regions of HLA Class I loci. These motifs may be used to design oligonucleotides which may be used as group-specific primers in nucleic acid amplification reactions. The present invention is also based, in part, on the determination of the sequences of regions of a wide variety of alleles of HLA Class I loci; such sequences may be used to distinguish one allele from another. Sequences of regions including the 5' flanking region of HLA-A and introns 1, 2 and 3 of HLA-A are provided herein, and are set forth in Figures 3-6.

In general, the methods of the invention may be described as follows. Comparison of nucleotide sequences of an HLA locus among members of an HLA Class I group, which lie in either untranslated or exon regions, may be used to identify group-specific motif sequences. Identification of groups may be by establishing serological relationships or using phylogenetic information, as set forth in Figures 7-9. Based on the group-specific motif sequences, oligonucleotide primers may be designed, synthesized, and used to amplify a portion of the HLA locus.

Oligonucleotides used in this manner are referred to herein as "group-specific

primers" and, in particular, as "group-specific untranslated region primers" or "group-specific exon region primers", as the case may be.

In preferred nonlimiting embodiments of the invention, the primers correspond to untranslated regions of the HLA Class I locus ("group-specific untranslated region primers"). Such primers may be used in pairs, wherein each member of the pair hybridizes to an untranslated region lying on either side of at least one exon. For example, but not by way of limitation, primer pairs may be oligonucleotide pairs which hybridize to group-specific motifs in the 5' untranslated region and the first, second, or third intron; the first intron and the second or third intron; or the second and third intron.

The group-specific primers may be used in several different methods according to the invention. In a first series of nonlimiting embodiments, the group-specific primers may be used in a diagnostic manner to identify which allelic groups are present in a patient sample. In a second series of nonlimiting embodiments, the group-specific primers may be used to amplify sufficient amounts of a particular allelic fragment which is then subjected to direct nucleotide sequencing using universal sequencing primers.

According to the first series of embodiments, the present invention provides for a method of determining the HLA Class I group type of a subject comprising (i) combining a group-specific primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; and (ii) determining whether a nucleic acid product is produced by the amplification; wherein the ability of a primer pair to produce a nucleic acid product is associated with a particular HLA group type. The group-specific primers may be group-specific exon region primers or group-specific untranslated region primers. In related embodiments the present invention provides for a method of determining the HLA Class I group type of a subject comprising (i) combining a plurality of group-specific exon region primer pairs with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; (ii) determining the size of the nucleic acid products of the amplification; and (iii) correlating the size of the product with the predicted size of a fragment associated

with a particular HLA group type. The plurality of primers is referred to as an HLA "cocktail" (see Figures 1 and 2). These first methods may be used to provide useful diagnostic information. For example, group type determination may serve as a first level of comparison for a histocompatibility analysis, even without identification of the specific allele(s) involved. For example, if a potential donor and host are being evaluated for tissue transplantation, if it is found that their group types do not match, no further comparison may be necessary. If, alternatively, their types do match, further analysis, for example by direct sequencing, may be desirable.

According to the second series of embodiments, the present invention provides for a method of determining the HLA Class I allelic type of a subject comprising (i) combining a group-specific oligonucleotide primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; (ii) collecting the nucleic acid product of the amplification; and (iii) determining the nucleic acid sequence of the product. The group-specific primer pair used may be determined based on the group type of the subject, as determined using the first method, described above. In preferred embodiments of the invention, group-specific untranslated region primers which span a region of the HLA locus containing allele-specific sequence may be utilized. If a subject is heterozygous, separate amplification reactions are performed for each group identified (e.g., separate reactions to amplify fragment for group A2 and group A3; see Figure 2). Sequencing may be performed using universal sequencing primers which will operate irrespective of HLA group or allelic type.

A more detailed description of the invention follows. Most alleles of the classical HLA Class I gene loci (consisting of HLA-A, HLA-B and HLA-C) can be distinguished on the basis of exon 2 and 3 alone. In one non-limiting embodiments, a method of the invention takes advantage of this fact, and employs the strategy generally described in Figure 2, using the example of HLA-A. A genomic DNA sample is prepared from a patient sample according to well known techniques. Aliquots of the genomic DNA may then separately be reacted with a panel of group-specific exon region primer pairs (Figure 2C), wherein the successful amplification of a DNA fragment is associated with a particular group type. Alteratively, as depicted

in Figure 2A), part of the sample may be treated with a cocktail of group-specific exon region primer pairs. Each primer pair in the cocktail will amplify only selected allelic groups because they specifically hybridize to group specific intron sequence motifs. Between them, under suitable polymerase chain reaction (PCR) conditions, the cocktail may amplify all known HLA-A groups, with each group specific amplification product having a different length. When reaction products are separated on an agarose gel the group(s) present in the patient sample may be identified by length.

Optionally, once the group specificity is determined, the direct sequence of alleles may be determined for precise allelic identification. As illustrated in Figure 2 B), a further part of the patient sample DNA may be treated under PCR conditions with a pair of primers that are specific for the previously determined group; preferably such primers are group-specific untranslated region primers, which span greater distances of the locus. If two groups were detected, then two separate reactions are performed. At completion of the second amplification, the reaction products are sequenced using an intron based "universal primer" which hybridizes to an intron sequence which is conserved among all alleles of the locus. Though it is theoretically possible to use a sequencing primer which is specific for the amplified group only, it is found that using a universal primer simplifies the method and the preparation of a kit. Various universal sequencing primers are specifically provided herein (see *infra*) which hybridize, respectively, to intron sequences flanking the 5' end of exon 2, the 3' end of exon 2, the 5' end of exon 3 and the 3' end of exon 3.

The substantial advantage of the method of the invention is that the initial group specific amplification allows a PCR based separation of haplotypes in 95% of patient samples. The separation of the haplotypes is a major achievement of this protocol since it permits the resolution of cis/trans linkages of heterozygote sequencing results which cannot be achieved with other protocols. With the instant invention, a separation of the haplotypes may be achieved in serological heterozygous samples with the sequencing primer mixes ("PMs") described in Table 2 (*infra*) using group-specific amplification corresponding to the serological families. The selection of the PMs used for sequencing depends on the amplification patterns of the preceding

PCR-SSP low-resolution typing. The primers are designed to work with a in a single cycle protocol including, but not limited to, a PCR protocol on a Perkin Elmer System 9600, maintaining typing capacities of the laboratory. All PCR products carry sufficient sequence information for a complete subtyping. This approach is superior to a typing system using a single pair of generic primers followed by direct sequencing or SSO hybridization, even if the amplification strategy is locus-specific. The substantial advantage of Sequence Based Typing (SBT) is the definition of the cis/trans linkage of sequence motifs. SBT after generic PCR amplification cannot define the cis/trans linkage of sequence motifs and therefore mimics oligotyping. The rapidly growing number of newly identified alleles confirms that new alleles have arisen mainly from gene conversion events which have usually taken place between different alleles of the same locus. Newly identified alleles are not characterized by new sequence motifs, but by a new combination of already existing sequence motifs. From this observation it may be concluded that the amount of alleles at each locus may theoretically represent all possible combinations of known sequence motifs. Of course, some of them will fall victim to negative selection. Nevertheless, it can be expected that still an enormous amount of alleles are yet unidentified. PCR-SSP subtyping strategies using a restricted number of oligonucleotides which do not cover all possible sequence motifs suffer from this limitation. If the cis/trans linkage of the analyzed polymorphic regions is not defined some new alleles may be mistyped as a heterozygous combination of known alleles. This has consequences with respect to SBT strategies. An unambiguous typing result of SBT after generic PCR amplification is only unambiguous with regard to the presently known HLA sequence databank. However, with the detection of new alleles this result can become ambiguous over the course of time. This observation has already been made in PCR based DRB1 typing during the last five years and will probably also occur in PCR based class I typing. Considering the above points, the idea of the instant SBT approach is not only to identify the HLA-A, HLA-B and HLA-C subtypes, but to cover as many of the polymorphic sites as possible and to define the cis/trans linkage of the polymorphic sequence motifs. Typing results obtained with this method will remain unambiguous independently of the growing HLA sequence databank.

WO 98/26091

In general, group-specific primers are desirably designed to facilitate hybridization to their intended targets. It should be taken into account that homology between different groups, and indeed between group-specific motifs, may exist. Accordingly, in preferred embodiments of the invention, a primer may be designed such that it hybridizes to its group target under relatively stringent conditions. For example, one or more mismatched residues may be engineered into the 3' domain of the molecule. Further, the primer may be designed such that it differs from any naturally occurring or consensus sequence, but rather has mismatches inserted which serve to further reduce hybridization of the primer to target DNA of a group other than the intended target group. Under certain circumstances, one or more mismatches may be introduced into the 5' end to destabilize internal hairpin loops; such changes are not generally expected to enhance the efficiency of the primer.

The following nucleic acid sequences may be comprised in groupspecific untranslated region primers for HLA-A which are specific for the groups as indicated in Table 1.

Table 1.

Designation	<u>.</u>	Sequence	<u>N</u>	<u>Tm</u>	Specificity	Position
II-210m	S	5' ACC Cgg gAA gCC ggg CCT 3'	18	64 C	A 10 et al.	73-92
I1-230m	S	5' ggC Agg TCT CAg CgA Ctg 3'	18	60 C	A*01,03,11,30	102-119
I1-226	S	5' CTC TgT ggg gAg AAg CAA C	3' 19	60 C	A*02	29-47
I1-221m11	S	5' ggg AgC ggC gCC ggg AC 3'	17	64 C	A*0301	77-93
I1-209	S	5' gAA gCA Agg ggC Ccg CCC	18	64 C	A10 et al.	41-58
II-214m	S	5' CgC CTg gCg ggg gGg CAA 3'	18	66 C	A*2301,24	54-71
I1-223d	S	5' gTg AgT gCg ggg TCg Tgg 3'	18	62 C	A19	1-19
I1-225m	S	5' gCC ggg Agg Agg gAC ggT 3'	18	64 C	A*30	86-103
II-237m14	·S	5' ggC gCg CCC ggC ggg gA 3'	17	65 C	A*29	49-65
II-240	S	5' ggA ggA ggg Tcg ggC ggA 3'	18	64 C	A*31,33	90-107
5'FL-243	S	5' AgT gTC TTC gCg gTC gCT C 3	' 19	62 C	A*11	53-71
5'FR-257	S	5' CTC AgA TTC TCC CCA gAC g	3' 19	60 C	Aall, except for	A*11 6-24
5'FR-273	S	5' CAT gCC gAg ggT TTC TCC CA	3' 20	64 C	A*28,6602,6603	360-380
BP202	S	5' CTg gCC CTg ACC CAg ACC A	3' 19	64 C	A*7401,7403 E	Exon 1, 49-68
BP203	S	5' CCT gAC CCA gAC CTg ggC A	3' 19	64 C		Exon 1, 55-73
BP142	AS	5' C AGG TAT CTG CGG AGC CC			A*0101/**24	227-245
13-236	AS	5' gTC TgT CAg gAA gAg TCA gA			A*non 02.28	584+2
13-239	AS:	5' gTg gAA AAT TCT AgT CCC TgA			*multi,notA1,3,1	1,30.9 415-436
13-246	AS	5' AgA TCT ACA ggC gAT CAg ga	A 3' 20	60 C	A*30	24-43
I3-247m6	AS	5' gCC AgC CCg ggA gTT CTA T	3' 19	62 C	A*01,11	36-54
13-249	AS	5' CAg AgT CAC TCT CTg gTA Ca	ag 21 62	C All A	weak59,70,92, J,	E,G,F 148-168
I3-280m18	AS	5' gCg ATC gTC TTC CCg TCA C	3' 19	62 C	A*01,03,11,30	221-239
13-282	AS	5' AgA gTC ACT CTC Tgg TAC A	gA 3' 21	1 62 C	A*8001	148-168

The sequences in Table 1 have the following sequence identifiers: Il-210 is SEQ ID NO:35 and the remaining sequences Il-230m through 13-282 have SEQ ID NO:181-202, respectively.

The present invention provides for nucleic acid molecules comprising regions having the foregoing sequences or their functional equivalents.

"Functional equivalents" of a nucleotide sequence, as defined herein, refers to nucleotide sequences which, when contained in a nucleic acid molecule, retain the specificity of the disclosed sequence and/or hybridize to the complement of the disclosed sequence under stringent hybridization conditions (e.g., .1 x SSC at 65°C).

In specific nonlimiting examples, oligonucleotides comprising the above sequences, or functional equivalents thereof which retain specificity, may be used in a PCR amplification reaction in the following pairwise combinations to generate group specific fragments of the lengths as indicated in Table 2.

18 Table 2.

No.	Primer Mix	Sense Primer	Antisense Primer	Size of Product	HLA-A Specificity
1	1.1	I1-230m	BP142	785 bp	A*01
2	1.2	5'FR-257	I3-247m6	1068 bp	A*01
3	1.3	I1-230m	I3-247mg	870 bp	A*01,11
4	2	I1-226	I3-249	1056 bp	A*02
5	3	I1-221m11	I3-280m18	1078 bp	A*03
6	11	5'FL-243	I3-249	1229 bp	A*11
7	9	I1-214m	I3-249	1033 bp	A*23,24
8	10.1	I1-210m	I3-236	1450 bp	A*10
9	10.2	I1-210m	I3 - 249	1014 bp	A*10,68,69
10	28	5'FR-273	I3-249	1537 bp	A*68,69, 6602,6603
11	19.1	I1-223d	I3-239 or I3- 249	1084 bp	A*29,31,32, 33,74
12	19.2	I1-240	I3-249	996 bp	A*31,33
13	29	I1-237m14	I3 - 249	1037 bp	A*29
14	30	I1-225m	I3-249	1000 bp	A*30
15	74	BP202 (Exon 1)	13-249	1109 bp	A*7401, 7403
16	80	BP203	I3-282	1103 bp	A*8001 (untested)

The following nucleic acid sequences may be comprised in group-specific exon region primers for HLA-A which are specific for the groups as indicated in Table 3 (sense primers) and Table 4 (antisense primers). The present invention provides for nucleic acid molecules comprising regions having the foregoing sequences or their functional equivalents. They may, in specific nonlimiting examples, be used in pairs as set forth in Table 5. The sequences in Table 3, primer numbers 85, 118, 120, 123, 127, 129, 134, 137, 140,160, 167, 175, 193 and 202 have SEQ ID NO:203-216, respectively. The sequences in Table 4, primer numbers 98, 115, 116, 117, 126, 133, 135, 136, 138, 142, 144, 145, 152, 153, 154, 155, 161, 165, 168 and 180, have SEQ ID NO:217-236, respectively, and primer number 119 has SEQ ID NO:245.

20

T able 3.

Primer Number	Loca	lization	Sequence
85	Exon 2	-4 - 5	5' CTC CTC gTC CCC Agg CTC T 3'
118	Exon 2	6 - 19	5' TCC ATg Agg TAT TTC TAC ACC 3'
120	Exon 3	-6 - 12	5' ggC CAg gTT CTC AgA CCA 3'
123	Exon 2	36 - 53	5' CCC ggC CCg gCA gTg gA 3'
127	Exon 3	1 - 20	5' gTT CTC ACA CCA TCC AgA Tg 3'
129	Exon 3	4 - 25	5' TCA CAC CCT CCA gAT gAT gTT 3'
134	Exon 3	63 - 80	5' ggg TAC CAg CAg gAC gCT 3'
137	Exon 2	9 - 29	5' TCC ATg Agg TAT TTC ACC ACA 3'
140	Exon 3	-1 - 20	5' ggT TCT CAC ACC ATC CAg ATA 3'
160	Exon 3	1 - 20	5' gTT CTC ACA CCA TCC AgA gg 3'
167	Exon 2	54 - 71	5' gAg CCC CgC TTC AAC gCC 3'
175	Exon 3	63 - 71	5' CTT CCT CCg Cgg gTA TgA A 3'
193	Exon 2	167 - 184	5' gCC ggA gTA TTg ggA CCg 3'
202	Exon 1	49 - 67	5' CTg gCC CTg ACC CTg ACC A 3'

21

Table 4.

Antisense primers

Primer Number	Localization	Sequence
98	Exon 2 226 - 243	5' gCA ggg TCC CCA ggT CCA 3'
115	Exon 3 195 - 213	5' CCT CCA ggT Agg CTC TCA A 3'
116	Exon 3 195 - 213	5' CCT CCA ggT Agg CTC TCC A 3'
117	Exon 3 195-213	5' CCT CCA ggT Agg CTC TCT g 3'
119	Exon 2 184 - 203	5' CTT CAC ATT CCg TgT CTC CT 3'
126	Exon 3 212 - 230	5' CCA CTC CAC gCA CgT gCC A 3'
133	Exon 2 229 - 246	5' ggA gCg CgA TCC gcA ggC 3'
135	Exon 3 216 - 234	5' ggA gCC ACT CCA Cgg ACC g 3'
136	Exon 3 216 - 233	5' gAg CCA CTC CAC gCA CTC 3'
138	Exon 2 186 - 206	5' ggC CTT CAC ATT CCg TgT gTT 3'
142	Exon 3 228 - 246	5' CAg gTA TCT gCg gAg CCC g 3'
144	Exon 2 165 - 184	5' Tgg TCC CAA TAC TCA ggC CT 3'
145	Exon 2 226 - 243	5' gCA ggg TCC CCA ggT TCg 3'
152	Exon 3 163 - 179	5' ggg CCg CCT CCC AgT TgT 3'
153	Exon 2 179 - 197	5' TCT gTg AgT ggg CCT aCA CA 3'
154	Exon 2 184 - 204	5' CCT TCA CAT TCC gTg TCT gCA 3'
155	Exon 3 216 - 233	5' gAg CCA CTC CAC gCA CgT 3'
161	Exon 2 209 - 228	5' CCA CTC ggT CAg TCT CTg AC 3'
165	Exon 3 105 - 124	5' gAg CgCA ggT CCT CgT TCA A 3'
168	Exon 2 198 - 217	5' gTC TgT gAg Tgg gCC aTC AT 3'
180	Exon 2 12 - 31	5' CAg CCA TAC ATC CTC Agg AC 3'

22

Table 5.

Primer No.	Mix Name	Sense Primer	Antisense Primer	Size of Product	HLA-A Specificity
1	1	140	142	247 bp	A*0101,0102,8001
2	2	85	98	256 bp	A*0201-0220
3	3	140	126	230 bp	A*0301,0302,0303
4	36	167	168	164 bp	A*0101,3601
5	11	118	119	195 bp	A*1101-1103
6	23	129	115	209 bp	A*2301
7	24	129	116+117	209 BP	A*2402-2411
8	10.1	160	135	233 bp	A*2501,2601- 2603,2605,4301,6601
9	25	118	133	238 bp	A*2501,2502
10	26	118	145	235 bp	A*2601,2602,2604,4301
11	34	134	155	171 bp	A*3401,3402
12	6602	134	136	240 bp	A*6602,6603
13	10.2	118	161	222 bp	A*11,34,6601,6602,68011, 6802,6901
14	43	118	154	196 bp	A*4301
15	68	120	152	185 bp	A*68011,68012,6802,6803
16	69	193	180	375 bp	A*6901
17	19	127	165	124 bp	A*2901,2902,31012,3201, 3301-3303, A*7401-7403
18	29	137	145	236 bp	A*2901,2902
19	30	175	115+116	162 bp	A*3001-3002
20	31	167	144	176 bp	A*31012
21	32	167	133	159 bp	A*3201,3202,2501,2502
22	33	137	138	198 bp	A*3301-3303
23	74	202	153	370 bp	A*7401,7403
24	80	140	136	234 bp	A*8001

In general, the foregoing group-specific primers may be modified by addition, deletion, or substitution of bases, to produce functionally equivalent primers with the substantially the same specificity, that is to say, such that the group specific polymorphism(s) are not removed. Such modifications may be constrained by several parameters. First, exact matching at the 3' end is particularly important for primer extension. Preferably, at least 5 nt are complementary to target DNA. When the exactly conserved region is short, for example, less than 10 nt, it is not advisable to change the primer sequences. The primer is preferably less than 50% G or C. Also, the primers should be designed to avoid specific hybridization with pseudogenes or non-classical HLA Class I loci. In the examples which follow, the melting temperature of all primers used was about 62C to ensure uniform amplification conditions.

For sequencing purposes, the following nucleic acid sequences are sequences which hybridize to all alleles of the indicated loci, in the locations indicated (and hence are referred to as universal sequencing primers).

244.

Table 6:
Universal Sequencing Primers for HLA-A

Desig.	Sequence	Location	Melting Temp.
5'-Ex2(Aw3) 3'-Ex2 5'-Ex3 3'-Ex3(Aw6)	5' GCG CCG GGA GGA GGG TC 3' 5' ATC TCG GAC CCG GAG ACT 3', 5' GTT TCA TTT TCA GTT TAG GCC A 5' CGG GAG ATC TAC AGG CGA TCA		Tm=58-62°C Tm=58°C Tm=60°C Tm=58-62°C
Desig.	Sequence	Location	Melting Temp.
5'-Ex2(Aw3)	5'GCG CCG GGA GGA GGG TC 3'	Int-1	Tm=58-62°C
3'-Ex2	5'GTC GTG ACC TGC GCC CC 3',	Int-2	Tm=58-62°C
5'-Ex3	5'GGG CGG GGC GGG GCT CGG G 3,	Int-2	Tm=58-62°C
3'-Ex3(Aw6)	5'CGG GAG ATC TAC AGG CGA TCA	GG 3' Int-3	Tm=58-62°C
Desig.	Sequence	Location	Melting Temp.
5'-Ex2(Aw3) 3'-Ex2(ABCw1) 5'-Ex3(ABCw2) 3'-Ex3(Aw6)	5' GCG CCG GGA GGA GGG TC 3') 5' GGT CGT GAC CT(T/C)CGC CCC 3') 5' CCC GGT TTC ATT TTC 3' 5'CGG GAG ATC TAC AGG CGA TCA	Int-1 Int-2 Int-2 GG 3' Int-3	Tm=58-62°C Tm=58-62°C Tm=58-62°C Tm=58-62°C
, ,			

The primers in Table 6 are assigned, consecutively, SEQ ID NO: 237-

The foregoing three groups of primers include 5' and 3' primers for sequencing across exons 2 and 3, respectively.

The selection of suitable universal sequencing primers is constrained by a variety of rules including the following. Sequencing primer hybridization sites must lie within the fragment amplified by the group specific amplification primers. All primers are desirably selected to provide informative sequence and not start too far downstream of useful sequence. Preferred primers hybridize to conserved sites near the exon/intron boundaries.

Direct sequencing of the 2nd and 3rd exon may be performed from either the 5' or 3' end using the primers of Table 6 *supra* which are located in conserved regions of the 1st, 2nd and 3rd intron as indicated. These conserved regions were found to be identical in all samples investigated, regardless of the amplified group.

An important issue of direct sequencing for HLA class I genes is the generation of a specific PCR product, which is rather complicated due to the

extensive sequence homologies between the different HLA class I loci including several pseudogenes. If an adequate PCR product has been generated, any sequencing chemistry should be applicable.

In the normal case, since group specific amplifications take place before sequencing, only one allele at a time is sequenced, resulting in unambiguous homozygous sequencing results. In these cases alleles are relatively easy to identify, even without software.

However, in about 5% of cases, both alleles come from the same group, but the sequence results show heterozygosity. In practice, when viewed by a fluorescence-detecting system, the sample appears as a normal sequence of bases with, sporadically, two bases at one site, each with half the peak height. This result flows from the high degree of similarity shared among all alleles of each HLA gene; sequence heterozygosity flows from base substitutions. The laborious task of determining which alleles are present in the test sequence may be simplified using computer analysis. A software program called GeneLibrarian developed by Visible Genetics, the assignee of the present application, rapidly compares the test sequence to a database which includes all possible homozygote and heterozygote combinations of the alleles. The program identifies those stored sequences that are closest matched to the test sequence. The operator can then determine which allelic pair is in the test sample. If no allelic pair shows an exact match, the software allows the operator to review the test sequence to determine if errors in base-calling or other artifacts are interfering with the analysis.

The order of sequencing reactions may be selected by the operator. Each exon of each locus may be sequenced on the sense strand or anti-sense strand. A preferred method is to obtain sequence from one strand from each exon. If the results contain ambiguities, then the amplicon is re-sequenced using the other primer for the same exon. The availability of both sequencing primers provides redundancy to ensure robust results.

In some cases, it may be advantageous to employ an equimolar mixture of 2 or more oligonucleotide species. Mixtures of oligonucleotides may be selected such that between them they will effectively prime the sequencing reactions for all

alleles of the locus at the same site.

In an alternative technique, instead of using dye terminators, a dye-labelled primer may be employed. In this case, the selected sequencing primers is labelled on the 5' end with a detectable label, using phosphoramidite or NHS/dye ester techniques well known in the art. The label selected depends on the detection instrument employed. The label for use with an OpenGene System (Visible Genetics Inc., Toronto, ON) is the fluorophore Cy5.5 (Amersham Life Sciences, Cleveland OH). Fluorescein-isothio-cyanate may be used for detection with the ALF Automated Sequencer (Pharmacia, Piscataway NJ). In this method, which is well known to one skilled in the art, the sequencing reaction mixture is changed slightly to include only one ddNTP per reaction mixture. For detection of reaction products, the sample may be mixed with an equal volume of loading buffer (5% ficoll plus a coloured dye). 1.5 ul of these samples may be loaded per lane of a MicroCel electrophoresis cassette loaded in a MicroGene Blaster automated DNA sequencer (Visible Genetics Inc., Toronto). The sample may be electrophoresed and read.

Results may be displayed and analyzed with GeneObjects software.

The sequence of bases may be determined, and the HLA allele to which the sequence corresponds may then be identified. This process may be performed for each locus (HLA-A, HLA-B, HLA-C) and the results may then be reported to the patient file.

It is well known in the art that different variations of sequencing chemistry may be employed with different automated DNA sequencing instruments. Single dye instruments, such as the OpenGene System (Visible Genetics Inc., Toronto), the ALF Express (Pharmacia, Uppsala, Sweden) or the Li-Cor 4000L (Lincoln City, Nebraska) generally use dye-labeled primers. In these systems a single chain termination sequencing reaction mixture is run per lane.

Multi-dye sequencers, such as the Prism 377 (applied Biosystems, Inc., Foster City, California) detect multiple dyes in a single lane. This technology conveniently employs dye-terminator chemistry, where the chain-terminating nucleotides are themselves labeled with fluorophores (see United States Patent No. 5,332,666, to Dupont de Nemours and Co.). In this case, the reaction products carrying four different labels may be run in a single lane.

Either single dye or multi-dye chemistry may be employed according to the present invention, along with other sequencing chemistries. Additional methods for reducing the numbers of reactions required to obtain detailed sequence information from the classical HLA Class I loci are disclosed in commonly owned United States Patent Applications USSN 08/577,858 (for single-track sequencing) and USSN 08/640,672 and 08/684,498 (for single-tube sequencing), incorporated by reference herein.

The nucleic acids described above may be comprised in a kit for use in practicing the methods of the invention. In addition to the group-specific primers and primer pairs disclosed, such kits may further comprise buffers, reagents, and enzymes such as, amplification enzymes including but not limited to, *Taq* polymerase. In specific, non-limiting embodiments, the kit may comprise group-specific exon region primers (for example, as a "cocktail" comprising a plurality of primers) as well as group-specific untranslated region primers; such primers may be contained in individual tubes.

6. Example: Determination Of HLA-A Group Type

Genomic DNA was prepared from patient samples according to standard methods, such as a standard salting-out procedure (as provided by the Puregene DNA Isolation Kit, Gentra Systems, Inc., Minneapolis) or by detergent and proteinase K treatment (Current Protocols in Molecular Biology, Eds. Ausubel, F.M. et al, (John Wiley & Sons; 1995)).

All primers were synthesized on a Gene Assembler plus (Pharmacia, Uppsala, Sweden), and purified by fast protein liquid chromatography. The sequence, length, melting temperature (Tm), group specificity localization of the primers are given in Tables 3 (sense primers), 4 (antisense primers) and 5 (primer pairs). Internal positive control primers were: 5' primer hGHI 5'GCC TTC CCA ACC ATT CCC TTA 3', 21mer, Tm=64°C, nucleotide position 5560-5580; 3' primer hGHI 5' TCC ATG TCC TTC CTG AAG CA 3', 20mer, Tm=60°C, nucleotide position 6614-6633. These control primers amplify a 1074 bp fragment of the human growth hormone gene.

Group-specific identification was performed as follows. Aliquots of

genomic DNA were separately reacted with a panel of 24 group-specific exon region primer pairs set forth in Table 5, *supra* (see Blasczyk et al., 1995, Tissue Ant. <u>46</u>:86-95). An amplification cocktail for pairs of primers was prepared in 10 µl volume using standard 10x Perkin-Elmer buffer (1x buffer: 50 mM KCl; 1.5 mM MgCl₂; 10 mM Tris-Hcl, pH 8.3; 0.001% (w/v) gelatin) supplemented with 5% glycerol and 0.1 µl Cresol-red, sodium salt (Cresol-red stock solution:10 mg/ml). The use of glycerol and cresol red avoids the necessity of using an agarose gel loading buffer. Additionally, glycerol increases the PCR yield.

The PCR mix for a single SSP tube was as follows:

Genomic DNA 100 ng	==	$1.00 \mu l$
Taq polymerase, $0.4\mathrm{U}$	===	$0.08~\mu l$
dNTPs, 10 mM		$0.80 \mu l$
Buffer, 10x		$1.00 \mu l$
Glycerol	==	$0.50 \mu l$
Cresol red 10mg/ml	=	$0.10 \mu l$
dH_20	=	$1.52 \mu l$
Primer Pair + Control		
Primer Pair		$5.00 \mu l$
	Total	10.00 µl

The PCR solution was prepared in volumes that would accommodate 30 reactions. The amount of primers used in each 10 µl PCR volume was 3 pmol of each HLA-A primer and 0.8 pmol of each internal control primer.

The reaction mixture was mixed well, then heated in a Thermo-Cycler 9600 (Perkin-Elmer, Inc) and subjected to the following protocol. After an initial denaturation, a first round with 10 two-temperature cycles was followed by 20 three-temperature cycles.

- 1) Initial denaturation at 95°C for 5 min.
- 2) First 10 cycles
 - i) Denaturation at 95°C for 30 sec.
 - ii) Annealing and extension at 65°C for 50 sec.
- 3) Last 20 cycles
 - i) Denaturation at 95°C for 30 sec.
 - ii) Annealing at 62°C for 50 sec.
 - iii) Extension at 72°C for 30 sec.

The reaction tube was then cooled on ice. For visualization, 8 ul of the amplification product were run on a 2 % agarose gel prestained with ethidium bromide (0.2 ug/ml). The results were compared to a control lane with known size markers. The reaction products were visualized either as two bands (alleles from different groups) or a single band (alleles from same group). The size of the band(s) were determined and group specificity was assigned according to the length assignments in Table 5.

Figures 10 and 11 show typical gel results, which, as shown in Tables 10 and 11, were interpreted to determine what group specificities were present in genomic DNA samples tested. In Tables 7 and 8, the column titled "Position" refers to the primer mix no. of Table 5.

Table 7.

Position	HLA Specificity	Kontr.	Species ampl.	<u>PM</u>
1	A*0101,0102,8001			1
2	A*0201-0217			2
3	A*0301,0302			3
4	A*0101,3601			36
5	A*1101,1102			11
6	A*2301			23
7	A*2402-2407			24
8	A*2603,2605,6601		X	10.1
9	A*2501			25
10	A*2601,2602,2604,4301			26
11	A*3401,3402			34
12	A*6602			6602
13	A*1101,1102,3401,3402	,	X	10.2
	6601,6602,			
	A*68011,6802,6901			
14	A*4301			43
15	A*68012,6802,6803			68
16	A*6901			69
17	A*2901,2902,3101,3201		X	19
	3301-3303, A*7401			
18	A*2901,2902			29
19	A*3001-3004			30
20	A*3101			31
21	A*3201,2501		X	32

Table 8.

Position	n HLA Specificity F	Contr.	Species Ampl.	<u>PM</u>
	•			
1	A*0101,0102,8001			1
2	A*0201-0217		X	2
3	A*0301,0302			3
4	A*0101,3601			36
5	A*1101,1102			11
6	A*2301			23
7	A*2402-2407			24
8	A*2501,2601-2603,			10.1
	2605,6601			
	A*2501			25
10	A*2601,2602,2604,4301			26
11	A*3401,3402			34
12	A*6602			6602
13	A*1101,1102,3401,3402		X	10.2
	6601,6602, A*68011,680	02,		
	6901			42
14	A*4301		77	43
15	A*6801,6802		X	68
16	A*6901			69
17	A*2901-2902,3101,3201	.,		19
	3301-3303, A*7401			20
18	A*2901,2902			29
19	A*3001-3004			30

7. Example: Determination Of Group Specificity Using A Primer Cocktail

Group specific low-resolution typing of the patient sample may be performed as follows. First, a stock PCR amplification reaction mixture may be prepared for 30 reactions:

	<u>μι</u>
dNTPs 10mM	24
Glycerol 100%	15
10x PCR Buffer*	30
Cresol-red (10mg/ml)	3.0
H2O	<u>45</u>
final	117

*1 X PCR Buffer comprises 10 MM Tris-HCl pH 8.3, 50 mM KCl, 1.5 mM MgC12 and 0.001% (w/v) gelatin.

The stock mixture may be prepared in a large volume and be stored for at least one month at 4° C or be aliquoted (117.0 μ l) and stored at -30°C for at least six months. Repeated thawing and freezing should be avoided.

A mixture containing all the HLA-A group specific amplification primers listed in Table 5 may be prepared separately (the "Cocktail"). One member of each primer pair is labelled on the 5' end with a fluorescent label. Final Cocktail concentrations may be designed to provide 3 pmol of each HLA-A primer per 5 µl. Optionally, an internal control primer may be added (to determine among other things, the success of amplification) in the amount of 0.8 pmol per 5 µl. Suitable internal control primers amplify a 1074 bp fragment of the human growth hormone gene (see *supra*).

To perform the low resolution amplification reaction, the reaction mixture may be prepared as follows:

	Volume
Stock Mixture	5 µl
Cocktail	5 µl
Patient sample DNA 100-250 ng	1 μl
Taq Polymerase Enzyme 0.4 U	$0.08~\mu l$

PCR cycle parameters may be adjusted for a Perkin-Elmer System 9600 thermal cycler. After an initial denaturation, a first round with 10 two-temperature cycles may be followed by 20 three-temperature cycles: 1) Initial Denaturation at 95°C for 5 min; 2) First 10 cycles i) Denaturation at 95°C for 30 seconds and ii) Annealing and extension at 65°C for 50 seconds; 3) Last 20 cycles i) Denaturation at 95°C for 30 seconds, ii) Annealing at 62°C for 50 seconds and iii) Extension at 72°C for 30 seconds.

The reaction tube may then be cooled on ice. For visualization, 2ul of the amplification product may be run on a polyacrylamide gel giving single nucleotide length resolution such as in a MicroGene Blaster. The results were compared to a control lane with known size markers. The reaction products may be visualized either as two bands (alleles from different groups) or a single band (alleles from same group). The size of the band(s) may be determined and group specificity may be assigned according to the length assignments in Table 5.

8. Example: Determination Of Allelic Type By Sequencing

After determining group type specificity, group specific amplification of a fresh portion of the patient sample may be performed using a single pair of primers specific for the group in question to generate sequencing template. In a preferred, nonlimiting embodiment, amplification primers may be selected from Table 2, supra, which lists group-specific untranslated region primers. This second amplification serves two purposes. First, it confirms, by successful amplification, the group determination of the low resolution test. Second, it generates sequence information which may be used for accurate allele identification. If two groups are identified, two separate reactions may be performed each using a different primer pair.

8.1. PCR Protocol

The same PCR protocol may be used for all primer mixes used for template generation. The PCR amplification may be set up in a total volume of $50\mu l$ in order to produce enough PCR product for more than 10 sequencing reactions. This ensures that, if anything fails during the sequencing process, sequencing can be repeated without generation of a new template. The high stringency of the PCR primers and protocol detailed below makes the use of a "hot start approach" unnecessary. The following PCR reaction mix may be used:

	volume per reaction
5X PCR buffer*	10.0μ l
DMSO	1.0μ 1
2.5mM each dNTP	5.0μ l
ddH2O	<u>27.8µl</u>
Total	43.8μ l
Carra mimor** (10mmal/ul)	$1.0\mu 1$
Sense primer** $(10 \text{pmol}/\mu \text{l})$	•
Antisense primer**(10pmol/µl)	1.0μ l
Taq Polymerase (5U/ μ l)	0.2μ l
Genomic DNA (100ng/µl)	4.0μ l
Final Total	50.0μ l

*Composition of 5X PCR buffer:75mM (NH $_4$)2SO $_4$; 17.5mM MgCl $_2$; and 300mM Tris-HCL, pH 9.0

**The pair of group specific amplification primers may be selected from those disclosed in Table 2, *supra*.

PCR cycle parameters may be adjusted for a Perkin-Elmer System 9600 thermal cycler. After an initial denaturation, a first round with 10 two-temperature cycles may be followed by 20 three-temperature cycles.

- 1.) Initial Denaturation at 95 C for 5 min
- 2.) First 10 cycles
 - i) Denaturation at 95 C for 30 seconds
 - ii) Annealing and extension at 65 C for 50 seconds
- 3.) Last 20 cycles
 - i) Denaturation at 95 C for 30 seconds
 - ii) Annealing at 62 C for 50 seconds
 - iii) Extension at 72 C for 30 secondS

 $10\mu l$ of the PCR product may then be run on a 2 % agarose gel prestained with ethidium bromide (0,2 $\mu g/ml$). A distinct band of the expected size should be seen.

8.2. Sequencing Reaction Protocol

The sequencing reactions may be carried out with AmpliTaqTM DNA Polymerase FS dye terminator cycle sequencing chemistry using the Ready Reaction DyeDeoxy Terminator Cycle Sequencing Kit FS (Perkin Elmer Applied Biosystems

Division, Foster City, CA) according to the manufacturer's protocol. This Kit contains the four ddNTPs with different fluorescence labels (=Dye Terminators). The PCR fragments may be used directly for sequencing without any prior purification step.

To simplify the pipetting steps, a master mix may be prepared consisting of the 5'Biotin labeled sequencing primer, ddH2O and the Kit reagents. This master mix should be prepared immediately prior to use and can be kept at room temperature until use. The sequencing master mix for one reaction may comprise 3.0 μ l of a 1pmol/ μ l solution of sequencing primer; 6.0 μ l ddH₂0, and 8.0 μ l of premixed sequencing reagents; for 36 + 1 reactions, these amounts are increased, respectively, to 111.0 μ l; 222.0 μ l; and 296.0 μ l, respectively. The sequencing primer may be selected from the sequencing primers for HLA-A set forth in Table 6, *supra*.:

The master mix may be aliquoted in a volume of $17\mu l$ for each sequencing reaction in a $200\mu l$ PCR tube and $3\mu l$ of the unpurified PCR product are added. The reaction mixes may then be subjected to 25 cycles in a Perkin Elmer thermal cycler 9600. Each cycle consists of 10 sec 95 C, 5 sec 50 C and 4 min 60 C.

8.3. Purification Of Extension Products

After the sequencing reaction the extension products are desirably separated from the unincorporated Dye Terminators which would otherwise interfere with the fluorescence-based detection process of the electrophoretically separated sequencing fragments.

For each sequencing reaction, 50 µg (5 µl) Streptavidin-coated Dynabeads M-280 (Dynal Inc., Oslo, Norway) may be washed in 5 µl of 2x Binding and Washing buffer ("B&W"; 2X B&W buffer: 2M NaCl, 10mM Tris-HCl pH 7.5, 1mM EDTA). The beads may then be resuspended in 20 µl of 2x B&W.

To each $20\mu l$ sequencing reaction, $20\mu l$ of resuspended beads may be added, and the mixture may be incubated at room temperature (20-25 C) for 15 minutes. The beads may then be immobilized, the supernatant may be removed, and then the beads may be washed once in 70% ethanol by pipetting up and down five times. Then, as much as possible of the ethanol may desirably be removed, because residual ethanol may interfere with electrophoretic gel mobility.

For each sequencing reaction, $4\mu l$ of loading buffer (5:1 Formamide-

25mM EDTA pH 8.0, 50mg/ml Dextran Blue) may be added.

8.4. Electrophoresis And Data Collection

Samples prepared by the foregoing methods may be used immediately or be stored at 4 C at least for 24 hours before starting the electrophoretic separation. Prior to the electrophoretic separation, each reaction may be incubated at 90 C for 2 minutes. 3μ l of each sample may be loaded on a prerun sequencing gel. For an automated ABI 377 sequencer (Applied Biosystems, Foster City, CA) a 0,2mm thick 5% polyacrylamide (acrylamide:bisacrylamide = 29:1) - 7 M urea gel may be used [gel composition: 21.0 g urea, 8.4 ml 30% acrylamide (stock solution: 58g acrylamide, 2g bisacrylamide in bidistilled water), 6.0 ml TBE buffer (10x TBE-buffer: 108.0 g tris base, 55.0 g boric acid, 7.4 g Na2EDTA), 15 μ l TEMED, 350 μ l 10% Ammoniumpersulfate (1.0 g Ammoniumpersulfate in 10 ml ddH₂O), 20.0 ml ddH₂O]. Electrophoresis may be run at constant 48 watt for 8h. Data collection may be initiated immediately after starting the electrophoresis on the ABI377. Data analyses may be performed thereafter using the ABI analysis software (version 2.1.1).

8.5. Data Interpretation And HLA Typing

After data collection, the chromatograms may be printed and sequences may be compared manually to existing HLA data in the EMBL databank and the sequences compiled by Arnett and Parham. Due to the group-specific amplification and the lack of heterozygous positions, manual analysis is typically very fast. Alternatively, sequences may be checked with the data analysis editor (Sequence NavigatorTM, Applied Biosystems) and aligned with any sequence alignment program.

Various publications are cited herein, the contents of which are hereby incorporated by reference in their entireties.

SEQUENCE LISTING

- (1) GENERAL INFORMATION
- (i) APPLICANT:
- (ii) TITLE OF THE INVENTION: Method and Kit for HLA Class
 I Typing
- (iii) NUMBER OF SEQUENCES: 245
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Baker & Botts, L.L.P.
 - (B) STREET: 30 Rockefeller Plaza
 - (C) CITY: New York
 - (D) STATE: NY
 - (E) COUNTRY: U.S.A.
 - (F) ZIP: 10112-0228
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Diskette
 - (B) COMPUTER: IBM Compatible
 - (C) OPERATING SYSTEM: ASCII DOS text
 - (D) SOFTWARE: FastSEQ Version 2.0
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/766,189
 - (B) FILING DATE: 12 DEC 1996
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Tenser, Arthur and Kole, Lisa
 - (B) REGISTRATION NUMBER: 18,839 and 35,225
 - (C) REFERENCE/DOCKET NUMBER: 30861
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 212-705-5000
 - (B) TELEFAX: 212-705-5020
 - (C) TELEX:
 - (2) INFORMATION FOR SEQ ID NO:1:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele

consensus

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
		ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:2:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 0101

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGTCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGCATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
					GAAGCCCCGG	240
					GACGAGGACA	300
					ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGTAATAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:3:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: genomic DNA
- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 0301

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCCGAAATC	TTGTCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGCATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
				GTATGTGGCG		240
				GGACTGGGGA		300
				TCCTCGACAG		360
				TGAAAAGTAG		420
		ACTGAGGGTG				450

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 1101

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

GAGCCCCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTCTCGCTGG	60
CGCTTCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGCATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGAACA	300
CGCTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TCCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGTAATAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no

- (iv) ANTI-SENSE: no
 (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A*1102
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

GAGCCCCAGA	~~~~~~~~~~~	7 CEC 2 CCCCC	A CCCA CCCA C	GCCTGAAATC	TTCTCGCTGG	60
GAGCCCCAGA	CCCCTCTTAG	ACICAGGGCC	ACCCACGCAC	OCC TOPPHIXO		
CGCTTCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGCATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
A CTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGAACA	300
ACICIGOGAC	1010001000		CACA A CCCCC	TCCTCCACAC	V Cutchtuttactut	360
CGCTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	ICCICGACAG	ACTCTTTGTT	
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGTAATAGAG	420
	GACCTGAGGG					450

- (2) INFORMATION FOR SEQ ID NO:6:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3001
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCCGAAATC	TTGTCGCTGG	60
				TACCCTCACT		120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGCATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACACT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
				GGACTGGGGA		300
CGCTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGTAATAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:7:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human

- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3002
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCCGAAATC	TTGTCGCTGG	60
				TACCCTCACT		120
				CCCTCTCCCT		180
ACCCCTCAAC	CCCTTAGGGG	TTCCGACACT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGCTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGTAATAGAG	420
		ACTGAGGGTG				450
17011000						

- (2) INFORMATION FOR SEQ ID NO:8:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3004
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCCGAAATC	TTGTCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGCATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACACT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGCTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGTAATAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:9:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 0201-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	ACTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
	ACCTGAGGGA					449

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 0215

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CCGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
	ACCTGAGGGA					449

(2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 0217

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 6801

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
				CCCTCTCCCT		180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTA	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 6802

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG						120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC						240
ACTCTGGGAC						300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTA	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG						449

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 6901

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTA	360
	GAGCCGTACC					420
	ACCTGAGGGA					449

(2) INFORMATION FOR SEQ ID NO:15:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2301

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGTCGCTGG 60
CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGGT TACCCTCACT CTTGACCCAG 120

				CCCTCTCCCT		180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	TAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:16:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2402
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGTCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	TAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:17:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2403
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGTCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240

ACTCTGGGAC TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA GACAGAGTTA	CAGAGGGACT	TAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
ACAGGGACTT GACCTGAGGG					450

- (2) INFORMATION FOR SEQ ID NO:18:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2404
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGTCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATACCTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CAIAGGICCI	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACGCCTCAAC	mamaaamaaa	CACCCCGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA	TCTCGGTGCG	CACACCCACT	TAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CGGTTCGCGA	GACAGAGTTA	CACACCACT	CACACCAAAC	TONNARCTAG	CCCATTAGAG	420
CCCTCTTTTG				DALDMANADI	GGCATIAGAG	450
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				±20

- (2) INFORMATION FOR SEQ ID NO:19:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2405
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

GAGCCGCAGA						60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAAGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	TAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360

48	
CCCTCTTTTG GGAGCCGTAC CCGGGGCAGG GAGAGGAAAG TGAAAAGTAG GGCATTAGAG ACAGGGACTT GACCTGAGGG ACTGAGGGTG	420 450
(2) INFORMATION FOR SEQ ID NO:20:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 450 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	2407
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGTCGCTGG CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGGT TACCCTCACT CTTGACCCAG GCGCAGCACT CATAGGTCCT TCTTCCTGGG ATGTATCCAA CCCTCTCCCT CTTTTCTTTG ACGCCTCAAC CCCTTAGGGG TTCCGACCCT GAGGGGTTAG GTATGTGGCG GAAGCCCCGG ACTCTGGGAC TCTCGGTGCG GACCCCGGGA CCCTGAAGCG GGACTGGGGA GACGAAGACA CGGTTCGCGA GACAGAGTTA CAGAGGGACT TAGAACCGGG TTCTCGACAG ACTCTTGTT CCCTCTTTTG GGAGCCGTAC CCGGGGCAGG GAGAGGAAAG TGAAAAGTAG GGCATTAGAG ACAGGGACTT GACCTGAGGG ACTGAGGGTG (2) INFORMATION FOR SEQ ID NO:21: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 450 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A 5' Flanking Region Allele A*	60 120 180 240 300 360 420 450
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:	
GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGGCGCTGG CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGT TACCCTCACT CTTGACCCAG GCGCAGCACT CATAGGTCCT TCTTCCTGGG ATGTATCCAA CCGTCTCCCT CTTTTCTTTG ACGCCTCAAC CCCTTAGGGG TTCCGACCCT GAGGGGTTAG GTATGTGGCG GAAGCCCCGG ACTCTGGGAC TCTCGGTGCG GACCCCGGGA CCCTGAAGCG GGACTGGGGA GACGAGGACA CGGTTCGAGA GACAGAGTTA CAGAGGGACT CAGAACCGGG TTCTCGACAG ACTCTTTGTT	60 120 180 240 300 360

CCCTCTTTTG GGAGCCGTAC CCGGGGCAGG GAGAGGAAAG TGAAAAGTAG GGCATTAGAG 420

ACAGGGACTT GACCTGAGGG ACTGAGGGTG

(2) INFORMATION FOR SEQ ID NO:22:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2601
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATATGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
		CAGAGGGACT				360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAATAG	GGCATTAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:23:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3402
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

(2) INFORMATION FOR SEQ ID NO:24:

50	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 449 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A 5' Flanking Region Allele A*	4301
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:	
GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGGCGCTGG	60
CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGGT TACCCTCACT CTTGACCCAG	120
GCGCAGCACT CATAGGTCCT TCTTCCTGGG ATGTATCCAA CCCTCTCCCT CTTTTCTTTG	180
ACGCCTCAAC CCCTTAGGGG TTCCGACCCT GAGGGGTTAG GTATATGGCG GAAGCCCCGG	240
ACCCTCAAC CCCTTAGGGG TTCCGACCCT GAGGGTTMG GMTMTGGGG GACGAGGACA	300
CGGTTCGCGA GACAGAGTTA CAGAGGGACT CAGAACCGGG TTCTCGACAG ACTCTTTGTT	360
CCCTCTTTGG GAGCCGTACC CGGGGCAGGG AGAGGAAAGT GAAAAATAGG GCATTAGAGA	420
CAGGGACTTG ACCTGAGGGA CTGAGGGTG	449
CAGGGACIIG ACCIGAGGGA CIGAGGGIG	
(2) INFORMATION FOR SEQ ID NO:25:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 449 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A 5' Flanking Region Allele A*	6601
· · · · · · · · · · · · · · · · · · ·	
(wi) GEOLIDIGE DESCRIPTION, GEO. ID NO. 25	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:	
GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGGCGCTGG	60
CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGGT TACCCTCACT CTTGACCCAG	120

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	${\tt GAGACCTTTG}$	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

- (2) INFORMATION FOR SEQ ID NO:26:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 6602
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTA	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

- (2) INFORMATION FOR SEQ ID NO:27:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 6603
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
		GAGACCTTTG				120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
		GACCCCGGGA				300
		CAGAGGGACT				360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAATAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

- (2) INFORMATION FOR SEQ ID NO:28:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2901
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCGTCTCCCT	CTTTTCTTTG	180
	CCCTTAGGGG					240
	TCTCGGTGCG					300
	GACAGAGTTA					360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:29:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 2902
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCGTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGAGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGAGCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:30:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA

- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (v) ORIGINAL SOURCE:
- (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 31012
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGT	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
CCCCACCAC	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACCCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACCCCCCA	TCTCGGTGCG	GACCCCGGGA	CCATGAAGCG	GGACTGGGGA	GACGAGGACA	300
CCCTTCCCC	A GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTT	G GGACCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
	GACCTGAGGG					450

- (2) INFORMATION FOR SEQ ID NO:31:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3201
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCGTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAGTAGG	GCATTAGAGA	420
CAGGGACTTG	ACCTGAGGGA	CTGAGGGTG				449

- (2) INFORMATION FOR SEQ ID NO:32:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no

- (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3301
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCATGAAGCG	GGACTGGGGA	GACGAGGACA	300
CCCTTCCCCA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCCTTTCC	GGACCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
		ACTGAGGGTG				450
ACAGGGAC I I	OFFICE	TICIOTOLIC				

- (2) INFORMATION FOR SEQ ID NO:33:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 450 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 3303
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

GAGCCGCAGA	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG	ACTAACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCCTCTCCCT	CTTTTCTTTG	180
ACGCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	240
ACTCTGGGAC	TCTCGGTGCG	GACCCCGGGA	CCATGAAGCG	GGACTGGGGA	GACGAGGACA	300
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACT	CAGAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CCCTCTTTTG	GGACCCGTAC	CCGGGGCAGG	GAGAGGAAAG	TGAAAAGTAG	GGCATTAGAG	420
ACAGGGACTT	GACCTGAGGG	ACTGAGGGTG				450

- (2) INFORMATION FOR SEQ ID NO:34:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human

(xi)

(ix)	FEAT	TURE: NAME/KEY:	HLA-A	5'	Flanking	Region	Allele	A*	7401	
SEQUEN	CE DI	ESCRIPTION	: SEQ	ID	NO:34:					

ar addada a A	CCCCTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
GAGCCGCAGA	2 000 1 000 1	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
CGCTGCTGTG	ACTAACCGAA	GAGACCITIO	2 == == = = = = = = = = = = = = = = = =	addinomadon.	الىرىلىكىلىكىلىكىلىكى مىرىلىكىلىكىلىكىلىكى	180
GCGCAGCACT	CATAGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCG1C1CCC1	CITITICITIO	240
ACCCCTCAAC	CCCTTAGGGG	TTCCGACCCT	GAGGGGTTAG	GTATGTGGCG	GAAGCCCCGG	-
ACCCCTCITIO	TOTOGOTOCG	GACCCCGGGA	CCCTGAAGCG	GGACTGGGGA	GACGAGGACA	300
ACTOTGGGAC	1010001000	GRANGE GRANGE	CACAACCGGG	TTCTCGACAG	ACTCTTTGTT	360
CGGTTCGCGA	GACAGAGTTA	CAGAGGGACI	CAGAACCOCO	777777777777	CCNTTNCNCN	420
CCCTCTTTGG	GAGCCGTACC	CGGGGCAGGG	AGAGGAAAGT	GAAAAGIAGG	GCATTAGAGA	
CACCCACTTC	ACCTGAGGGA	CTGAGGGTG				449
	· · · ·					

- (2) INFORMATION FOR SEQ ID NO:35:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: Il-210m
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

ACCCGGGAAG CCGGGCCT

- (2) INFORMATION FOR SEQ ID NO:36:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 449 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A 5' Flanking Region Allele A* 7402
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

GAGCCGCAGA CCC	CTCTTAG	ACTCAGGGCC	ACCCACGCAC	GCCTGAAATC	TTGGCGCTGG	60
CGCTGCTGTG ACT	AACCGAA	GAGACCTTTG	GGCTGTGGGT	TACCCTCACT	CTTGACCCAG	120
GCGCAGCACT CAT	AGGTCCT	TCTTCCTGGG	ATGTATCCAA	CCGTCTCCCT	CTTTTCTTTG	180

300

56	
ACGCCTCAAC CCCTTAGGGG TTCCGACCCT GAGGGGTTAG GTATGTGGCG GAAGCCCCGG ACTCTGGGAC TCTCGGTGCG GACCCCGGGA CCCTGAAGCG GGACTGGGGA GACGAGGACA CGGTTCGCGA GACAGAGTTA CAGAGGGACT CAGAACCGGG TTCTCGACAG ACTCTTTGTT CCCTCTTTGG GAGCCGTACC CGGGGCAGGG AGAGGAAAGT GAAAAGTAGG GCATTAGAGA CAGGGACTTG ACCTGAGGGA CTGAGGGTG	240 300 360 420 449
(2) INFORMATION FOR SEQ ID NO:37:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 449 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human 	
(ix) FEATURE: (A) NAME/KEY: HLA-A 5' Flanking Region Allele A*	7403
(Xi) SEQUENCE DESCRIPTION: SEQ ID NO:37: GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGGCGCTGG CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGGT TACCCTCACT CTTGACCCAG GCGCAGCACT CATAGGTCCT TCTTCCTGGG ATGTATCCAA CCGTCTCCCT CTTTTCTTTG ACGCCTCAAC CCCTTAGGGG TTCCGACCCT GAGGGGTTAG GTATGTGGCG GAAGCCCCGG ACTCTGGGAC TCTCGGTGCG GACCCCGGGA CCCTGAAGCG GGACTGGGGA GACGAGGACA CGGTTCGCGA GACAGAGTTA CAGAGGGACT CAGAACCGGG TTCTCGACAG ACTCTTTGTT CCCTCTTTGG GAGCCGTACC CGGGGCAGGG AGAGGAAAGT GAAAAGTAGG GCATTAGAGA CAGGGACTTG ACCTGAGGGA CTGAGGGTG	60 120 180 240 300 360 420 449
(2) INFORMATION FOR SEQ ID NO:38: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 449 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A 5' Flanking Region Allele A*	8001
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:	
GAGCCGCAGA CCCCTCTTAG ACTCAGGGCC ACCCACGCAC GCCTGAAATC TTGGCGCTGG CGCTGCTGTG ACTAACCGAA GAGACCTTTG GGCTGTGGGT TATCCTCACT CTTGACCCAG GCGCAGCACT CATAGGTCCT TCTTCCTGGG ATGTATCCAA CCCTCTCCCT CTTTTCTTTG ACGCCTCAAC CCCTTAGAGG TTCCGACCCT GAGGGGTTAG GTATGTGGCG GAAGCCCCGG	60 120 180 240

ACTCTGGGAC TCTCGGTGCG GACCCCGGGA CCCTGAAGCG GGACTGGGGA GACGAGGACA

57	
CGCTTCGCGA GACAGAGTTA CAGAGGGACT CAGAACCGGG TCCTCGACAG ACTCTTTGTT CCCTCTTTGG GAGCCGTACC CGGGGCAGGG AGAGGAAAGT GAAAAGTAGG GCATTAGAGA CAGGGACTTG ACCTGAGGGA CTGAGGGTG	360 420 449
(2) INFORMATION FOR SEQ ID NO:39:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele consensus 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39: GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCTGGC	60
GGGGGCGCAG GACCCGGGAA GCCGCGCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	120 130
(2) INFORMATION FOR SEQ ID NO:40:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A 5' Intron Allele A* 0101 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:	
GTGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC GGGGGCGCAG GACCGGGGGA GCCGCGCCGG GAGGAGGGTC GGGCAGGTCT CAGCCACTGC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:41:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single	

(ii) MOLECULE TYPE: genomic DNA

(D) TOPOLOGY: linear

<pre>(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:	
ETGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC. EGGGGCGCAG GACCGGGGGA GCCGCGCCGG GACGAGGGTC GGGCAGGTCT CAGCCACTGC FCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:42:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 1101 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:	
GTGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC GGGGGCGCAG GACCGGGGGA GCCGCCGCGG GAGGAGGGTC GGGCAGGTCT CAGCCACTGC ICGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:43:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 1102 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:	
GTGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC GGGGGCGCAG GACCGGGGGA GCCGCCGC GAGGAGGGTC GGGCAGGTCT CAGCCACTGC	60

59	
TCGCCCCAG	130
(2) INFORMATION FOR SEQ ID NO:44:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 3001 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44: GTGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC GGGGGCGCAG GACCGGGGA GCCGCCCGG GAGGAGGGTC GGTCAGGTCT CAGCCACTGC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:45:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:	
GTGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC GGGGGCGCAG GACCGGGGGA GCCGCCCGG GAGGAGGGTC GGTCAGGTCT CAGCCACTGC	60 120 130

- (2) INFORMATION FOR SEQ ID NO:46:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 130 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no

 (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE:	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:	
GTGAGTGCGG GGTCGGGAGG GAAACCGCCT CTGCGGGGAG AAGCAAGGGG CCCTCCTGGC GGGGGCGCAG GACCGGGGGA GCCGCGCCGG GAGGAGGGTC GGTCAGGTCT CAGCCACTGC FCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:47:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:48:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129

(2) INFORMATION FOR SEQ ID NO:49:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 0203 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:	
ETGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG EGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:50:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 0204 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:51:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: 	

(ix) FEATURE:

(A) NAME/KEY: HLA-A Intron 1 Allele A* 0205

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:52:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 0206 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:53:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 0207 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:54:	

(i) SEQUENCE CHARACTERISTICS:

	LENGTH: 129 base pairs	
	TYPE: nucleic acid	
(C)	STRANDEDNESS: single	
(D)		
	(ii) MOLECULE TYPE: genomic DNA	
	(iii) HYPOTHETICAL: no	
	(iv) ANTI-SENSE: no	
	(V) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	(ix) FEATURE:	
	(A) NAME/KEY: HLA-A Intron 1 Allele A* 0207	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:54:	
GTGAGTGCGG	GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG	60
GGGGCGCAGG	ACCCGGGAAG CCGCGCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT	120
CGTCCCCAG		129
,,	2) INFORMATION FOR SEQ ID NO:55:	
. (2	2) INFORMATION FOR SEQ 22 MILES	
(i)	SEQUENCE CHARACTERISTICS:	
) LENGTH: 129 base pairs	
) TYPE: nucleic acid	
) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: genomic DNA	
	(iii) HYPOTHETICAL: no	
	(iv) ANTI-SENSE: no	
	(v) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	(ix) FEATURE:	
	(A) NAME/KEY: HLA-A Intron 1 Allele A* 0208	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:55:	
		60
GTGAGTGCGG	GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG	120
	ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT	120
CGTCCCCAG		129
	(2) INFORMATION FOR SEQ ID NO:56:	
	GROVENICE CHARACTERICE.	
	SEQUENCE CHARACTERISTICS:	
	A) LENGTH: 129 base pairs B) TYPE: nucleic acid	
	C) STRANDEDNESS: single	
•	D) TOPOLOGY: linear	
(1		
	(ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no	
	,	
	(iv) ANTI-SENSE: no	
	(v) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	<pre>(ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 0209</pre>	
	(A) NAME/KEY: DDA-A INCION I ALLELE A. 0209	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:57:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 129 base pairs (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE: (A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 1 Allele A* 0210	
(xi) SEOUENCE DESCRIPTION: SEQ ID NO:57:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG	60
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	120 129
(2) INFORMATION FOR SEQ ID NO:58:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 129 base pairs (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human (ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 1 Allele A* 0211	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG GGGGCGCAGG ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGTCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:59:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 129 base pairs	

SUBSTITUTE SHEET (rule 26)

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) T	COPOLOGY: linear	
((ii) MOLECULE TYPE: genomic DNA	
((iii) HYPOTHETICAL: no	
((iv) ANTI-SENSE: no	
((v) ORIGINAL SOURCE:	
,	(A) ORGANISM: human	
1	(ix) FEATURE:	
`	(A) NAME/KEY: HLA-A Intron 1 Allele A* 0215	
	(A) NAME RELEASE A THOUGH I MITOLO IT VELS	
(') ar	EQUENCE DESCRIPTION: SEQ ID NO:59:	
(X1) SE	AGORNOR DESCRIPTION: SEG ID NO.39:	
amaz amagaa ac	GTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG	60
GIGAGIGCGG GG	CCCGGGAAG CCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT	120
	CCCGGGAAG CCGCGCCGGG AGGAGGGICG GGCGGGICIC AGCCACICCI	129
CGTCCCCAG		122
(,)	THE TOTAL TOP ON TO TO TO	
(2)	INFORMATION FOR SEQ ID NO:60:	
(!) and	OUTDAY OF THE PARTIES	
	QUENCE CHARACTERISTICS:	
	LENGTH: 129 base pairs	
	TYPE: nucleic acid	
	STRANDEDNESS: single	
	TOPOLOGY: linear	
	(ii) MOLECULE TYPE: genomic DNA	
	(iii) HYPOTHETICAL: no	
	(iv) ANTI-SENSE: no	
	(v) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	(ix) FEATURE:	
	(A) NAME/KEY: HLA-A Intron 1 Allele A* 0217	
(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO:60:	
	GTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAACGGG CCGCCTGGCG	60
GGGGCGCAGG A	ACCCGGGAAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT	120
CGTCCCCAG		129
(2)	INFORMATION FOR SEQ ID NO:61:	
(i) SE	EQUENCE CHARACTERISTICS:	
(A)	LENGTH: 130 base pairs	
(B)	TYPE: nucleic acid	
	STRANDEDNESS: single	
, , ,	TOPOLOGY: linear	
(2)	(ii) MOLECULE TYPE: genomic DNA	
	(iii) HYPOTHETICAL: no	
	(iv) ANTI-SENSE: no	
	(V) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	v. v	
	(ix) FEATURE:	
	(A) NAME/KEY: HLA-A Intron 1 Allele A* 6801	
(202)	SEQUENCE DESCRIPTION: SEO ID NO:61:	
(X.11 8	SECOLENCE DESCRIPTION, SHO ID NO.UI.	

GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:62:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 6802 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:63:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:64:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA 	

(iii) HYPOTHETICAL: no

<pre>(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
A LA CHICATANA DEGEREPONI, CEO ID NO.64	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGCGGGGAG AAGCAAGGGG CCCGCCTGGC 60 GGGGGCGCAA GACCCGGGAA GCCGCCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC 120 TCGTCCCCAG	
(2) INFORMATION FOR SEQ ID NO:65:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGCGGGGAG AAGCAAGGGG CCCGCCTGGC GGGGGCGCAA GACCCGGGAA GCCGCCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGTCCCCAG 130)
(2) INFORMATION FOR SEQ ID NO:66:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGCGGGGAG AAGCAAGGGG CCCGCCTGGC 6 GGGGGCGCAA GACCCGGGAA GCCGCGCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC 12	

TCGTCCCCAG	130
(2) INFORMATION FOR SEQ ID NO:67:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 2404 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGCGGGGAG AAGCAAGGGG CCCGCCTGGC GGGGGCGCAA GACCCGGGAA GCCGCGCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGTCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:68:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 2405 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGCGGGGAG AAGCAAGGGG CCCGCCTGGC GGGGGCGCAA GACCCGGGAA GCCGCGCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGTCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:69: (i) SEQUENCE CHARACTERISTICS:	
 (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no 	

(v)

ORIGINAL SOURCE:

(A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 2407	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:	
GGGGGCGCAA GACCCGGGAA GCCGCCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC	60 120 130
(2) INFORMATION FOR SEQ ID NO:70:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 2501 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:	
GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG GGGACGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGTGGGTCTC AGCCACTCCT CGCCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:71:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130

(2) INFORMATION FOR SEQ ID NO:72:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 3402 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:73:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:74: (i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 130 base pairs (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:	
(A) ORGANISM: human	

(ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 6602	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:	
GGGGGCGCAG GACCCGGGAA GCCGCGCCIG GAGGAGGGIC GGGCGGCCIG	50 20 30
(2) INFORMATION FOR SEQ ID NO:75:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:	
GGGGGCGCAG GACCCGGGAA GCCGCGCCIG GACGAGGCIG GGGGGCGCCIG	60 120 130
(2) INFORMATION FOR SEQ ID NO:76:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGTGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCTG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130

(2) INFORMATION FOR SEQ ID NO:77:

<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:	
GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG GGGACGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGTGGGTCTC AGCCACTCCT CGCCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:78:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 2902 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:	
GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG GGGACGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGTGGGTCTC AGCCACTCCT CGCCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:79:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	

(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:79:	
GTGAGTGCGG GGGGCGCAGG CGCCCCCAG	GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGATCTC AGCCACTCCT	60 120 129
(:	2) INFORMATION FOR SEQ ID NO:80:	
(A (B (C	SEQUENCE CHARACTERISTICS: LENGTH: 129 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 3201	
(t)) SEQUENCE DESCRIPTION: SEQ ID NO:80:	
ርምርአርሞር ሮ ር	G GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG G ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT	60 120 129
	(2) INFORMATION FOR SEQ ID NO:81:	
() (SEQUENCE CHARACTERISTICS: A) LENGTH: 129 base pairs B) TYPE: nucleic acid C) STRANDEDNESS: single D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 3301	
(xi	i) SEQUENCE DESCRIPTION: SEQ ID NO:81:	
GTGAGTGCC GGGGCGCAC CGCCCCCAC	GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG GG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGATCTC AGCCACTCCT G	60 120 129

- (2) INFORMATION FOR SEQ ID NO:82:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 129 base pairs
 - (B) TYPE: nucleic acid

(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 1 Allele A* 3303	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:	
GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG 6	0
GGGGCGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGATCTC AGCCACTCCT 12	0
CGCCCCCAG 12	9
COCCCCAC	
(2) INFORMATION FOR SEQ ID NO:83:	
(Z) INFORMATION TOK DAY IN NO.	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 129 base pairs	
(A) LENGTH: 129 base parts (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 1 Allele A* 7401	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:	
GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG	50
GGGGCGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT 12	20
	29
	• -
(2) INFORMATION FOR SEQ ID NO:84:	
(a) Internation for bug is noted.	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 129 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
· · · · · · · · · · · · · · · · · · ·	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 1 Allele A* 7402	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC CCGCCCGGCG GGGGCGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGCCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:85:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 129 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 1 Allele A* 7403 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:	
GTGAGTGCGG GGTCGTGGGG AAACCGCCTC TGCGGGGAGA AGCAAGGGGC TCGCCCGGCG GGGGCGCAGG ACCCGGGTAG CCGCGCCGGG AGGAGGGTCG GGCGGGTCTC AGCCACTCCT CGCCCCCAG	60 120 129
(2) INFORMATION FOR SEQ ID NO:86:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 130 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:	
GTGAGTGCGG GGTCGGGAGG GAAACGGCCT CTGCGGGGAG AAGCAAGGGG CCCGCCCGGC GGGGGCGCAG GACCCGGGAA GCCGCGCCGG GAGGAGGGTC GGGCGGGTCT CAGCCACTCC TCGCCCCCAG	60 120 130
(2) INFORMATION FOR SEQ ID NO:87:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA 	

	(III) HIPOINELICAD. NO	
	(iv) ANTI-SENSE: no	
	(v) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	(ix) FEATURE:	
	(A) NAME/KEY: HLA-A Intron 2 Allele consensus	
	(,	
(vi)	SEQUENCE DESCRIPTION: SEQ ID NO:87:	
(XI)	SEQUENCE DESCRIPTION. SEQ IS NO.07.	
amas amas aa	CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG	60
	TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC	120
	GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC	180
		240
CCGGGTTGGT	CGGGGCCGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA	
3		241
(2	2) INFORMATION FOR SEQ ID NO:88:	
	SEQUENCE CHARACTERISTICS:	
(A)	LENGTH: 241 base pairs	
(B)	TYPE: nucleic acid	
·(C)	STRANDEDNESS: single	
(D)	TOPOLOGY: linear	
	(ii) MOLECULE TYPE: genomic DNA	
	(iii) HYPOTHETICAL: no	
	(iv) ANTI-SENSE: no	
	(v) ORIGINAL SOURCE:	
	(A) ORGANISM: human	
	(ix) FEATURE:	
	·	
	(A) NAME/KEY: HLA-A Intron 2 Allele A* 0101	
7. 13	CHANNEL PROGRAMMAN CHO TO NO AC	
(X1)	SEQUENCE DESCRIPTION: SEQ ID NO:88:	
	CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG	60
	TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACTCCG AGACCCTTGT	120
	GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC	180
CCGGGTTGGT	CGGGGCGGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA	240
G		241
(2	2) INFORMATION FOR SEQ ID NO:89:	
(i) S	SEQUENCE CHARACTERISTICS:	
(A)	LENGTH: 241 base pairs	
	TYPE: nucleic acid	
	STRANDEDNESS: single	
	TOPOLOGY: linear	
(2)	(ii) MOLECULE TYPE: genomic DNA	
	(iii) HYPOTHETICAL: no	
	(iv) ANTI-SENSE: no	
	(A) ORGANISM: human	
	(ix) FEATURE:	
	(A) NAME/VEY, UID A Introp o Allele At acces	

(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:89:
------	----------	--------------	-----	----	--------

CTC A CTC A CC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
madaca CA CA C	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
addadaa CAC	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCCGGGAGAG	GCCCAGGCGC	CCCCCCTCGG	GGGACCGGGC	TGACCGCGGG	GTCCGGGCCA	240
CCAGGTTGGT	CGGGGCGGGG	6999961690	000110			241
C						

(2) INFORMATION FOR SEQ ID NO:90:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 241 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron Allele A* 0202

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

GTGAGTGACC C	receceeee	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG		CCACATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
TCGCCCACAG C	I.C.I.C.C.G.G.I.C	COAGAICCOC		AGTTTAGGCC	AAAAATCCCC	180
CCCGGGAGAG (GCCCAGGCGC	CTTTACCCGG	TITCATTITC	Maradada	amedededeca	240
CCAGGTTGGT (CGGGGCGGGG	CGGGGCTCGG	GGGACCGGGC	TGACCGCGG	Giccoddcca	241
C						44 I

(2) INFORMATION FOR SEQ ID NO:91:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron Allele A* 0203

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG 60 TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120 CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180 CCAGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA 240
CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180
CCCGGGAGAG GCCCAGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA 240
CCAGGTTGGT CGGGGCGGGG CGGGGCTCGG CGGTGCGGG TGGTGGGT CGGGGCGGGG CGGGGCTCGG CGGTGGGT CGGTGGGT CGGGGCGGGG CGGGGCTCGG CGGGGCGGGG CGGGGCGGGG CGGGGCTCGG CGGGGCGGGG CGGGGCGGGG CGGGGGCGGGG CGGGGGCGGGG CGGGGGCGGGG CGGGGGCGGGG CGGGGGG

(2)	INFORMATION	FOR	SEO	ID	NO:	92:	:
-----	-------------	-----	-----	----	-----	-----	---

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 241 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 0204

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
		CGAGATCCGC				120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
		CGGGGCTCGG				240
G						241

- (2) INFORMATION FOR SEQ ID NO:93:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 0205
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCAGGTTGGT	CGGGGCGGGG	CGGGGCTCGG	GGGACCGGGC	TGACCGCGGG	GTCCGGGCCA	240
G						241

- (2) INFORMATION FOR SEQ ID NO:94:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA

(iv) ANTI-SENSE: no

FEATURE:

ORIGINAL SOURCE: (A) ORGANISM: human

(v)

(ix)

GTGAGTGACC TCGCCCACAG CCCGGGAGAG CCAGGTTGGT

79	
<pre>(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:	
ETGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC TCCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC TCCAGGTTGGT CGGGGCGGGG CGGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:95:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 0207 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCAGGTTGGT CGGGGCGGGG CGGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:96:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no 	

(A) NAME/KEY: HLA-A Intron 2 Allele A* 0208

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:96	(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:96
---	------	----------	--------------	-----	----	-------

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCAGGTTGGT	CGGGGCGGG	CGGGGCTCGG	GGGACCGGGC	TGACCGCGGG	GTCCGGGCCA	240
G						241

- (2) INFORMATION FOR SEQ ID NO:97:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 0209
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCAGGTTGGT	CGGGGCGGG	CGGGGCTCGG	GGGACCGGGC	TGACCGCGGG	GTCCGGGCCA	240
G						241

- (2) INFORMATION FOR SEQ ID NO:98:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 0210
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCAGGTTGGT	CGGGGCGGGG	CGGGGCTCGG	GGGACCGGGC	TGACCGCGGG	GTCCGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:99:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCAGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:100:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single	
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron Allele A* 0215	
(ii) mini, idi. ii iiidi ii iiidi ii iiidi ii iiidi ii i	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCAGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:101:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	

WO 98/26091 PCT/CA97/00955

82

(iii)	HYPOTHETICAL:	no
-------	---------------	----

- (iv) ANTI-SENSE: no
- (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 0217

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG 60
TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120
CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180
CCAGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCGCGGG GTCCGGGCCA 240
G

(2) INFORMATION FOR SEQ ID NO:102:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 6801

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG 60
TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120
CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180
CCGGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA 240
G 241

(2) INFORMATION FOR SEQ ID NO:103:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 6802

(xi)	SECTIENCE	DESCRIPTION:	SEO	ID	NO:103:
(XI)	SEQUENCE	DESCRIETTOM.	Cuy	ملد للد	1.0.100.

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCCCTCA	TCCCCCACGG	ACGGGCCAGG	60
					AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGGGGG	CGGGGCTCGG	GGGACCGGGC	TGACCTCGGG	GTCCGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:104:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 6901
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCAGGTTGGT	CGGGGCGGG	CGGGGCTCGG	GGGACCGGGC	TGACCGCGGG	GTCCGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:105:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 2501

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCCCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCGC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGCGGGG	CGGGGCTCGG	GGGACCGGGC	TGACCTCGGG	GTCCGGGCCA	240
G						247

84	
(2) INFORMATION FOR SEQ ID NO:106:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 2601 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGCCGGG CGGGGCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:107:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 4301 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCC AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEO ID NO:108:	

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA

(ix) FEATURE:

	63
(iv) (v)) HYPOTHETICAL: no ANTI-SENSE: no ORIGINAL SOURCE: (A) ORGANISM: human
(ix)	FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 6601
(xi) SEQUE	NCE DESCRIPTION: SEQ ID NO:108:
TCGCCCACAG TCTCC	CCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG GGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC LGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC GCGGGG CGGGGCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA 241
(2) IN	FORMATION FOR SEQ ID NO:109:
(A) LENG (B) TYPE (C) STRE (D) TOPE (ii) (ii) (iv)	ICE CHARACTERISTICS: ETH: 241 base pairs E: nucleic acid ANDEDNESS: single DLOGY: linear MOLECULE TYPE: genomic DNA i) HYPOTHETICAL: no ANTI-SENSE: no ORIGINAL SOURCE: (A) ORGANISM: human FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 6602
(xi) SEQU	ENCE DESCRIPTION: SEQ ID NO:109:
TCGCCCACAG TCTC	CCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG CGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC AGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 3CGGGG CGGGGCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA 241
(2) IN	FORMATION FOR SEQ ID NO:110:
(A) LEN (B) TYP (C) STR (D) TOP (ii (ii	NCE CHARACTERISTICS: GTH: 241 base pairs E: nucleic acid ANDEDNESS: single OLOGY: linear) MOLECULE TYPE: genomic DNA i) HYPOTHETICAL: no) ANTI-SENSE: no ORIGINAL SOURCE: (A) ORGANISM: human

(A) NAME/KEY: HLA-A Intron 2 Allele A* 6603

G

241

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:110:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCACGG ACGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCGC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCGGG CGGGGCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:111:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 3402 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCGGG TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCGGG CGGGCCTCGG GGGACCGGGC TGACCTCGGG GTCCGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:112:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 2901 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCGGG TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCCGGA CGGGCCTCGG GGGACTGGC TGACCGTCGC CTCGGGGCCACA	60 120 180

(2)	INFORMATION	FOR	SEO	TD	NO:113:
(2)	TMLOKMATION	LOK	2	$_{\rm LD}$	140

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 2902
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:113:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCGGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGCCGGA	CGGGGCTCGG	GGGACTGGGC	TGACCGTGGG	GTCGGGGCCA	240
G						241

- (2) INFORMATION FOR SEQ ID NO:114:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 3101
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:114:

GTGAGTGACC	CCAGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCACCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGCCGGA	CGGGGCTCGG	GGGACTGGGC	TGACCGTGGG	GTCGGGGCCA	240
G						241

- (2) INFORMATION FOR SEQ ID NO:115:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA

(.	iii) HYPOTHETICAL: no iv) ANTI-SENSE: no v) ORIGINAL SOURCE: (A) ORGANISM: human ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 3201
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:115:
TCGCCCACAG TC	GGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG 60 TCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120 CCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180 GGGCCGGA CGGGGCTCGG GGGACTGGGC TGACCGTGGG GTCGGGGCCA 240 241
(2)	INFORMATION FOR SEQ ID NO:116:
(A) L (B) T (C) S (D) T (UENCE CHARACTERISTICS: ENGTH: 241 base pairs YPE: nucleic acid TRANDEDNESS: single OPOLOGY: linear ii) MOLECULE TYPE: genomic DNA iii) HYPOTHETICAL: no iv) ANTI-SENSE: no v) ORIGINAL SOURCE: (A) ORGANISM: human ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 3301
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:116:
TCACCCACAG TC	AGCCCGGG GCGCAGGTCA CGACCTCTCA TCCCCCACGG ACGGGCCAGG 60 TCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120 CCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180 GGGCCGGA CGGGGCTCGG GGGACTGGGC TGACCGTGGG GTCGGGGCCA 241
(2)	INFORMATION FOR SEQ ID NO:117:
(A) L (B) T (C) S (D) T (UENCE CHARACTERISTICS: ENGTH: 241 base pairs YPE: nucleic acid TRANDEDNESS: single OPOLOGY: linear ii) MOLECULE TYPE: genomic DNA iii) HYPOTHETICAL: no iv) ANTI-SENSE: no v) ORIGINAL SOURCE: (A) ORGANISM: human ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 3303

(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:117:
------	----------	--------------	-----	----	---------

GTGAGTGACC CC	AGCCCGGG (GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCACCCACAG TC	TCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG GC						180
CCGGGTTGGT CG	GGGCCGGA	CGGGGCTCGG	GGGACTGGGC	TGACCGTGGG	GTCGGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:118:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 241 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 7401

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:118:

GTGAGTGACC	CCGGCCGGGG	GCGCAGGTCA	GGACCCCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGCCGGA	CGGGGCTCGG	GGGACTGGGC	TGACCGTGGG	GTCGGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:119:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 7402

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:

GTGAGTGACC CCGGCCCGGG	GCGCAGGTCA	CGACCTCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT CGGGGCCGGA	CGGGGCTCGG	GGGACTGGGC	TGACCGTGGG	GTCGGGGCCA	240
G					241

(2) INE	FORMATION	FOR	SEQ	ID	NO:120:
---------	-----------	-----	-----	----	---------

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 7403
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:120:

GTGAGTGACC	CCGGCCGGGG	GCGCAGGTCA	GGACCCCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGCCGGA	CGGGGCTCGG	GGGACTGGGC	TGACCGTGGG	GTCGGGGCCA	240
G						241

- (2) INFORMATION FOR SEQ ID NO:121:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 2301
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:121:

GTGAGTGACC	CCGGCCCGGG	GCGCAGGTCA	CGACCCCTCA	TCCCCCAACCC	ACGGGCCGGG	
						60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGC	120
CCCGGGAGAG	GCCCAGGCGC	CTTAACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATCCCC	180
CCGGGTTGGT	CGGGGCCGGG	CGGGGCTCGG	GGGACTGGGC	TGACCGCGGG	GTCGGGGCCA	240
G						- 10
G						241

- (2) INFORMATION FOR SEQ ID NO:122:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA

(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no
(v) ORIGINAL SOURCE:
(A) ORGANISM: human
(ix) FEATURE:
(A) NAME/KEY: HLA-A Intron 2 Allele A* 2402
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:122:
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCGGG 60
TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120
CCCGGGAGAG GCCCAGGCGC CTTAACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180
CCGGGTTGGT CGGGGCCCGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA 240
G 241
(2) INFORMATION FOR SEQ ID NO:123:
(I) Charles Charles Charles Charles
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: genomic DNA
(iii) HYPOTHETICAL: no
(iv) ANTI-SENSE: no
(v) ORIGINAL SOURCE:
(A) ORGANISM: human
(ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 2403
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:123:
<u> </u>
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCGGG 60
TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120
CCCGGGAGAG GCCCAGGCGC CTTAACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180
CCGGGTTGGT CGGGGCCGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA 240
G 24:
(2) INFORMATION FOR SEQ ID NO:124:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 241 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: genomic DNA
(iii) HYPOTHETICAL: no
(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:
(A) ORGANISM: human
(ix) FEATURE:
(A) NAME/KEY: HLA-A Intron 2 Allele A* 2404

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:124:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCACGG ACGGGCCGGG TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTAACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCCGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:125:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 2405 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGCCCGG TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTAACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCCGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:126:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 2407 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCACGG ACGGGCCGGG TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTAACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCCGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA	60 120 180 240 241

93	
(2) INFORMATION FOR SEQ ID NO:127:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 0301 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:127:	
GTGAGTGACC CCGGCCGGG GCGCAGGTCA GGACCCCTCA TCCCCCACGG ACGGCCAGG TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCTGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA G	60 120 180 240 241
(2) INFORMATION FOR SEQ ID NO:128:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 241 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 1101 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:128:	
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCACGG ACGGGCCAGG TGGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC CCGGGTTGGT CGGGGCCGGG CAGGGCTTGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA G	60 120 180 240 241

- (2) INFORMATION FOR SEQ ID NO:129:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA

(iii) HYPOTHETICAL: no
(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:
(A) ORGANISM: human
<pre>(ix) FEATURE:</pre>
(A) MAILI, ILLI II III II III II III II III II
(wi) GROVENGE PEGGETPHION, GRO. ID NO. 120.
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:
GTGAGTGACC CCGGCCCGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG 60
TGGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGC 120 CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTTC AGTTTAGGCC AAAAATCCCC 180
CCGGGTTGGT CGGGGCCGGG CAGGGCTTGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA 240
G 241
(2) INFORMATION FOR SEQ ID NO:130:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 241 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA
(iii) HYPOTHETICAL: no
(iv) ANTI-SENSE: no
(v) ORIGINAL SOURCE: (A) ORGANISM: human
(ix) FEATURE:
(A) NAME/KEY: HLA-A Intron 2 Allele A* 3001
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:130:
GTGAGTGACC CCGGCCGGGG GCGCAGGTCA CGACCCCTCA TCCCCCACGG ACGGGCCAGG 60
TCGCCCACAG TCTCCGGGTC CGAGATCCAC CCCGAAGCCG CGGGACCCCG AGACCCTTGA 120
CCCGGGAGAG GCCCAGGCGC CTTTACCCGG TTTCATTTC AGTTTAGGCC AAAAATTCCC 180 CCGGGTTGGT CGGGGCTGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA 240
CCGGGTTGGT CGGGGCTGGG CGGGGCTCGG GGGACTGGGC TGACCGCGGG GTCGGGGCCA 240 G 241
(2) INFORMATION FOR SEQ ID NO:131:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 241 base pairs (B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: genomic DNA
(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no
(v) ORIGINAL SOURCE:
(A) ORGANISM: human
(ix) FEATURE: (A) NAME/KEY: HLA-A Intron 2 Allele A* 3002
(A) MARIE NET: NEA-A INCION 2 ALLELE A* 3002

(xi) SEOUENCE	DESCRIPTION:	SEO	ID	NO:131:

GTGAGTGACC	CCGCCCGGGG	GCGCAGGTCA	CGACCCCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGA	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATTCCC	180
CCGGGTTGGT	CGGGGCTGGG	CGGGGCTCGG	GGGACTGGGC	TGACCGCGGG	GTCGGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:132:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 241 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 3004

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:132:

GTGAGTGACC	CCGGCCGGGG	GCGCAGGTCA	CGACCCCTCA	TCCCCCACGG	ACGGGCCAGG	60
TCGCCCACAG	TCTCCGGGTC	CGAGATCCAC	CCCGAAGCCG	CGGGACCCCG	AGACCCTTGA	120
CCCGGGAGAG	GCCCAGGCGC	CTTTACCCGG	TTTCATTTTC	AGTTTAGGCC	AAAAATTCCC	180
CCGGGTTGGT	CGGGGCTGGG	CGGGGCTCGG	GGGACTGGGC	TGACCGCGGG	GTCGGGGCCA	240
G						241

(2) INFORMATION FOR SEQ ID NO:133:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 240 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 2 Allele A* 8001

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:

GTGAGTGACC	CCGGCCCGGG	CGCAGGTCAC	GACCCCTCAT	CCCCTACGGA	CGGGCCAGGT	60
CGCCCACAGT	CTCCGGGTCC	GAGATCCACC	CCGAAGCCGC	GGGACCCCGA	GACCCTTGCC	120
CCGGGAGAGG	CCCAGGCGCC	TTTAGCCGGT	TTCATTTTCA	GTTTAGGCCA	AAAATCCCCC	180
CGGGTGGGTC	GGGGCGGGC	GGGGCTCGGG	GGACCGGGCT	GACCGCGGG	TCGGGGCCAG	240

(2) INFORMATION FOR SEQ ID NO:134:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 602 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele consensus
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAAAT	CTCTGAAGGA	ATGACGGGAA	GACGATCCCT	240
CGAATACTGA	TGAGTGGTTC	CCTTTGACAC	ACACCGGCAG	CAGCCTTGGG	CCCGTGACTT	300
TTCCTCTCAG	GCCTTGTTCT	CTGCTTCACA	CTCAATGTGT	GTGGGGGTCT	GAGTCCAGCA	360
CTTCTGAGTC	CCTCAGCCTC	CACTCAGGTC	AGGACCAGAA	GTCGCTGTTC	CCTCTTCAGG	420
GACTAGAATT	TTCCACGGAA	TAGGAGATTA	TCCCAGGTGC	CTGTGTCCAG	GCTGGTGTCT	480
GGGTTCTGTG	CTCCCTTCCC	CATCCCAGGT	GTCCTGTCCA	TTCTCAAGAT	AGCCACATGT	540
GTGCTGGAGG	AGTGTCCCAT	GACAGATGCA	AAATGCCTGA	ATGTTCTGAC	TCTTCCTGAC	600
AG						602

- (2) INFORMATION FOR SEQ ID NO:135:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0101
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:

		CCTCCCTGAT GACCAACACT				60
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	120 180
GAATACTGAT	GAGTGGTTCC	GGATAAAATC CTTTGACACC	GGCAGCAGCC	TTGGGCCCGT	GACTTTTCCT	240 300
		TCACACTCAA AGGTCAGGAC				360 420
		GTGTCCAGGC				420

TCCCGGGTGT CCTGTCCATT CTCAAGATGG CCACATGCGT GCTGGTGGAG TGTCCCATGA	
CAGATGCAAA ATGCCTGAAT TTTCTGACTC TTCCCGTCAG	58 0
(2) INFORMATION FOR SEQ ID NO:136:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 579 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human (ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 3 Allele A* 0301	
(A) WAND ATTELON 5 ATTELON 5 OF THE COLUMN TO THE COLUMN THE COLUM	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:	
GTACCAGGGG CCACGGGGCG CCTCCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA	60
CAAGGAGGG AGACAATTGG GACCAACACT AGAATATCAC CCTCCCTCTG GTCCTGAGGG	120
AGAGGAATCC TCCTGGGTTC CAGATCCTGT ACCAGAGAGT GACTCTGAGG TTCCGCCCTG	180
CTCTCTGAGC ACAATTAAGG GATAAAATCT CTGAAGGAGT GACGGGAAGA CGATCCCTCG AATACTGATG AGTGGTTCCC TTTGACACCG GCAGCAGCCT TGGGCCCGTG ACTTTTCCTC	240
TCAGGCCTTG TTCTCTGCTT CACACTCAAT GTGTGTGGGG GTCTGAGTCC AGCACTTCTG	300
AGTCCCTCAG CCTCCACTCA GGTCAGGACC AGAAGTCGCT GTTCCCTTCT CAGGGAATAG	360 420
AAGATTATCC CAGGTGCCTG TGTCCAGGCT GGTGTCTGGG TTCTGTGCTC TCTTCCCCAT	480
CCCGGGTGTC CTGTCCATTC TCAAGATGGC CACATGCGTG CTGGTGGAGT GTCCCATGAC	540
AGATGCAAAA TGCCTGAATT TTCTGACTCT TCCCGTCAG	579
(2) INFORMATION FOR SEQ ID NO:137:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 580 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: HLA-A Intron 3 Allele A* 1101	
(ii) many test. That A lifeton 5 Affere A. 1101	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:	
CTACCACCC CCACCCCCCC CCMCCCMCAM CCCCCTATA	
GTACCAGGGG CCACGGGGCG CCTCCCTGAT CGCCTATAGA TCTCCCGGGC TGGCCTCCCA	60
CAAGGAGGG AGACAATTGG GACCAACACT AGAATATCAC CCTCCCTCTG GTCCTGAGGG AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT	120
GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAG TGACGGGAAG ACGATCCCTC	180
GAATACTGAT GAGTGGTTCC CTTTGACACC GGCAGCAGCC TTGGGCCCGT GACTTTTCCT	240
CTCAGGCCTT GTTCTCTGCT TCACACTCAA TGTGTGTGGG GGTCTGAGTC CAGCACTTCT	300 360
ONOCACIICI	200

WO 98/26091 PCT/CA97/00955

98	
GAGTCTCTCA GCCTCCACTC AGGTCAGGAC CAGAAGTCGC TGTTCCCTTC TCAGGGAATA GAAGATTATC CCAGGTGCCT GTGTCCAGGC TGGTGTCTGG GTTCTGTGCT CTCTTCCCCA TCCCGGGTGT CCTGTCCATT CTCAAGATGG CCACATGCGT GCTGGTGGAG TGTCCCATGA CAGATGCAAA ATGCCTGAAT TTTCTGACTC TTCCCGTCAG	420 480 540 580
(2) INFORMATION FOR SEQ ID NO:138:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 580 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 1102 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:	
GTACCAGGGG CCACGGGGCG CCTCCCTGAT CGCCTATAGA TCTCCCGGGC TGGCCTCCCA CAAGGAGGG AGACAATTGG GACCAACACT AGAATATCAC CCTCCCTCTG GTCCTGAGGG AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAG TGACGGGAAG ACGATCCCTC GAATACTGAT GAGTGGTTCC CTTTGACACC GGCAGCAGCC TTGGGCCCGT GACTTTTCCT CTCAGGCCTT GTTCTCTCT TCACACTCAA TGTGTGTGGG GGTCTGAGTC CAGCACTTCT GAGTCTCTCA GCCTCCACTC AGGTCAGGC CAGAAGTCGC TGTTCCCTTC TCAGGGAATA GAAGATTATC CCAGGTGCCT GTGTCCAGGC TGGTGTCTGG GTTCTTGCT CTCTTCCCCA TCCCGGGTGT CCTGTCCATT CTCAAGATGG CCACATGCGT GCTGGTGGAG TGTCCCATGA CAGATGCAAA ATGCCTGAAT TTTCTGACTC TTCCCGTCAG	60 120 180 240 300 360 420 480 540 580
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 580 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:	
GTACCAGGGG CCACGGGGCG CCTTCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA	60

CAAGGAGGGG AGACAATTGG GACCAACACT AGAATATCAC CCTCCCTCTG GTCCTGAGGG 120 AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT 180 GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAG TGACGGGAAG ACGATCCCTC 240

GAATACTGAT.	GAGTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGCCCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
					TCAGGGAATA	420
					CTCTTCCCCA	480
					TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:140:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
- (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 3002

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:

GTACCAGGGG	CCACGGGGCG	CCTTCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
			AGAATATCAC		GTCCTGAGGG	120
			TACCAGAGAG		GTTCCGCCCT	180
			TCTGAAGGAG		ACGATCCCTC	240
			GGCAGCAGCC		GACTTTTCCT	300
			TGTGTGTGGG		CAGCACTTCT	360
			CAGAAGTCGC		TCAGGGAATA	420
			TGGTGTCTGG		CTCTTCCCCA	480
			CCACATGCGT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:141:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 3004

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:

GTACCAGGGG CCACGGGGC	G CCTTCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG AGACAATTG	G GACCAACACT	AGAATATCAC	CCTCCCTCTG	GTCCTGAGGG	120

AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAG	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGCCCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA	GCCTCCACTC	AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTTC	TCAGGGAATA	420
GAAGATTATC	CCAGGTGCCT	GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT	CCTGTCCATT	CTCAAGATGG	CCACATGCGT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:142:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0201
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:143:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0202

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:144:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0203
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:

CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
					601
	AGACAATTGG TCCTGGGTTT CACAATTAAG GAGTGGTTCC CCTTGTTCTC TTCAGCCTCC TCCACGGAAT TCCCTTCCCC	AGACAATTGG GACCAACACT TCCTGGGTTT CCAGATCCTG CACAATTAAG GGATAAAATC GAGTGGTTCC CTTTGACACA CCTTGTTCTC TGCTTCACAC TTCAGCCTCC ACTCAGGTCA TCCACGGAAT AGGAGATTAT TCCCTTCCCC ATCCCAGGTG	AGACAATTGG GACCAACACT AGAATATCGC TCCTGGGTTT CCAGATCCTG TACCAGAGAG CACAATTAAG GGATAAAATC TCTGAAGGAA GAGTGGTTCC CTTTGACACA CACAGGCAGC CCTTGTTCTC TGCTTCACAC TCAATGTGTG TTCAGCCTCC ACTCAGGTCA GGACCAGAAG TCCACGGAAT AGGAGATTAT CCCAGGTGCC TCCCTTCCCC ATCCCAGGTG TCCTGTCCAT	AGACAATTGG GACCAACACT AGAATATCGC CCTCCCTCTG TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG GAGTGGTTCC CTTTGACACA CACAGGCAGC AGCCTTGGGC CCTTGTTCTC TGCTTCACAC TCAATGTGTG TGGGGGTCTG TTCAGCCTCC ACTCAGGTCA GGACCAGAAG TCGCTGTTCC TCCACGGAAT AGGAGATTAT CCCAGGTGCC TGTGTCCAGG TCCCTTCCCC ATCCCAGGTG TCCTGTCCAT TCTCAAGATA	CCACGGGGCG CCTCCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA AGACAATTGG GACCAACACT AGAATATCGC CCTCCCTCTG GTCCTGAGGG TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG ACGATCCCTC GAGTGGTTCC CTTTGACACA CACAGGCAGC AGCCTTGGGC CCGTGACTTT CCTTGTTCTC TGCTTCACAC TCAATGTGT TGGGGGTCTG AGTCCAGCAC TTCAGCCTCC ACTCAGGTCA GGACCAGAAG TCGCTGTTCC CTCTTCAGGG TCCACGGAAT AGGAGATTAT CCCAGGTGC TGTGTCCAGG CTGGTGTCTG TCCCTTCCCC ATCCCAGGTG TCCTGTCCAT TCTCAAGATA GCCACATGTG GTGTCCCATG ACAGATGCAA AATGCCTGAA TGATCTGACT CTTCCTGACA

- (2) INFORMATION FOR SEQ ID NO:145:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0204

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:146:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0205

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:146:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT			CCCAGGTGCC			480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:147:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no

- (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0206
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:147:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:148:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0207
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:148:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:149:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: genomic DNA
- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0208

PCT/CA97/00955

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:

GTACCAGGGG CCACGGGGCG	CCTCCCTCXT	acamama a a	mamaaaaaaa		
					60
CAAGGAGGG AGACAATTGG					120
AGAGGAATCC TCCTGGGTTT					180
GCTCTCTGAG CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG CCTTGTTCTC					360
TTCTGAGTCC TTCAGCCTCC					420
ACTAGAATTT TCCACGGAAT					•
					480
GGTTCTGTGC TCCCTTCCCC					540
TGCTGGAGGA GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	שלים שלים שלים אילים	Compounds	600
G			TORICIGACI	CIICCIGACA	600
9					601

- (2) INFORMATION FOR SEQ ID NO:150:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0209
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:

${\tt GTACCAGGGG}$	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT.	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
TCCTCCT CCT	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
G G GGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
3						601

- (2) INFORMATION FOR SEQ ID NO:151:
- (i) SEQUENCE CHARACTERISTICS:

G

- 105 (A) LENGTH: 601 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (V) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 0210 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:151: GTACCAGGGG CCACGGGGCG CCTCCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA 60 CAAGGAGGG AGACAATTGG GACCAACACT AGAATATCGC CCTCCCTCTG GTCCTGAGGG 120 AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT 180 GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG ACGATCCCTC 240 GAATACTGAT GAGTGGTTCC CTTTGACACA CACAGGCAGC AGCCTTGGGC CCGTGACTTT 300 TCCTCTCAGG CCTTGTTCTC TGCTTCACAC TCAATGTGTG TGGGGGGTCTG AGTCCAGCAC 360 TTCTGAGTCC TTCAGCCTCC ACTCAGGTCA GGACCAGAAG TCGCTGTTCC CTCTTCAGGG 420 ACTAGAATTT TCCACGGAAT AGGAGATTAT CCCAGGTGCC TGTGTCCAGG CTGGTGTCTG 480 GGTTCTGTGC TCCCTTCCCC ATCCCAGGTG TCCTGTCCAT TCTCAAGATA GCCACATGTG 540 TGCTGGAGGA GTGTCCCATG ACAGATGCAA AATGCCTGAA TGATCTGACT CTTCCTGACA 600 601 (2) INFORMATION FOR SEQ ID NO:152: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 601 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix)FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 0211 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

WO 98/26091 PCT/CA97/00955

106

(2) INFORMATION FOR SEQ ID NO:153:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0215
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:154:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 0217
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480

WO 98/26091 PCT/CA97/00955

107	
TGCTGGAGGA GTGTCCCATG ACAGATGCAA AATGCCTGAA TGATCTGACT CTTCCTGACA 60	40 00 01
(2) INFORMATION FOR SEQ ID NO:155:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 601 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 6801 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:	
CAAGGAGGGG AGACAATTGG GACCAACACT AGAATATCGC CCTCCCTCTG GTCCTGAGGG 1.2 AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT 1.2 GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG ACGATCCCTC 2.2 GAATACTGAT GAGTGGTTCC CTTTGACACA CACAGGCAGC AGCCTTGGGC CCGTGACTTT 3.2 TCCTCTCAGG CCTTGTTCTC TGCTTCACAC TCAATGTGTG TGGGGGTCTG AGTCCAGCAC 3.2 TTCTGAGGTCC CTCAGCCTCC ACTCAGGTCA GGACCAGAAG TCGCTGTTCC CTCTTCAGGG 4.2 ACTAGAATTT TCCACGGAAT AGGAGATTAT CCCAGGTGCC TGTGTCCAGG CTGGTGTCTG 4.2 GGTTCTGTGC TCCCTTCCCC ATCCCAGGTG TCCTGTCCAT TCTCAAGATA GCCACATGTG 5.2 TGCTGGAGGA GTGTCCCATG ACAGATGCAA AATGCCTGAA TGATCTGACT CTTCCTGACA 6.2	60 20 80 40 00 60 20 80 40 00
(2) INFORMATION FOR SEQ ID NO:156: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 601 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 6802	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:	
	60 .20

180

240

AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT

GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG ACGATCCCTC

WO 98/26091 PCT/CA97/00955

108

GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	3 0 0
					AGTCCAGCAC	360
					CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:157:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 601 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 6901

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACAGGCAGC	AGCCTTGGGC	CCGTGACTTT	3 0 0
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
${\tt TTCTGAGTCC}$	TTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGATCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:158:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2301

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:

GTACCAGGGG	CCACGGGGCG	CCTACCTGAT	CGCCTGTAGG	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGACGGAA	TGACGGAAAG	ACGATCCCTC	240
GAATACTGAT	GACTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGACCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA	GCCTCCACTC	AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTCC	TCAGGGAATA	420
GAAGATTATC	CCAGGTGCCT	GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT	CCTGTCCATT	CTCAAGATGG	CCACATGCAT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:159:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2402

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:

GTACCAGGGG	CCACGGGGCG	CCTACCTGAT	CGCCTGTAGG	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGACGGAA	TGACGGAAAG	ACGATCCCTC	240
GAATACTGAT	GACTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGACCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA	GCCTCCACTC	AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTCC	TCAGGGAATA	420
GAAGATTATC	CCAGGTGCCT	GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT	CCTGTCCATT	CTCAAGATGG	CCACATGCAT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:160:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2403

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:160:

GTACCAGGGG	CCACGGGGCG	CCTACCTGAT	CGCCTGTAGG	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGACGGAA	TGACGGAAAG	ACGATCCCTC	240
GAATACTGAT	GACTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGACCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA	GCCTCCACTC	AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTCC	TCAGGGAATA	420
GAAGATTATC	CCAGGTGCCT	GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT	CCTGTCCATT	CTCAAGATGG	CCACATGCAT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGÇAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:161:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2404

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:161:

GTACCAGGGG CCACGG	GGCG CCTACCTGAT	CGCCTGTAGG	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG AGACAA	ITGG GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC TCCTGG	GTTT CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG CACAAT	FAAG GGATAAAATC	TCTGACGGAA	TGACGGAAAG	ACGATCCCTC	240
GAATACTGAT GACTGG					300
CTCAGGCCTT GTTCTC	IGCT TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA GCCTCC	ACTC AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTCC	TCAGGGAATA	420
GAAGATTATC CCAGGT	GCCT GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT CCTGTC	CATT CTCAAGATGG	CCACATGCAT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA ATGCCT	GAAT TTTCTGACTC	TTCCCGTCAG			579

(2) INFORMATION FOR SEQ ID NO:162:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2407

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:162:

GTACCAGGGG	CCACGGGGCG	CCTACCTGAT	CGCCTGTAGG	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGACGGAA	TGACGGAAAG	ACGATCCCTC	240
GAATACTGAT	GACTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGACCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA	GCCTCCACTC	AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTCC	TCAGGGAATA	420
GAAGATTATC	CCAGGTGCCT	GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT	CCTGTCCATT	CTCAAGATGG	CCACATGCAT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:163:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 580 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2407

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:

GTACCAGGGG	CCACGGGGCG	CCTACCTGAT	CGCCTGTAGG	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGACGGAA	TGACGGAAAG	ACGATCCCTC	240
GAATACTGAT	GACTGGTTCC	CTTTGACACC	GGCAGCAGCC	TTGGGACCGT	GACTTTTCCT	300
CTCAGGCCTT	GTTCTCTGCT	TCACACTCAA	TGTGTGTGGG	GGTCTGAGTC	CAGCACTTCT	360
GAGTCCCTCA	GCCTCCACTC	AGGTCAGGAC	CAGAAGTCGC	TGTTCCCTCC	TCAGGGAATA	420
GAAGATTATC	CCAGGTGCCT	GTGTCCAGGC	TGGTGTCTGG	GTTCTGTGCT	CTCTTCCCCA	480
TCCCGGGTGT	CCTGTCCATT	CTCAAGATGG	CCACATGCAT	GCTGGTGGAG	TGTCCCATGA	540
CAGATGCAAA	ATGCCTGAAT	TTTCTGACTC	TTCCCGTCAG			580

(2) INFORMATION FOR SEQ ID NO:164:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:

(A) NAME/KEY: HLA-A Intron 3 Allele A* 2501

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:164:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:165:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2601

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT						300
TCCTCTCAGG						360
TTCTGAGTCC						420
ACTAGAATTT						480
GGTTCTGTGC						540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:166:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no

- (iv) ANTI-SENSE: no
- (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
- (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 3402

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:166:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATŤAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:167:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 4301
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:167:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G				*		601

- (2) INFORMATION FOR SEQ ID NO:168:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 6601

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:168:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	${\tt AGACAATTGG}$	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGÅA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:169:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 6602
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:169:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
	CACAATTAAG					240
	GAGTGGTTCC					300
TCCTCTCAGG						360
TTCTGAGTCC						420
	TCCACGGAAT					480
GGTTCTGTGC						540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:170:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 6603
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:170:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TTCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:171:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 2901
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:171:

GTACCGGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600

WO 98/26091 PCT/CA97/00955

116 G601 (2) INFORMATION FOR SEQ ID NO:172: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 601 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no ORIGINAL SOURCE: (v) (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 2902 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:172: GTACCGGGGG CCACGGGGCG CCTCCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA CAAGGAGGG AGACAATTGG GACCAACACT AGAATATCGC CCTCCCTCTG GTCCTGAGGG AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT 180 GCTCTCTGAG CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG ACGATCCCTC GAATACTGAT GAGTGGTTCC CTTTGACACA CACCGGCAGC AGCCTTGGGC CCGTGACTTT TCCTCTCAGG CCTTGTTCTC TGCTTCACAC TCAATGTGTG TGGGGGTCTG AGTCCAGCAC 360 TTCTGAGTCC CTCAGCCTCC ACTCAGGTCA GGACCAGAAG TCGCTGTTCC CTCTTCAGGG ACTAGAATTT TCCACGGAAT AGGAGATTAT CCCAGGTGCC TGTGTCCAGG CTGGTGTCTG 480 GGTTCTGTGC TCCCTTCCCC ATCCCAGGTG TCCTGTCCAT TCTCAAGATA GCCACATGTG 540 TGCTGGAGGA GTGTCCCATG ACAGATGCAA AATGCCTGAA TGTTCTGACT CTTCCTGACA 600 601 (2) INFORMATION FOR SEQ ID NO:173: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 601 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no ORIGINAL SOURCE: (∇) (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: HLA-A Intron 3 Allele A* 3101 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:173: GTACCAGGGG CCACGGGGC CCTCCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA 60 CAAGGAGGG AGACAATTGG GACCAACACT AGAATATCAC CCTCCCTCTG GTCCTGAGGG

SUBSTITUTE SHEET (rule 26)

AGAGGAATCC TCCTGGGTTT CCAGATCCTG TACCAGAGAG TGACTCTGAG GTTCCGCCCT

GCTCTGTGAG CACAATTAAG GGATAAAATC TCTGAAGGAA TGACGGGAAG ACGATCCCTC

GAATACTGAT GAGTGGTTCC CTTTGACACA CACCGGCAGC AGCCTTGGGC CCGTGACTTT

TCCTCTCAGG CCTTGTTCTC TGCTTCACAC TCAATGTGTG TGGGGGTCTG AGTCCAGCAC

120

180

240

300

WO 98/26091 PCT/CA97/00955

117

TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
${\tt TGCTGGAGGA}$	GTGTCCCATT	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:174:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no

 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 3201
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
${\tt TGCTGGAGGA}$	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

- (2) INFORMATION FOR SEQ ID NO:175:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 3301
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:

GTACCAGGGG CCACGGGGCG CCTCCCTGAT CGCCTGTAGA TCTCCCGGGC TGGCCTCCCA 60 CAAGGAGGGG AGACAATTGG GACCAACACT AGAATATCAC CCTCCCTCTG GTCCTGAGGG 120

AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTGTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATT	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:176:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 601 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 3303

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:176:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCAC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTGTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
	TCCCTTCCCC				GCCACATGTG	540
	GTGTCCCATT				CTTCCTGACA	600
G					CIICCIGACA	500
G						601

(2) INFORMATION FOR SEQ ID NO:177:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 7401

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:177:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:178:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 7402

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:178:

GTACCAGGGG	CCACGGGGCG	CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG	AGACAATTGG	GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC	TCCTGGGTTT	CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG	CACAATTAAG	GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCTTGTTCTC	TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
ACTAGAATTT	TCCACGGAAT	AGGAGATTAT	CCCAGGTGCT	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC	TCCCTTCCCC	ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA	GTGTCCCATG	ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G						601

(2) INFORMATION FOR SEQ ID NO:179:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 601 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human

(ix) FEATURE:

(A) NAME/KEY: HLA-A Intron 3 Allele A* 7403

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:

GTACCAGGGG CCACGG	GGCG CCTCCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGG AGACAA	TTGG GACCAACACT	AGAATATCGC	CCTCCCTCTG	GTCCTGAGGG	120
AGAGGAATCC TCCTGG	GTTT CCAGATCCTG	TACCAGAGAG	TGACTCTGAG	GTTCCGCCCT	180
GCTCTCTGAG CACAAT	TAAG GGATAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT GAGTGG	TTCC CTTTGACACA	CACCGGCAGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG CCTTGT	TCTC TGCTTCACAC	TCAATGTGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCC CTCAGC	CTCC ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCTTCAGGG	420
TCTAGAATTT TCCACGO	GAAT AGGAGATTAT	CCCAGGTGCC	TGTGTCCAGG	CTGGTGTCTG	480
GGTTCTGTGC TCCCTT	CCCC ATCCCAGGTG	TCCTGTCCAT	TCTCAAGATA	GCCACATGTG	540
TGCTGGAGGA GTGTCC	CATG ACAGATGCAA	AATGCCTGAA	TGTTCTGACT	CTTCCTGACA	600
G					601

(2) INFORMATION FOR SEQ ID NO:180:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 584 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (v) ORIGINAL SOURCE:
 - (A) ORGANISM: human
 - (ix) FEATURE:
 - (A) NAME/KEY: HLA-A Intron 3 Allele A* 8001

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:180:

GTACCAGGGG	CCACGGGGCG	CCTTCCTGAT	CGCCTGTAGA	TCTCCCGGGC	TGGCCTCCCA	60
CAAGGAGGGG	AGACAATTGG	GACCAACACT	AGATATCACC	CTCCCTCTGC	TCCTGAGGGA	120
GAGGAATCCT	CCTGGGTTTC	CAGATTCTGT	ACCAGAGAGT	GACTCTGAGG	TTCCGCCCTG	180
CTCTCTGAGC	ACAATTAAGG	GATAAAAATC	TCTGAAGGAA	TGACGGGAAG	ACGATCCCTC	240
GAATACTGAT	GAGTGGTTCC	CTTTGACACA	CACCGGCGGC	AGCCTTGGGC	CCGTGACTTT	300
TCCTCTCAGG	CCCTGTTCTC	TGCTTCACAC	TCAATATGTG	TGGGGGTCTG	AGTCCAGCAC	360
TTCTGAGTCT	CTCAGCCTCC	ACTCAGGTCA	GGACCAGAAG	TCGCTGTTCC	CTCGTCAGGG	420
		GCCTGTGTCC			TGCTCTCTTC	480
CCCATCCCAG	GTGTCCTGTC	CATCCTCAAA	ATGGCCACAT	GCGTGCTGGT	GGAGTGTCCC	540
ATGACAGATG	CAAAATGGCT	GAATTTTCTG	ACTCTTCCCG	TCAG		584

(2) INFORMATION FOR SEQ ID NO:181:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (iii) HYPOTHETICAL: no

(iv) ANTI-SENSE: no

	(v) ORIGINAL SOURCE: (A) ORGANISM: human	
	(ix) FEATURE: (A) NAME/KEY: Il-230m	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:181:	
GGCAGGTCTC	AGCGACTG	18
(2) INFORMATION FOR SEQ ID NO:182:	
(A) (B) (C)	EQUENCE CHARACTERISTICS: LENGTH: 19 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: I1-226	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:182:	
CTCTGTGGGG	AGAAGCAAC	19
(2) INFORMATION FOR SEQ ID NO:183:	
(A) (B) (C)	EEQUENCE CHARACTERISTICS: LENGTH: 17 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: Il-221m11	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:183:	
GGGAGCGGCG	CCGGGAC	17
(2	2) INFORMATION FOR SEQ ID NO:184:	
(A)	SEQUENCE CHARACTERISTICS: LENGTH: 18 base pairs TYPE: nucleic acid	

WO 98/26091 PCT/CA97/00955

	STRANDEDNESS: single TOPOLOGY: linear		
(1)	(ii) MOLECULE TYPE: genomic DNA		
	(iii) HYPOTHETICAL: no		
	(iv) ANTI-SENSE: no		
	(V) ORIGINAL SOURCE:		
	(A) ORGANISM: human		
	(ix) FEATURE:		
	(A) NAME/KEY: Il-209		
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:184:		
GAAGCAAGGG	GCCCGCCC		18
(2	2) INFORMATION FOR SEQ ID NO:185:		
(i) S	SEQUENCE CHARACTERISTICS:		
	LENGTH: 18 base pairs		
	TYPE: nucleic acid		
	STRANDEDNESS: single		
	TOPOLOGY: linear		
(-,	(ii) MOLECULE TYPE: genomic DNA		
	(iii) HYPOTHETICAL: no		
	(iv) ANTI-SENSE: no		
	(v) ORIGINAL SOURCE:		
	(A) ORGANISM: human		
	(ix) FEATURE:		
	(A) NAME/KEY: Il-214m		
	(II) IIIII) III 21 III		
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:185:		
CGCCTGGCGG	CCCCCCN		1.0
CGCC 1GGCGG	GGGGCAA		18
(2	2) INFORMATION FOR SEQ ID NO:186:		
(i) s	SEQUENCE CHARACTERISTICS:		
	LENGTH: 18 base pairs		
	TYPE: nucleic acid		
	STRANDEDNESS: single		
	TOPOLOGY: linear		
(1)	(ii) MOLECULE TYPE: genomic DNA		
	(iii) HYPOTHETICAL: no		
	(iv) ANTI-SENSE: no		
	(v) ORIGINAL SOURCE:		
	(A) ORGANISM: human	•	
	(ix) FEATURE:		
	(A) NAME/KEY: Il-223d		
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:186:		
GTGAGTGCGG	GGTCGTGG		18
(2	2) INFORMATION FOR SEQ ID NO:187:		

(i) SEQUENCE CHARACTERISTICS:

123

(A) LENGTH: 18 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
· ·	
(ix) FEATURE:	
(A) NAME/KEY: Il-225m	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:	
,	
GCCGGGAGGA GGGACGGT	18
(2) INFORMATION FOR SEQ ID NO:188:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 17 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
•	
(A) NAME/KEY: Il-237m14	
(·) GROVENICE PROGRESSIVE GEO. IN NO. 100	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:188:	
GGCGCCCC GCGGGGA	17
(2) INFORMATION FOR SEQ ID NO:189:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 18 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: I1-240	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:189:

GGAGGAGGT CGGGCGGA
(2) INFORMATION FOR SEQ ID NO:190:
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 5FL-243
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:190:
AGTGTCTTCG CGGTCGCTC
(2) INFORMATION FOR SEQ ID NO:191:
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>
CTCAGATTCT CCCCAGACC
(2) INFORMATION FOR SEQ ID NO:192:
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE:

(A) NAME/KEY: 5FR-273

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:192:	
CATGCCGAGG GTTTCTCCCA	20
(2) INFORMATION FOR SEQ ID NO:193:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:193:	
CTGGCCCTGA CCCAGACCA	19
(2) INFORMATION FOR SEQ ID NO:194:	
<pre>(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:194:	
CCTGACCCAG ACCTGGGCA	19
(2) INFORMATION FOR SEQ ID NO:195:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: 	

	(ix) FEATURE: (A) NAME/KEY: BP142	
(xi) S	EQUENCE DESCRIPTION: SEQ ID NO:195:	
CAGGTATCTG C	GGAGCCCG	1
(2)	INFORMATION FOR SEQ ID NO:196:	
(A) (B) (C) (C) (D)	QUENCE CHARACTERISTICS: LENGTH: 21 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: I3-236	
(xi) S	EQUENCE DESCRIPTION: SEQ ID NO:196:	
GTCTGTCAGG A	AGAGTCAGA A	2
(2)	INFORMATION FOR SEQ ID NO:197:	
(A) 1 (B) 5 (C) 5 (D) 7	QUENCE CHARACTERISTICS: LENGTH: 22 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:	
	EQUENCE DESCRIPTION: SEQ ID NO:197:	
GTGGAAAATT CT		22
(2)	INFORMATION FOR SEQ ID NO:198:	
(A) I (B) I (C) S	QUENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear	

(ii) MOLECULE TYPE: genomic DNA

(iii) HYPOTHETICAL: no

<pre>(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:	
AGATCTACAG GCGATCAGGA	20
(2) INFORMATION FOR SEQ ID NO:199:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: I3-247m6 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:199:	
GCCAGCCCGG GAGTTCTAT	19
(2) INFORMATION FOR SEQ ID NO:200:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: I3-249 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:	
CAGAGTCACT CTCTGGTACA G	21
(2) INFORMATION FOR SEQ ID NO:201:	
(i) SEQUENCE CHARACTERISTICS:	

		H: 19 base pairs	
(1	3) TYPE:	nucleic acid	
((C) STRAN	DEDNESS: single	
		OGY: linear	
		MOLECULE TYPE: genomic DNA	
		HYPOTHETICAL: no	
		ANTI-SENSE: no	
	(\dagger)	ORIGINAL SOURCE:	
		(A) ORGANISM: human	
	(ix)	FEATURE:	
		(A) NAME/KEY: I3-280ml8	
(xi)	SEQUEN	CE DESCRIPTION: SEQ ID NO:201:	
		999	
GCGATCGTC'	r recegr	CAC	19
	(2) INFO	RMATION FOR SEQ ID NO:202:	
	(-,;		
(i)	SEQUENC	E CHARACTERISTICS:	
		H: 21 base pairs	
		nucleic acid	
		DEDNESS: single	
		OGY: linear	
(1			
		MOLECULE TYPE: genomic DNA	
		HYPOTHETICAL: no	
		ANTI-SENSE: no	
	(v)	ORIGINAL SOURCE:	
		(A) ORGANISM: human	
	(ix)	FEATURE:	
		(A) NAME/KEY: I3-282	
(25)	CHOHEN	GE DECORTORION GEO TO 120 CO.	
(XI)	SEQUEN	CE DESCRIPTION: SEQ ID NO:202:	
AGAGTCACT	TCTGGT	ACAG A	2.1
			21
	(2) INFO	RMATION FOR SEQ ID NO:203:	
(i)	SEQUENC	E CHARACTERISTICS:	
		H: 19 base pairs	
		nucleic acid	
		DEDNESS: single	
(1		OGY: linear	
	(11)	MOLECULE TYPE: genomic DNA	
		HYPOTHETICAL: no	
		ANTI-SENSE: no	
	(v)	ORIGINAL SOURCE:	
		(A) ORGANISM: human	
	(ix)		
		(A) NAME/KEY: 85	
		· · · · · · · · · · · · · · · · · · ·	
(xi)	SEQUEN	CE DESCRIPTION: SEQ ID NO:203:	

19

CTCCTCGTCC CCAGGCTCT

(2) INFORMATION FOR SEQ ID NO:204:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 118	
(x1) SEQUENCE DESCRIPTION: SEQ ID NO:204:	
TCCATGAGGT ATTTCTACAC C	21
(2) INFORMATION FOR SEQ ID NO:205:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 120 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:205:	
GGCCAGGTTC TCAGACCA	18
(2) INFORMATION FOR SEQ ID NO:206:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human 	

(ix) FEATURE:

(A) NAME/KEY: 123

(xi) S	EQUENCE DESCRIPTION: SEQ ID NO:206:	
cccggcccgg c	AGTGGA	17
(2)	INFORMATION FOR SEQ ID NO:207:	
(A) (B) (C) (D)	CQUENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 127	
(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO:207:	
GTTCTCACAC C	CATCCAGATG	20
(2)	INFORMATION FOR SEQ ID NO:208:	
(A) (B) (C) (D)	EQUENCE CHARACTERISTICS: LENGTH: 21 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 129	
TCACACCCTC C	SEQUENCE DESCRIPTION: SEQ ID NO:208:	2.1
	INFORMATION FOR SEQ ID NO:209:	21
(i) SE (A) (B) (C)	EQUENCE CHARACTERISTICS: LENGTH: 18 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human	

	(ix) FEATURE: (A) NAME/KEY: 134	
(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO:209:	
GGGTACCAGC A	AGGACGCT	1.8
(2)	INFORMATION FOR SEQ ID NO:210:	
(A) (B) (C)	EQUENCE CHARACTERISTICS: LENGTH: 21 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 137	
	SEQUENCE DESCRIPTION: SEQ ID NO:210:	21
(2)) INFORMATION FOR SEQ ID NO:211:	
(A) (B) (C)	EQUENCE CHARACTERISTICS: LENGTH: 21 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: 140	
(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO:211:	
GGTTCTCACA (CCATCCAGAT A	21
(2)) INFORMATION FOR SEQ ID NO:212:	
(A) (B) (C) (D)	EQUENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA	

(iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no

(♥)	ORIGINAL SOURCE:	
	(A) ORGANISM: human	
(i)	x) FEATURE:	
	(A) NAME/KEY: 160	
(xi) SEQ	UENCE DESCRIPTION: SEQ ID NO:212:	
~~~~~~~~~	GGA GA GG	20
GTTCTCACAC CAT	CCAGAGG	20
(2) Ti	NFORMATION FOR SEQ ID NO:213:	
(2) 11	MPORPHION FOR ODG ID NO.213.	
(i) SEOU	ENCE CHARACTERISTICS:	
	NGTH: 18 base pairs	
	PE: nucleic acid	
	RANDEDNESS: single	
	POLOGY: linear	
	i) MOLECULE TYPE: genomic DNA	
	ii) HYPOTHETICAL: no	
	v) ANTI-SENSE: no	
·	ORIGINAL SOURCE:	
( ∨		
1.5	(A) ORGANISM: human	
(1)	x) FEATURE:	
	(A) NAME/KEY: 167	
/wil GEO	QUENCE DESCRIPTION: SEQ ID NO:213:	
(XI) SEQ	OBNCE DESCRIPTION: SEQ ID NO.213:	
GAGCCCCGCT TCA	ACGCC	18
(2) I	NFORMATION FOR SEQ ID NO:214:	
(i) SEQU	JENCE CHARACTERISTICS:	
(A) LE	NGTH: 19 base pairs	
(B) TY	PE: nucleic acid	
(C) ST	RANDEDNESS: single	
(D) TO	POLOGY: linear	
(i	i) MOLECULE TYPE: genomic DNA	
	.ii) HYPOTHETICAL: no	
(i	v) ANTI-SENSE: no	
	ORIGINAL SOURCE:	
•	(A) ORGANISM: human	
(i	.x) FEATURE:	
, -	(A) NAME/KEY: 175	
	( many mank date ( in transit of the state)	
(xi) SEO	QUENCE DESCRIPTION: SEQ ID NO:214:	
(	The state of the s	
CTTCCTCCGC GGG	TATGAA	19
		تب
(2) I	INFORMATION FOR SEQ ID NO:215:	
	~ · · · · · · · · · · · · · · · · · · ·	
(i) SEQU	JENCE CHARACTERISTICS:	
	NGTH: 18 base pairs	

GCAGGGTCCC CAGGTCCA

(B) TYPE: nucleic acid

(C) STRANDEDNESS: SINGLE	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 193	
( <b>40</b> )	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:	
~	
GCCGGAGTAT TGGGACCG	18
(2) INFORMATION FOR SEQ ID NO:216:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 19 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 202	
( )) GROVENICE DEGOSTDETON GEO. ID NO. 016	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:216:	
amagagaman agaman agn	19
CTGGCCCTGA CCCTGACCA	19
(a) Typopus Toy Top Geo To No 217	
(2) INFORMATION FOR SEQ ID NO:217:	
( ) OPOURNAM OUTER CHERTON	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 18 base pairs	,
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 98	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:217:	

(2)	INFORMATION FOR SEQ	ID NO:218:	
(A) 1 (B) 5 (C) 5 (D) 7	QUENCE CHARACTERISTICS LENGTH: 19 base pairs FYPE: nucleic acid STRANDEDNESS: single FOPOLOGY: linear (ii) MOLECULE TYPE: (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE (A) ORGANISM: hu (ix) FEATURE: (A) NAME/KEY: 1:	genomic DNA o : uman	
(xi) S	EQUENCE DESCRIPTION:	SEQ ID NO:218:	
CCTCCAGGTA G	GCTCTCAA		19
(2)	INFORMATION FOR SEQ	ID NO:219:	
(A) : (B) (C) : (D) (	QUENCE CHARACTERISTICS LENGTH: 19 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear (ii) MOLECULE TYPE: ( (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE (A) ORGANISM: ho (ix) FEATURE: (A) NAME/KEY: 1:	genomic DNA o : uman 16	
	EQUENCE DESCRIPTION: (	SEQ ID NO:219:	
CCTCCAGGTA G			19
(i) SE(A) 1 (B) 7 (C) 5 (D) 7	INFORMATION FOR SEQ INFORMATION FOR SEQ INFORMATION FOR SEQ INCIDENCE CHARACTERISTICS IN INCIDENCE IN INTERPRETATION INTERPRETATION IN INTERPRETATION INTERPRETATION IN INTERPRETATION IN INTERPRETATION INTERPRETATION IN INTERPRETATION IN INTERPRETATION INTERPRETATION INTERPRETATION IN INTERPRETATION INT	genomic DNA o	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:220:	
CCTCCAGGTA GGCTCTCTG	19
(2) INFORMATION FOR SEQ ID NO:221:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 19 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 126	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:221:	
was amaga ag as agmagas	19
CCACTCCACG CACGTGCCA	19
(2) INFORMATION FOR SEQ ID NO:222:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 18 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 133	
(	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:222:	
GGAGCGCGAT CCGCAGGC	18
(2) INFORMATION FOR SEQ ID NO:223:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 19 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(A) OKOANIERI: Human	

(ix) FEATURE:

(A) NAME/KEY: 135	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:	
GGAGCCACTC CACGGACCG	19
(2) INFORMATION FOR SEQ ID NO:224:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 18 base pairs</li></ul>	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 136	
(add) Greenwar Brack Brack To No. 224	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:224:	
GAGCCACTCC ACGCACTC	18
(2) INFORMATION FOR SEQ ID NO:225:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 21 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 138	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:225:	
GGCCTTCACA TTCCGTGTGT T	
	21
(2) INFORMATION FOR SEQ ID NO:226:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 19 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA	
( ) TIM. ACTOURTO DIVE	

(iii) HYPOTHETICAL: no

	<pre>(iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:     (A) ORGANISM: human (ix) FEATURE:     (A) NAME/KEY: 142</pre>	
(xi) 5	SEQUENCE DESCRIPTION: SEQ ID NO:226:	
CAGGTATCTG (	CGGAGCCCG	19
(2)	INFORMATION FOR SEQ ID NO:227:	
(A) (B) (C)	LENGTH: 20 base pairs  TYPE: nucleic acid  STRANDEDNESS: single  TOPOLOGY: linear  (ii) MOLECULE TYPE: genomic DNA  (iii) HYPOTHETICAL: no  (iv) ANTI-SENSE: no  (v) ORIGINAL SOURCE:  (A) ORGANISM: human  (ix) FEATURE:  (A) NAME/KEY: 144	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:227:	
TGGTCCCAAT	ACTCAGGCCT	20
(2	) INFORMATION FOR SEQ ID NO:228:	
(A) (B) (C)	EQUENCE CHARACTERISTICS:  LENGTH: 18 base pairs  TYPE: nucleic acid  STRANDEDNESS: single  TOPOLOGY: linear  (ii) MOLECULE TYPE: genomic DNA  (iii) HYPOTHETICAL: no  (iv) ANTI-SENSE: no  (v) ORIGINAL SOURCE:  (A) ORGANISM: human  (ix) FEATURE:  (A) NAME/KEY: 145	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:228:	
GCAGGGTCCC	CAGGTTCG	18
(2	) INFORMATION FOR SEQ ID NO:229:	
	EQUENCE CHARACTERISTICS:	

(C) STF (D) TOF (ii (ii (iv (v)	PE: nucleic acid RANDEDNESS: single POLOGY: linear i) MOLECULE TYPE: genomic DNA ii) HYPOTHETICAL: no v) ANTI-SENSE: no ) ORIGINAL SOURCE:	
(xi) SEQ	UENCE DESCRIPTION: SEQ ID NO:229:	
GGGCCGCCTC CCA	GTTGT	18
(2) I	NFORMATION FOR SEQ ID NO:230:	
(A) LE (B) TY (C) ST (D) TO (i (i (i	TENCE CHARACTERISTICS:  CNGTH: 20 base pairs  PE: nucleic acid  CRANDEDNESS: single  POLOGY: linear  Li) MOLECULE TYPE: genomic DNA  Lii) HYPOTHETICAL: no  LIV) ANTI-SENSE: no  ORIGINAL SOURCE:  (A) ORGANISM: human  LX) FEATURE:  (A) NAME/KEY: 153	
(xi) SEÇ	QUENCE DESCRIPTION: SEQ ID NO:230:	
TCTGTGAGTG GGC	CTACACA	20
(2) I	INFORMATION FOR SEQ ID NO:231:	
(A) LE (B) TY (C) ST (D) TC (i) (i)	UENCE CHARACTERISTICS: ENGTH: 21 base pairs YPE: nucleic acid TRANDEDNESS: single OPOLOGY: linear ii) MOLECULE TYPE: genomic DNA iii) HYPOTHETICAL: no iiv) ANTI-SENSE: no v) ORIGINAL SOURCE: (A) ORGANISM: human ix) FEATURE: (A) NAME/KEY: 154	
(xi) SEQ	QUENCE DESCRIPTION: SEQ ID NO:231:	
CCTTCACATT CCC	GTGTCTGC A	21

139	
(2) INFORMATION FOR SEQ ID NO:232:	
<pre>(i) SEQUENCE CHARACTERISTICS:    (A) LENGTH: 18 base pairs    (B) TYPE: nucleic acid    (C) STRANDEDNESS: single    (D) TOPOLOGY: linear         (ii) MOLECULE TYPE: genomic DNA         (iii) HYPOTHETICAL: no         (iv) ANTI-SENSE: no         (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:  GAGCCACTCC ACGCACGT  (2) INFORMATION FOR SEQ ID NO:233:	18
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: genomic DNA  (iii) HYPOTHETICAL: no  (iv) ANTI-SENSE: no  (v) ORIGINAL SOURCE:  (A) ORGANISM: human  (ix) FEATURE:  (A) NAME/KEY: 161	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:233:	

## CCACTCGGTC AGTCTCTGAC

- (2) INFORMATION FOR SEQ ID NO:234:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
    - (ii) MOLECULE TYPE: genomic DNA
    - (iii) HYPOTHETICAL: no
    - ANTI-SENSE: no (iv)
    - ORIGINAL SOURCE: (v) (A) ORGANISM: human
    - FEATURE: (ix)
      - (A) NAME/KEY: 165

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:234:	
GAGCGCAGGT CCTCGTTCAA	20
(2) INFORMATION FOR SEQ ID NO:235:	
<pre>(i) SEQUENCE CHARACTERISTICS:    (A) LENGTH: 20 base pairs    (B) TYPE: nucleic acid    (C) STRANDEDNESS: single    (D) TOPOLOGY: linear         (ii) MOLECULE TYPE: genomic DNA         (iii) HYPOTHETICAL: no         (iv) ANTI-SENSE: no         (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:	
GTCTGTGAGT GGGCCATCAT	20
(2) INFORMATION FOR SEQ ID NO:236:	
<pre>(i) SEQUENCE CHARACTERISTICS:   (A) LENGTH: 20 base pairs   (B) TYPE: nucleic acid   (C) STRANDEDNESS: single   (D) TOPOLOGY: linear        (ii) MOLECULE TYPE: genomic DNA        (iii) HYPOTHETICAL: no        (iv) ANTI-SENSE: no        (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:	
CAGCCATACA TCCTCAGGAC	20
(2) INFORMATION FOR SEQ ID NO:237:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 17 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> <li>(ii) MOLECULE TYPE: genomic DNA</li> <li>(iii) HYPOTHETICAL: no</li> <li>(iv) ANTI-SENSE: no</li> <li>(v) ORIGINAL SOURCE:</li> </ul>	

(A) ORGANISM: human

(1X) FEATURE:	
(A) NAME/KEY: Ex2 (Aw3)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:237:	
GCGCCGGGAG GAGGGTC	17
(2) INFORMATION FOR SEQ ID NO:238:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 18 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
<pre>(ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:238:	
ATCTCGGACC CGGAGACT	18
(2) INFORMATION FOR SEQ ID NO:239:	
<pre>(i) SEQUENCE CHARACTERISTICS:   (A) LENGTH: 22 base pairs   (B) TYPE: nucleic acid   (C) STRANDEDNESS: single   (D) TOPOLOGY: linear        (ii) MOLECULE TYPE: genomic DNA        (iii) HYPOTHETICAL: no        (iv) ANTI-SENSE: no        (v) ORIGINAL SOURCE:</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:239:	
GTTTCATTTT CAGTTTAGGC CA	22
(2) INFORMATION FOR SEQ ID NO:240:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 23 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

(ii) MOLECULE TYPE: genomic DNA

(111) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: Ex3 (Aw6)	
•	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:240	0:
CGGGAGATCT ACAGGCGATC AGG	. 23
(2) INFORMATION FOR SEQ ID NO:241:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 17 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: Ex2	
( a d ) A th dd d day / A that day a had d to day	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24	٦.
<u>2</u> \	
GTCGTGACCT GCGCCCC	1.
	-
(2) INFORMATION FOR SEQ ID NO:242:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 19 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: Ex3	
(rei) another programmer	_
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24	2:
GGGCGGGGCG GGGCTCGGG	
GGGCTCGGG	1:
(O) TATEODMARTON TO THE COLUMN	
(2) INFORMATION FOR SEQ ID NO:243:	
(-) 010117147	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 19 base pairs	

143

TITE. HUCCIC ACIA	
(iv) ANTI-SENSE: no	
(v) ORIGINAL SOURCE:	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: Ex2 (ABCw1)	
CROHENCE DESCRIPTION. SEC. ID MO.243.	
SEQUENCE DESCRIFTION. SEQ ID NO.243.	
TTCCGCCCC	19
) INFORMATION FOR SEQ ID NO:244:	
·	
STRANDEDNESS: single	
TOPOLOGY: linear	
(ii) MOLECULE TYPE: genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(A) NAME/REI: EX3 (ADCW2)	
SEQUENCE DESCRIPTION: SEQ ID NO:244:	
TTTTC	15
) INFORMATION FOR SEC ID NO.245.	
) INFORMATION FOR SEQ ID NO:245:	
EQUENCE CHARACTERISTICS:	
, ,	
(A) ORGANISM: human	
(ix) FEATURE:	
(A) NAME/KEY: 119	
MOLECULE TYPE: CDNA	
SEQUENCE DESCRIPTION: SEQ ID NO:245:	
CGTGTCTCCT	
	STRANDEDNESS: single TOFOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FEATURE: (A) NAME/KEY: Ex2 (ABCw1)  SEQUENCE DESCRIPTION: SEQ ID NO:243:  ITCCGCCC ) INFORMATION FOR SEQ ID NO:244:  EQUENCE CHARACTERISTICS: LENGTH: 15 base pairs TYPE: nucleic acid STRANDEDNESS: single TOFOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FFATURE: (A) NAME/KEY: Ex3 (ABCw2)  SEQUENCE DESCRIPTION: SEQ ID NO:244:  TTTTC  ) INFORMATION FOR SEQ ID NO:245:  EQUENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOFOLOGY: linear (ii) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FFATURE: (I) MOLECULE TYPE: genomic DNA (iii) HYPOTHETICAL: no (iv) ANTI-SENSE: no (v) ORIGINAL SOURCE: (A) ORGANISM: human (ix) FFATURE: (A) NAME/KEY: 119  MOLECULE TYPE: CDNA  SEQUENCE DESCRIPTION: SEQ ID NO:245:

### WHAT IS CLAIMED IS:

- 1. A method of determining the HLA Class I group type of a subject comprising the following steps:
- (i) combining a group-specific untranslated region primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; and
- (ii) determining whether a nucleic acid product is produced by the amplification; wherein the ability of the primer pair to produce a nucleic acid product is associated with a particular HLA group type.
- 2. The method of claim 1, wherein the HLA Class I group to be determined is part of the HLA-A locus.
- 3. The method of claim 1, further comprising the step of (iii) determining the nucleic acid sequence of the nucleic acid product of step (ii).
- 4. The method of claim 1, wherein the primer pair comprises one or more oligonucleotide primers selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ ID NO:202).
- 5. The method of claim 1, wherein the primer pair is selected from the group of pairs consisting of I1-230m (SEQ ID NO:181) and BP142 (SEQ ID NO:195); 5'FR-257 (SEQ ID NO:191) and I3-247m6 (SEQ ID NO:199); I1-230m (SEQ ID NO:181) and I3-247m6 (SEQ ID NO:189); I1-226 (SEQ ID NO:182) and I3-249 (SEQ ID NO:200); I1-221m11 (SEQ ID NO:183) and I3-280m18 (SEQ ID

NO:201); 5'FL-243 (SEQ ID NO:190) and I3-249 (SEQ ID NO:200); I1-214m (SEQ ID NO:185) and I3-249 (SEQ ID NO:200); I1-210m (SEQ ID NO:35) and I3-236 (SEQ ID NO:196); I1-210m (SEQ ID NO:35) and I3-249 (SEQ ID NO:200); 5'FR-273 (SEQ ID NO:192) and I3-249 (SEQ ID NO:200); I1-223d (SEQ ID NO:186) and I3-239 (SEQ ID NO:197); I1-223d (SEQ ID NO:186) and I3-249 (SEQ ID NO:197); I1-223d (SEQ ID NO:200); I1-240 (SEQ ID NO:189) and I3-249 (SEQ ID NO:200); I1-237m14 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-225m (SEQ ID NO:187) and I3-249 (SEQ ID NO:200); BP202 (SEQ ID NO:193) and I3-249 (SEQ ID NO:200) and BP203 (SEQ ID NO:194) and I3-282 (SEQ ID NO:202).

- 6. A method of determining the HLA Class I allele type of a subject comprising the following steps:
- (i) combining a group-specific exon region primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur;
- (ii) determining whether a first nucleic acid product is produced by the amplification wherein the ability of the primer pair to produce a nucleic acid product is associated with a particular HLA group type, and thereby identifying the group type;
- (iii) combining a group-specific untranslated region primer pair corresponding to the group type of the subject, as determined by steps (i)-(ii), with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur and a second nucleic acid product is produced; and
- (iv) determining the nucleic acid sequence of the second nucleic acid product collected in step (iii).
- 7. The method of claim 6, wherein the HLA Class I allele to be determined is part of the HLA-A locus.
- 8. The method of claim 6, wherein the group-specific exon region primer pair used in step (i) comprises one or more oligonucleotide primers selected

WO 98/26091

from the group consisting of primers 85 (SEQ ID NO:203), 118 (SEQ ID NO:204), 120 (SEQ ID NO:205), 123 (SEQ ID NO:206), 127 (SEQ ID NO:207), 129 (SEQ ID NO:208), 134 (SEQ ID NO:209), 137 (SEQ ID NO:210), 140 (SEQ ID NO:211), 160 (SEQ ID NO:212), 167 (SEQ ID NO:213), 175 (SEQ ID NO:214), 193 (SEQ ID NO:215), 202 (SEQ ID NO:216), 98 (SEQ ID NO:217), 115 (SEQ ID NO:218), 116 (SEQ ID NO:219), 117 (SEQ ID NO:220), 119 (SEQ ID NO:245), 126 (SEQ ID NO:221), 133 (SEQ ID NO:222), 135 (SEQ ID NO:223), 136 (SEQ ID NO:224), 138 (SEQ ID NO:225), 142 (SEQ ID NO:226), 144 (SEQ ID NO:227), 145 (SEQ ID NO:231), 155 (SEQ ID NO:232), 161 (SEQ ID NO:233), 165 (SEQ ID NO:234), 168 (SEQ ID NO:235) and 180 (SEQ ID NO:236).

9. The method of claim 6, wherein the group-specific exon region primer pair used in step (i) is selected from the group of pairs consisting of 140 (SEO ID NO:211) and 142 (SEO ID NO:226); 85 (SEO ID NO:203) and 98 (SEO ID NO:217); 140 (SEQ ID NO:211) and 126 (SEQ ID NO:221); 167 (SEQ ID NO:213) and 168 (SEQ ID NO:235); 118 (SEQ ID NO:204) and 119 (SEQ ID NO:245); 129 (SEQ ID NO:208) and 115 (SEQ ID NO:218); 129 (SEQ ID NO:208) and 116 (SEQ ID NO:219) and 117 (SEQ ID NO:220); 160 (SEQ ID NO:212) and 135 (SEQ ID NO:223); 118 (SEQ ID NO:204) and 133 (SEQ ID NO:222); 118 (SEQ ID NO:204) and 145 (SEQ ID NO:228); 134 (SEQ ID NO:209) and 155 (SEQ ID NO:232); 134 (SEQ ID NO:209) and 136 (SEQ ID NO:224); 118 (SEQ ID NO:204) and 161 (SEQ ID NO:233); 118 (SEQ ID NO:204) and 154 (SEQ ID NO:231); 120 (SEO ID NO:205) and 152 (SEQ ID NO:229); 193 (SEQ ID NO:215) and 180 (SEO ID NO:236); 127 (SEQ ID NO:207) and 165 (SEQ ID NO:234); 137 (SEQ ID NO:210) and 145 (SEQ ID NO:228); 175 (SEQ ID NO:214) and 115 (SEQ ID NO:218) and 116 (SEQ ID NO:219); 167 (SEQ ID NO:213) and 144 (SEQ ID NO:227); 167 (SEQ ID NO:213) and 133 (SEQ ID NO:222); 137 (SEQ ID NO:210) and 138 (SEO ID NO:225); 202 (SEQ ID NO:216) and 153 (SEQ ID NO:230); and 140 (SEO ID NO:211) and 136 (SEQ ID NO:224).

- 10. The method of claim 6, wherein the group-specific untranslated region primer pair used in step (iii) comprises one or more oligonucleotide primers selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ ID NO:202).
- 11. The method of claim 6, wherein the group-specific untranslated region primer pair used in step (iii) is selected from the group of oligonucleotide primer pairs consisting of I1-230m (SEQ ID NO:181) and BP142 (SEQ ID NO:195); 5′FR-257 (SEQ ID NO:191) and I3-247m6 (SEQ ID NO:199); I1-230m (SEQ ID NO:181) and I3-247m6 (SEQ ID NO:199); I1-226 (SEQ ID NO:182) and I3-249 (SEQ ID NO:200); I1-221m11 (SEQ ID NO:183) and I3-280m18 (SEQ ID NO:201); 5′FL-243 (SEQ ID NO:190) and I3-249 (SEQ ID NO:200); I1-214m (SEQ ID NO:185) and I3-249 (SEQ ID NO:200); I1-210m (SEQ ID NO:35) and I3-236 (SEQ ID NO:196); I1-210m (SEQ ID NO:35) and I3-249 (SEQ ID NO:196); I1-210m (SEQ ID NO:200); I1-223d (SEQ ID NO:186) and I3-239 (SEQ ID NO:197); I1-223d (SEQ ID NO:186) and I3-249 (SEQ ID NO:197); I1-223d (SEQ ID NO:200); I1-237m14 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-225m (SEQ ID NO:187) and I3-249 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-225m (SEQ ID NO:200) and BP203 (SEQ ID NO:194) and I3-282 (SEQ ID NO:202).
- 12. A method of determining the HLA Class I allele type of a subject comprising the following steps:
  - (i) combining a plurality of group-specific exon region primer pairs

with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur and a first nucleic acid product is produced;

- (ii) determining the size of the first nucleic acid product of the amplification;
- (iii) correlating the size of the first nucleic acid product with the predicted size of a fragment associated with a particular HLA type;
- (iv) combining a group-specific untranslated region primer pair corresponding to the group type of the subject, as determined by steps (i)-(iii), with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur and a second nucleic acid product is produced; and
- (v) determining the nucleic acid sequence of the second nucleic acid product.
- 13. The method of claim 12, wherein the HLA Class I allele to be determined is part of the HLA-A locus.
- 14. The method of claim 12, wherein the plurality of group-specific exon region primer pairs used in step (i) comprises one or more oligonucleotide primers selected from the group consisting of primers 85 (SEQ ID NO:203), 118 (SEQ ID NO:204), 120 (SEQ ID NO:205), 123 (SEQ ID NO:206), 127 (SEQ ID NO:207), 129 (SEQ ID NO:208), 134 (SEQ ID NO:209), 137 (SEQ ID NO:210), 140 (SEQ ID NO:211), 160 (SEQ ID NO:212), 167 (SEQ ID NO:213), 175 (SEQ ID NO:214), 193 (SEQ ID NO:215), 202 (SEQ ID NO:216), 98 (SEQ ID NO:217), 115 (SEQ ID NO:218), 116 (SEQ ID NO:219), 117 (SEQ ID NO:220), 126 (SEQ ID NO:221), 133 (SEQ ID NO:222), 135 (SEQ ID NO:223), 136 (SEQ ID NO:224), 138 (SEQ ID NO:225), 142 (SEQ ID NO:226), 144 SEQ ID NO:227), 145 (SEQ ID NO:231), 155 (SEQ ID NO:232), 161 (SEQ ID NO:233), 165 (SEQ ID NO:234), 168 (SEQ ID NO:235) and 180 (SEQ ID NO:236).

15. The method of claim 12, wherein the plurality of group-specific exon region primer pairs used in step (i) comprises one or more oligonucleotide primer pairs selected from the group of pairs consisting of 140 (SEQ ID NO:211) and 142 (SEQ ID NO:226); 85 (SEQ ID NO:203) and 98 (SEQ ID NO:217); 140 (SEQ ID NO:211) and 126 (SEQ ID NO:221); 167 (SEQ ID NO:213) and 168 (SEQ ID NO:235); 118 (SEO ID NO:204) and 119 (SEQ ID NO:245); 129 (SEQ ID NO:208) and 115 (SEQ ID NO:218); 129 (SEQ ID NO:208) and 116 (SEQ ID NO:219) and 117 (SEO ID NO:220); 160 (SEO ID NO:212) and 135 (SEQ ID NO:223); 118 (SEQ ID NO:204) and 133 (SEQ ID NO:222); 118 (SEQ ID NO:204) and 145 (SEQ ID NO:228); 134 (SEQ ID NO:209) and 155 (SEQ ID NO:232); 134 (SEQ ID NO:209) and 136 (SEQ ID NO:224); 118 (SEQ ID NO:204) and 161 (SEQ ID NO:233); 118 (SEQ ID NO:204) and 154 (SEQ ID NO:231); 120 (SEQ ID NO:205) and 152 (SEQ ID NO:229); 193 (SEQ ID NO:215) and 180 (SEQ ID NO:236); 127 (SEQ ID NO:207) and 165 (SEQ ID NO:234); 137 (SEQ ID NO:210) and 145 (SEQ ID NO:228); 175 (SEQ ID NO:214) and 115 (SEQ ID NO:218) and 116 (SEQ ID NO:219); 167 (SEQ ID NO:213) and 144 (SEQ ID NO:227); 167 (SEQ ID NO:213) and 133 (SEQ ID NO:222); 137 (SEQ ID NO:210) and 138 (SEQ ID NO:225); 202 (SEQ ID NO:216) and 153 (SEQ ID NO:230); and 140 (SEQ ID NO:211) and 136 (SEQ ID NO:224).

16. The method of claim 12, wherein the group-specific untranslated region primer pair used in step (iv) comprises one or more oligonucleotide primers selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ

ID NO:202).

17. The method of claim 12, wherein the group-specific untranslated region primer pair used in step (iv) is selected from the group of oligonucleotide primer pairs consisting of I1-230m (SEQ ID NO:181) and BP142 (SEQ ID NO:195); 5′FR-257 (SEQ ID NO:191) and I3-247m6 (SEQ ID NO:199); I1-230m (SEQ ID NO:181) and I3-247m6 (SEQ ID NO:199); I1-226 (SEQ ID NO:182) and I3-249 (SEQ ID NO:200); I1-221m11 (SEQ ID NO:183) and I3-280m18 (SEQ ID NO:201); 5′FL-243 (SEQ ID NO:190) and I3-249 (SEQ ID NO:200); I1-214m (SEQ ID NO:185) and I3-249 (SEQ ID NO:200); I1-210m (SEQ ID NO:35) and I3-236 (SEQ ID NO:196); I1-210m (SEQ ID NO:35) and I3-249 (SEQ ID NO:192) and I3-249 (SEQ ID NO:200); I1-223d (SEQ ID NO:186) and I3-239 (SEQ ID NO:197); I1-223d (SEQ ID NO:186) and I3-249 (SEQ ID NO:189) and I3-249 (SEQ ID NO:200); I1-237m14 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-225m (SEQ ID NO:187) and I3-249 (SEQ ID NO:200); BP202 (SEQ ID NO:193) and I3-249 (SEQ ID NO:200) and BP203 (SEQ ID NO:194) and I3-282 (SEQ ID NO:202).

18. A composition comprising a plurality of oligonucleotide primer pairs comprising one or more primers selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ ID NO:202).

19. A composition comprising an oligonucleotide primer selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-

214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ ID NO:202).

20. A composition comprising an oligonucleotide primer pair selected from the group consisting of I1-230m (SEQ ID NO:181) and BP142 (SEQ ID NO:195); 5'FR-257 (SEQ ID NO:191) and I3-247m6 (SEQ ID NO:199); I1-230m (SEQ ID NO:181) and I3-247m6 (SEQ ID NO:199); I1-226 (SEQ ID NO:182) and I3-249 (SEQ ID NO:200); I1-221m11 (SEQ ID NO:183) and I3-280m18 (SEQ ID NO:201); 5'FL-243 (SEQ ID NO:190) and I3-249 (SEQ ID NO:200); I1-214m (SEQ ID NO:185) and I3-249 (SEQ ID NO:200); I1-210m (SEQ ID NO:35) and I3-236 (SEQ ID NO:196); I1-210m (SEQ ID NO:35) and I3-249 (SEQ ID NO:196); I1-210m (SEQ ID NO:200); I1-223d (SEQ ID NO:186) and I3-239 (SEQ ID NO:197); I1-223d (SEQ ID NO:186) and I3-249 (SEQ ID NO:187); I1-223d (SEQ ID NO:200); I1-237m14 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-225m (SEQ ID NO:187) and I3-249 (SEQ ID NO:200); BP202 (SEQ ID NO:193) and I3-249 (SEQ ID NO:200) and BP203 (SEQ ID NO:194) and I3-282 (SEQ ID NO:202).

### 21. A kit comprising:

(a) a plurality of oligonucleotide group-specific untranslated region primer pairs comprising one or more primers selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID

NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ ID NO:202); and

- (b) an enzyme for nucleotide chain extension.
- 22. A kit comprising:
- (a) an oligonucleotide group-specific untranslated region primer selected from the group consisting of I1-210m (SEQ ID NO:35), I1-230m (SEQ ID NO:181), I1-226 (SEQ ID NO:182), I1-221m11 (SEQ ID NO:183), I1-209 (SEQ ID NO: 184), I1-214m (SEQ ID NO: 185), I1-223d (SEQ ID NO: 186), I1-225m (SEQ ID NO:187), I1-237m14 (SEQ ID NO:188), I1-240 (SEQ ID NO:189), 5'FL-243 (SEQ ID NO:190), 5'FR-257 (SEQ ID NO:191), 5'FR-273 (SEQ ID NO:192), BP202 (SEQ ID NO:193), BP203 (SEQ ID NO:194), BP142 (SEQ ID NO:195), I3-236 (SEQ ID NO:196), I3-239 (SEQ ID NO:197), I3-246 (SEQ ID NO:198), I3-247m6 (SEQ ID NO:199), I3-249 (SEQ ID NO:200), I3-280m18 (SEQ ID NO:201) and I3-282 (SEQ ID NO:202); and
  - (b) an enzyme for nucleotide chain extension.
  - 23. The kit of claim 22, further comprising:
- (c) a cocktail comprising group-specific exon region primers comprising one or more primer selected from the group consisting of 85 (SEQ ID NO:203), 118 (SEQ ID NO:204), 120 (SEQ ID NO:205), 123 (SEQ ID NO:206), 127 (SEQ ID NO:207), 129 (SEQ ID NO:208), 134 (SEQ ID NO:209), 137 (SEQ ID NO:210), 140 (SEQ ID NO:211), 160 (SEQ ID NO:212), 167 (SEQ ID NO:213), 175 (SEQ ID NO:214), 193 (SEQ ID NO:215), 202 (SEQ ID NO:216), 98 (SEQ ID NO:217), 115 (SEQ ID NO:218), 116 (SEQ ID NO:219), 117 (SEQ ID NO:220), 126 (SEQ ID NO:221), 133 (SEQ ID NO:222), 135 (SEQ ID NO:223), 136 (SEQ ID NO:224), 138 (SEQ ID NO:225), 142 (SEQ ID NO:226), 144 SEQ ID NO:227), 145 (SEQ ID NO:228), 152 (SEQ ID NO:229), 153 SEQ ID NO:230), 154 (SEQ ID NO:231), 155 (SEQ ID NO:232), 161 (SEQ ID NO:233), 165 (SEQ ID NO:234), 168 (SEQ ID NO:235) and 180 (SEQ ID NO:236).


- 24. A kit comprising:
- (a) an oligonucleotide primer pair selected from the group consisting of

I1-230m (SEQ ID NO:181) and BP142 (SEQ ID NO:195); 5'FR-257 (SEQ ID NO:191) and I3-247m6 (SEQ ID NO:199); I1-230m (SEQ ID NO:181) and I3-247m6 (SEQ ID NO:199); I1-226 (SEQ ID NO:182) and I3-249 (SEQ ID NO:200); I1-221m11 (SEQ ID NO:183) and I3-280m18 (SEQ ID NO:201); 5'FL-243 (SEQ ID NO:190) and I3-249 (SEQ ID NO:200); I1-214m (SEQ ID NO:185) and I3-249 (SEQ ID NO:200); I1-210m (SEQ ID NO:35) and I3-236 (SEQ ID NO:196); I1-210m (SEQ ID NO:35) and I3-249 (SEQ ID NO:192) and I3-249 (SEQ ID NO:35) and I3-249 (SEQ ID NO:192) and I3-249 (SEQ ID NO:186) and I3-239 (SEQ ID NO:197); I1-223d (SEQ ID NO:186) and I3-249 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-237m14 (SEQ ID NO:188) and I3-249 (SEQ ID NO:200); I1-225m (SEQ ID NO:187) and I3-249 (SEQ ID NO:200); BP202 (SEQ ID NO:193) and I3-249 (SEQ ID NO:200) and BP203 (SEQ ID NO:194) and I3-282 (SEQ ID NO:202); and

- (b) an enzyme for nucleotide chain extension..
- 25. The kit of claim 24, further comprising:
- (c) a cocktail comprising group-specific exon region primers comprising one or more primer selected from the group consisting of 85 (SEQ ID NO:203), 118 (SEQ ID NO:204), 120 (SEQ ID NO:205), 123 (SEQ ID NO:206), 127 (SEQ ID NO:207), 129 (SEQ ID NO:208), 134 (SEQ ID NO:209), 137 (SEQ ID NO:210), 140 (SEQ ID NO:211), 160 (SEQ ID NO:212), 167 (SEQ ID NO:213), 175 (SEQ ID NO:214), 193 (SEQ ID NO:215), 202 (SEQ ID NO:216), 98 (SEQ ID NO:217), 115 (SEQ ID NO:218), 116 (SEQ ID NO:219), 117 (SEQ ID NO:220), 126 (SEQ ID NO:221), 133 (SEQ ID NO:222), 135 (SEQ ID NO:223), 136 (SEQ ID NO:224), 138 (SEQ ID NO:225), 142 (SEQ ID NO:226), 144 SEQ ID NO:227), 145 (SEQ ID NO:228), 152 (SEQ ID NO:229), 153 SEQ ID NO:230), 154 (SEQ ID NO:231), 155 (SEQ ID NO:232), 161 (SEQ ID NO:233), 165 (SEQ ID NO:234), 168

(SEQ ID NO:235) and 180 (SEQ ID NO:236).

- (b) an enzyme for nucleotide chain extension..
- 26. The kit of claim 25, further comprising:
- (d) a sequencing primer selected from the group consisting of 5'EX2(Aw3) 5' GCG GCG GGA GGA GGG TC 3' (SEQ ID NO:237), 3'-Ex2 5' ATC
  TCG GAC CCG GAG ACT 3' (SEQ ID NO:238), 5' GTT TCA TTT TCA GTT TAG
  GCC A 3' (SEQ ID NO:239), 3'-Ex3 (Aw6) 5' CGG GAG ATC TAC AGG CGA
  TCA GG 3' (SEQ ID NO:241), 5'-Ex3 5'GGG CGG GGC GGG GCT CGG G 3
  (SEQ ID NO:242), 3'-Ex2 (ABCw1) 5' GGT CGT GAC CT(T/C)CGC CCC 3' (SEQ ID NO:243), and 5'-Ex3 (ABCw2) 5' CCC GGT TTC ATT TTC 3' (SEQ ID NO:244).



SUBSTITUTE SHEET (rule 26)




FIG.2(1)

# SUBSTITUTE SHEET (rule 26)




FIG.2(2)

## SUBSTITUTE SHEET (rule 26)




FIG.3A




FIG. 3B




FIG.3C

7/29





FIG.3D



:1G.3E




FIG.4A

	10/29	
	H- H	
A - H - H - H - H - H - H - H - H - H -		
		* * * * * * * * * * * * * * * * * * *
Ax6801 Ax6802 Ax6901 Ax2301 Ax2402 Ax2403 Ax2405 Ax2405 Ax2405	Ax2501  Ax2601  Ax6601  Ax6602  Ax6603  Ax6603	Ax2901 Ax2902 Ax3101 Ax3201 Ax3303 Ax7401 Ax7403

SUBSTITUTE SHEET (RULE 26)

FIG.4B




FIG.5A




FIG.5B




FIG.50




FIG.50


GAA		: :	-	! !	!	ľ	1:	5/2 !	29	<b>;</b> ;	;	;	!	!	! ! ! !	<b>:</b>
120 iagggagag			1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1		1				1	; 	 		; ; ;
110 21667CCTG			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					 			1		1			
1 10 20 30 40 50 60 70 80 90 100 110 120 GTACCAGGGGCCCCCCGGCCCCTGTAGATCTCCCGGGTGGCCTGGCCTCCCACAGGAGGGAG					_			1	1				1	 		
N AGAATATCO	<del></del>	-A	A	-∀		1		# # # # # # # # # # # # # # # # # # #	!	1	1	1				
9 CCAACACT			1		1 1 1			1	: : :	1						
80 AATTGGGA					; 6 1 1				1	1			1			
70 VGGGGAGAC							1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1					
60 CCACAAGGA							1				1	 			; ; ;	
50 CTGGCCTC			1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1		1	1	 			1	
) וכדכככקק			1		1 1 1 1		1	1	1	1 1	1 1 1				1	
4( CTGTAGA	<del></del>	A			1		-	! ! !	# 1 1 1	1	t 1 1 1			 		
30 CCTGATCG					 		1					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1		
20 66666710			<u>-</u>	- ; - ;	1		1			1		1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
10 GGCCACGG			:    -  -  -  -		i    -  -  -  -  -		1 1 1				; ;	• • • • • • • • • • • • • • • • • • •		1	1 1 1	
ACCAGG			1		1		1	1		1	1 1 1 1	; ; ; ; ;				

FIG.6A

							1	6/	29						
														=====================================	
-]	<u>-</u> ]				1	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	 					 			, , , , , , , , , , , , , , , , , , ,
· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·					· [ 6	1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1	1 - 5 - 7 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5

FIG.6B

HLA-A Intron 3, Teil II



		-)	- ]	1 0		3 1	\$ 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			18/	29	1			; ; ; ; ; ; ; ; ;	9 1 1 2 2 3 4 8 8 8	 		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1
	\\	\\	\\dagger	<del>-</del>								, , , , , , , , , , , , , , , , , , ,	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	J		) <b>ж</b>	: : : :				<del></del>		**************************************	# :	 				 	 	€ >	# # # # # # # # # # # # # # # # # # #	
					111111111111111111111111111111111111111				9 4 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1									; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		
					; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;									P						
													; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	,						
			; ; ; ; ; ; ;				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						4 1 1 1 1 1 1 1 1 1 1 1	#	0	6				
1069	2301	2403	2404	2405	2407	 2501	3402	4301		2099	6099	2901	2902	3101	3201	3301	3303	7401	7/07	8001
A*6	A*C	A*?	A*?	A*2	AXC	A*C	AK 3.	A*4.	™ 30 30	)9¥∀ <b>BS</b>	¥ 7∫ 7∫	₩ UT	ES	EHE	EE1	ې الله الله	₹ { RUL	/*/ E	₹ [₹] 26)	A*/403 A*8001

# FIG.6D

	,		,					19	$\frac{1}{2}$	29						,				
		i 	; ; ;			1		 								; 1 1 1 1			 	 
-	1			! ! !		<u> </u>	<u> </u>	- F-	-	_ +	_ ;			}		 	}- 		1 1 1 1 1	 
			;			1	1										• • • • • •			1
					 												1			) 
		1 1 1 1 1	1 1 1														1			1
		1 1 1		1			!					: : : : :				 	 			1
; ; ;	1					1					1 t t t t t t t t t t t t t t t t t t t	! ! ! !	) ) (				   1   1   1   1			
! ! ! !		1				1 1 1				1	 	; ; ; ; ;	! ! ! !							,
	!	1		1 1 1 1 1 1	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	!	1					1 1 3 1	       							
		1		!						1		; ; ;	 				1 3 4 1 1 1			 
1		1		1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					i 1 1 1 1	i i ! !				i 1 1 1 1			
1	1		!	1						1	 	 	 	!						!
		1	1									; ; ; ;	1				! ! !			
					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	!				\$	 	 	1			 	; ; ;	† † † † †	1 1 1 1 1 1
***	- X X X	XX3	·**		<b>***</b>		A	H-	L <	L <	H	Ľ «	E «	C <	L <	T <	H	H	T. <	
# # #	<b>Ж</b>	<b>X</b>	×	<b>X</b>	₩	1		3 4 6 1 1									; ; ; ;	! ! ! !		1
	- }	!	-	!		!		1								[           	 	 	! !	1

	20/29	
		Ψ-
MI ME		
***************************************		
128 4 3 7 7	- ~ ~ ~ - ~ - ~ -	
Ax2402 Ax2402 Ax2403 Ax2404 Ax2405 Ax2407 Ax2501	Ax 2402 Ax 4301 Ax 6601 Ax 6602 Ax 6603 Ax 6503 Ax 2902 Ax 2902 Ax 2902	Ax3201 Ax3303 Ax7401 Ax7402 Ax7403 Ax8001

SUBSTITUTE SHEET (RULE 26)

FIG. 6

FIG.6G

0 ATCCCA 6 6	9	21/29
\$CCTTCCCC 		
490		
480		
470 NGCTGGTG		
50 71616163		
46 CAGGTGC		
450 GATTATCC		
440 GAATAGGA **A- **A- **A-		
420 430 440 450 460 470 480 490 500  TICAGGGACTAGAATTTICCACGGAATAGAGATTATCCCAGGTGCCTGTGTCCGGTTCTGTGCTCCCTTCCCCATCCCA  C	* * : : : : : : : : : : : : : : : : : :	
20 -xxxxxxx -xxxxxxxx -xxxxxxxx -xxxxxxxx	* * *	
1011CAGG	-31	
410		
390 400 410 ACTCAGG TCAGGACCAGAAG TCGCTGTTCCCTC		
390 CAGGACCA		
ACTCAGGT		
Sus		
Consensus Ax0101 Ax0301 Ax1101 Ax1102 Ax3001	A*3002 A*3004 A*0201 A*0202	A*0203 A*0204 A*0205 A*0206 A*0208 A*0209 A*0210 A*0211

	22/29 
H H H H H H	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	W W W

**SUBSTITUTE SHEET (RULE 26)** 

# FIG. 61


HLA-A Intron 3, Teil V

F16.6

510 520 530 540 550 560 570 580 600 GGTGTCCTGTCCATTCTCAAGATAGCCACATGVGTGCTGGAGGAGTGTCCCATGACAGATGCCTGAAATGCCTGAATGTTCTGACTCTTTCTGACAGACA						; ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !		3			9 9 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	:	111111111111111111111111111111111111111	# # # # # # # # # # # # # # # # # # #	
580 CCTGAATGITC1				-A	-Ψ	-V	-V		-Ψ	-β	-H	\\-	-H	- <del> </del>	- <del>\</del>	-H
S70 ATGCAAAATG					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1	1 1 1 1 1 1		1			
S60 CCATGACAGA		)   		1	\$ 	!	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
550 GAGGAGTGTC T		- 1		-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
. 540 ATGVGTGCTGI				·					1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1
530 NGATAGCCACA			9	·			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 	1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
520 CCATTCTCAA				1						1 1 1 1 1 1 1 1 1	 	1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 	
510 GGTGTCCTGT				# # # # # # # # # # # # # # # # # # #	 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		; ; 1 1 1 1		1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Gonsensus A#0101	A*0301	A*1102	A*3001	A×3004	A*0201	A*0202	A*UZU3	A*UCU4 A*N2N5	A*0206	A*0207	A*0208	A*0209	A*0210	A*0211	A*0215	A*0217


H H L L L L L L		I-J
		JJJJ
Ax6801  Ax6802  Ax6901  Ax2301  Ax2402  Ax2403  Ax2404	A*2405 A*2407 A*2501 A*2601 A*3402 A*6601 A*6602	A*2901 A*3101 A*3201 A*3301 A*7401 A*7403 A*8001


FIG.6J



SUBSTITUTE SHEET (rule 26)

26/29





SUBSTITUTE SHEET (rule 26)

28/29




FIG.10

29/29




FIG.11

			1.
			,

#### **PCT**

### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12O 1/68		(11) International Publication Number:	WO 98/26091
C12Q 1/08	A3	(43) International Publication Date:	18 June 1998 (18.06.98)
(21) International Application Number:	PCT/CA97/009	55 (81) Designated States: AL, AM, AT,	AU, AZ, BA, BB, BG, BR

US

(22) International Filing Date: 12 December 1997 (12.12.97)

(30) Priority Data:

(71) Applicant (for all designated States except US): VISIBLE GENETICS, INC. [CA/CA]; Suite 1000, 700 Bay Street, Toronto, Ontario M5G 1Z6 (CA).

12 December 1996 (12.12.96)

(71)(72) Applicant and Inventor: BLASCZYK, Rainer, H. [DE/DE]; Braschzeile 32, D-14109 Berlin (DE).

(72) Inventor; and

08/766,189

(75) Inventor/Applicant (for US only): LEUSHNER, James [CA/CA]; 84 Sylvan Valley Way, North York, Ontario M5M 4M3 (CA).

(74) Agents: STRATTON, Robert, P. et al.; Gowling, Strathy & Henderson, Suite 4900, Commerce Court West, Toronto, Ontario M5L 1J3 (CA).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).


#### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 17 September 1998 (17.09.98)

(54) Title: METHOD AND KIT FOR HLA CLASS I TYPING



GROUP-SPECIFIC NON-CODING REGION PRIMERS

#### (57) Abstract

The present invention relates to methods and materials for determining the HLA Class I type of a subject, wherein group-specific sequences are used to design primer molecules which may be used in amplification protocols which accurately identify the HLA group(s) and/or allele(s) carried by the subject.

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	Fí	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	$\mathbf{u}\mathbf{G}$	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

			PC1/CA 9/	/00955
A. CLASS IPC 6	IFICATION OF SUBJECT MATTER C12Q1/68	-		
According t	to International Patent Classification (IPC) or to both national classific	cation and IPC		
1	SEARCHED			····
Minimum do IPC 6	ocumentation searched (classification system followed by classificat $C12Q$	ion symbols)		
Documenta	tion searched other than minimumdocumentation to the extent that a	such documents are includ	ded in the fields sea	arched
Electronic d	lata base consulted during the international search (name of data ba	ase and, where practical, s	search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the rel	levant passages		Relevant to claim No.
X	EP 0 414 469 A (GENETYPE AG) 27 1991 CLAIM 29, PAGE 49 see the whole document	February		1-25
Y	CEREB N ET AL: "LOCUS-SPECIFIC AMPLIFICATION OF HLA CLASS I GEN GENOMIC DNA: LOCUS-SPECIFIC SEQU THE FIRST AND THIRD INTRONS OF H AND -C ALLELES" TISSUE ANTIGENS, vol. 45, 1995, pages 1-11, XP000197333 see the whole document	ENCES IN		1-26
X Furth	ner documents are listed in the continuation of box C.	X Patent family m	embers are listed in	n annex.
"A" docume	tegories of cited documents :  Int defining the general state of the art which is not ered to be of particular relevance locument but published on or after the international ate.	"T" later document public or priority date and cited to understand invention "X" document of particula	not in conflict with the principle or the	the application but lory underlying the
"L" documer which is citation "O" docume other m "P" documer later the	nt which may throw doubts on priority claim(s) or scited to establish the publication date of another or or other special reason (as specified) and referring to an oral disclosure, use, exhibition or neans or or other prior to the international filing date but an the priority date claimed	cannot be considered involve an inventive "Y" document of particul cannot be considered document is combinate in the combinate considered control of the constant is combinate in the constant in the constant in the constant is combinate in the constant in	ed novel or cannot o step when the doc ar relevance; the cl ed to involve an inv ned with one or mo nation being obviou	be considered to cument is taken alone alimed Invention entive step when the re other such docu- is to a person skilled
	July 1998	Date of mailing of the 20/07/19		ch report
	· · · · · · · · · · · · · · · · · · ·	20/0//19	סכי	
Name and m	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Authorized officer Hagenmai	er, S	

1

PCT/CA 97/00955

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Delouant to staling No.
Category *	Citation of document, with indication,where appropriate, of the relevant passages	Relevant to claim No.
Y	BLASCZYK R ET AL: "COMPLETE SUBTYPING OF THE HLA-A LOCUS BY SEQUENCE-SPECIFIC AMPLIFICATION FOLLOWED BY DIRECT SEQUENCING OR SINGLE-STRAND CONFORMATION POLYMORPHISM ANALYSIS" TISSUE ANTIGENS, vol. 46, no. 2, 1 August 1995, pages 86-95, XP000573581 see the whole document	1-26
Υ	BLASCZYK R ET AL: "SEQUENCE ANALYSIS OF THE 2ND INTRON REVEALED COMMON SEQUENCE MOTIFS PROVIDING THE MEANS FOR A UNIQUE SEQUENCING BASED TYPING PROTOCOL OF THE HLA-A LOCUS" TISSUE ANTIGENS, vol. 47, no. 2, 1 February 1996, pages 102-110, XP000573588 see the whole document	1-26
Y	CEREB ET AL.: "NUCLEOTIDE SEQUENCES OF MHC CLASS I INTRONS 1,2, AND 3 IN HUMANS AND INTRON 2 IN NONHUMAN PRIMATES" TISSUE ANTIGENS, vol. 47, no. 6, June 1996, pages 498-511, XP002070446 see the whole document & CEREB ET AL.: "ERRATUM" TISSUE ANTIGENS, vol. 48, no. 3, September 1996, pages 235-236, see the whole document	1-26
Y	KRAUSA P ET AL: "GENETIC POLYMORPHISM WITHIN HLA-A*02: SIGNIFICANT ALLELIC VARIATION REVEALED IN DIFFERENT POPULATIONS" TISSUE ANTIGENS, vol. 45, no. 4, 1 April 1995, pages 223-231, XP000573595 see the whole document	1-26
<b>Y</b> ,	DE 44 11 594 C (DEUTSCHES RHEUMAFORSCHUNGSZENT) 14 December 1995 CLAIMS 5 AND 7, PAGE 16 see the whole document	1-26
Y	US 5 451 512 A (APPLE RAYMOND J ET AL) 19 September 1995 SEQ. 10, 15, 16, 26, 28, 29, 31, 37 see the whole document	1-26

1

In. .iational Application No PCT/CA 97/00955

Category ³	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 540 997 A (HOFFMANN LA ROCHE) 12 May 1993 DISCLOSURE, PAGE 7 see the whole document	1-26
Υ	WO 92 19771 A (UNIV MINNESOTA) 12 November 1992 CLAIM 9, PAGE 47 AND EXAMPLE 1, COLUMN 13-14 see the whole document	1-26
Y	US 5 424 184 A (SANTAMARIA PEDRO ET AL) 13 June 1995 SEQ. 1 see the whole document	1-26
Y	WO 95 33855 A (LUDWIG INST CANCER RES) 14 December 1995 EXAMPLE 9; PAGE 12 see the whole document	1-26
Ρ,Υ	CEREB ET AL.: "LOCUS-SPECIFIC CONSERVATION OF THE HLA CLASS I INTRONS BY INTRA-LOCUS HOMOGENIZATION" IMMUNOGENETICS, vol. 47, 1997, pages 30-36, XP002070447 see the whole document	1-26
Ρ,Υ	CEREB ET AL.: "DIMORPHIC PRIMERS DERIVED FROM INTRON 1 FOR USE IN THE MOLECULAR TYPING OF HLA-B ALLELES" TISSUE ANTIGENS, vol. 50, 1997, pages 74-76, XP002070448 see the whole document	1-26
Ρ,Υ	WO 97 31017 A (LUDWIG INST CANCER RES) 28 August 1997 EXAMPLE 9, PAGE 13 AND PAGE 15 see the whole document	1-26
Ρ,Υ	WO 97 23645 A (SLOAN KETTERING INST CANCER) 3 July 1997 DISCLOSURE, PAGE 10; CLAIM 13, PAGE 7; CLAIM 16, PAGE 17 see the whole document	1-26
Ρ,Υ	WO 97 20197 A (ANTHONY NOLAN BONE MARROW TRUS ;ARGUELLO RAFAEL (GB); AVAKIAN HOVA) 5 June 1997 CLAIM 5, PAGE 19; EXAMPLE, PAGE 48 see the whole document	1-26
	-/	

International Application No PCT/CA 97/00955

		PCT/CA 97/00955
C.(Continue	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication,where appropriate, of the relevant passages	Relevant to claim No.
P,Y	WO 97 41259 A (LACROIX JEAN MICHEL ;HUI MAY (CA); DUNN JAMES M (CA); LEUSHNER JAM) 6 November 1997 EXAMPLE 6, PAGE 23 see the whole document	1-26
P,Y	WO 97 31126 A (PERKIN ELMER CORP) 28 August 1997 CLAIM 5, PAGE 56; CLAIM 10, PAGE 57; CLAIM 11, PAGE 58; CLAIM 18, PAGE 59 see the whole document	1-26
P,X	KOTSCH ET AL.: "SEQUENCING OF HLA CLASS I GENES BASED ON THE CONSERVED DIVERSITY OF THE NONCODING REGIONS: SEQUENCING-BASED TYPING OF THE HLA-A GENE" TISSUE ANTIGENS, vol. 50, no. 2, August 1997, pages 178-191, XP002070449 see the whole document	1-26
1		

1

Information on patent family members

i. national Application No PCT/CA 97/00955

Patent family member(s)	Publication date
US 5192659 A AT 144797 T AU 654111 B AU 6131990 A AU 672519 B AU 7285094 A CA 2023888 A DE 69029018 D DE 69029018 T DK 414469 T ES 2095859 T IL 95467 A JP 3139300 A US 5612179 A	09-03-1993 15-11-1996 27-10-1994 28-02-1991 03-10-1996 24-11-1994 26-02-1991 05-12-1996 22-05-1997 14-04-1997 01-03-1997 31-07-1995 13-06-1991 18-03-1997
NONE	
AU 2748592 A CA 2081582 A CN 1073484 A EP 0540997 A FI 924999 A JP 8066197 A NZ 244924 A ZA 9208374 A	06-05-1993 06-05-1993 23-06-1993 12-05-1993 06-05-1993 12-03-1996 26-07-1994 13-05-1993
AU 2748592 A CA 2081582 A CN 1073484 A FI 924999 A JP 8066197 A NZ 244924 A US 5451512 A ZA 9208374 A	06-05-1993 06-05-1993 23-06-1993 06-05-1993 12-03-1996 26-07-1994 19-09-1995 13-05-1993
US 5424184 A CA 2102521 A EP 0584094 A JP 6507069 T US 5593830 A	13-06-1995 09-11-1992 02-03-1994 11-08-1994 14-01-1997
	AT 144797 T AU 654111 B AU 6131990 A AU 672519 B AU 7285094 A CA 2023888 A DE 69029018 D DE 69029018 T DK 414469 T ES 2095859 T IL 95467 A JP 3139300 A US 5612179 A  NONE  AU 2748592 A CA 2081582 A CN 1073484 A EP 0540997 A FI 924999 A JP 8066197 A NZ 244924 A ZA 9208374 A  AU 2748592 A CN 1073484 A FI 924999 A JP 8066197 A NZ 244924 A ZA 9208374 A  US 5451512 A CA 2081581 A CA 2081582 A CN 1073484 A FI 924999 A JP 8066197 A NZ 244924 A US 5451512 A CA 208374 A  US 5424184 A CA 2102521 A EP 0584094 A JP 6507069 T

Information on patent family members

Ir. ational Application No
PCT/CA 97/00955

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5424184	А	13-06-1995	CA 2102521 A EP 0584094 A JP 6507069 T WO 9219771 A US 5593830 A	09-11-1992 02-03-1994 11-08-1994 12-11-1992 14-01-1997
WO 9533855	A	14-12-1995	US 5589334 A AU 687572 B AU 2763595 A CA 2191728 A CN 1149889 A EP 0771358 A FI 964812 A JP 10501409 T NO 965087 A US 5744353 A ZA 9508037 A	31-12-1996 26-02-1998 04-01-1996 14-12-1995 14-05-1997 07-05-1997 02-12-1996 10-02-1998 03-12-1996 28-04-1998 06-06-1996
WO 9731017	Α	28-08-1997	AU 2261497 A US 5744353 A	10-09-1997 28-04-1998
WO 9723645	Α	03-07-1997	NONE	
WO 9720197	Α	05-06-1997	AU 7703796 A	19-06-1997
WO 9741259	A	06-11-1997	AU 2378097 A AU 2747597 A AU 2816797 A AU 2816897 A WO 9740939 A WO 9741257 A WO 9741258 A	19-11-1997 19-11-1997 19-11-1997 19-11-1997 06-11-1997 06-11-1997
W0 9731126		28-08-1997	AU 5026196 A	10-09-1997